

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 1 Of 25

BRCGS Packaging Materials – ISSUE 6

Audit Checklist & Compliance Report

Sr. No.	Function	Audit Date	Audit Time	Auditors
1.	PRODUCT SAFETY & QUALITY MANAGEMENT	17/02/2025	10:00 am to 2:00 pm	Mr. Shashank Sheth
2.	SITE STANDARDS	17/02/2025	14:30 pm to 17:30 pm	Ms. Kapila Barad

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 2 Of 25

3 Product safety and quality management

3.1 Product safety and quality management system			
	The site's processes and procedures to meet the requirements of this Standard shall be documented to allow consistent application, facilitate training, and support due diligence in the production of a safe and legal product.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.1.1	The site's documented policies, procedures, working methods and practices shall be collated in a navigable and readily accessible system, with consideration being given to translation into appropriate languages. Where the site is part of a company governed by a head office, the interaction between the site's system and that of other sites and the head office should be documented. All policies and procedures necessary for the operation of the site being assessed must be available at the site.	Compliance	All procedure, policy & working methods are evident. Personal Hygiene & Hand wash instruction (signage) found at change room
3.1.2	The system shall be fully implemented, reviewed at appropriate planned intervals and improved where necessary.	Compliance	Yes, as per requirement. Review on yearly basis of all Manuals & changes done only if necessary.
3.2 Document control			
	An effective document control system shall ensure that only the correct versions of documents, including recording forms, are available and in use.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.2.1	The company shall have a documented procedure to manage documents which form part of the product safety and quality management system. This shall include: - a list of all controlled documents indicating the latest version number - the method for the identification and authorisation of controlled documents - a record of the reason for any changes or amendments to the documents - the system for the replacement of existing documents when these are updated.	Compliance	Yes, Procedure for document control is in place
3.2.2	Where documents and records are in electronic form these shall be: stored securely (e.g. with authorised access, control of amendments, or password- protected)	Compliance	Yes, limited/authorized access and control through password protection. Back up of electronic files are taken

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 3 Of 25

	backed up to prevent loss or malicious intervention.		at Local system, server & external hard disk.
3.3 Record-keeping			
	The site shall maintain genuine records to demonstrate the effective control of product safety, legality and quality.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.3.1	Records shall be legible, appropriately authorised, retained in good condition, and retrievable.	Compliance	System is in place to keep records in good condition
3.3.2	Any alterations to records shall be authorised and justification for the alteration shall be recorded.	Compliance	No Alterations Observed
3.3.3	The company's senior management shall ensure that documented procedures are established and implemented for the organisation, review, maintenance, storage and retrieval of all records relating to product safety, legality, regulatory compliance and quality.	Compliance	Yes, verified documented procedure for record control.
3.3.4	The site shall document its period of retention for records which relate to the usable life of the packaging and the products it is designed to contain, and shall respect any customer requirements.	Compliance	Retention period is defined as in master list of record for each format
3.4 Specifications			
Fundamental	Appropriate specifications shall exist for raw materials, intermediate and finished products, and for any product or service which could affect the safety, quality or legality of the finished product and customer requirements.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.4.1	Specifications shall be suitably detailed, accurate and compliant with relevant product safety and legislative requirements. They may be in the form of a printed or electronic document, or part of an online specification system.	Compliance	Yes, documented as per product safety and legislative requirements & specification is set for all RM & PM in hard copy. Finish product specifications are as provided & approved by customer for each order
3.4.2	The company shall seek formal agreement of specifications with relevant parties where required by the customer. Where specifications are not formally agreed, then the company shall be able to demonstrate that it has taken steps to put an agreement in place.	Compliance	Yes, done through formal mail evident

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 4 Of 25

3.4.3	Where packaging for food or other hygiene-sensitive products is produced, a statement of compliance shall be maintained which enables users of the packaging to ensure compatibility between the packaging and the product with which it may be in contact. The statement of compliance shall be compiled and authorised by a suitably competent person. It shall contain as a minimum: - the nature of the materials used in the manufacture of the packaging - confirmation that the packaging meets relevant legal requirements - the inclusion of any post-consumer recycled materials. The statement shall identify: - its date of issue and, where appropriate, its expiry date - any limitations of use of the product, and - the usable life of the packaging (where relevant). The site shall review the statement of compliance at a risk-based frequency.	Compliance	Declaration of compliance is in place as per requirement of standard
3.4.4	The presence of a manufacturer's trademarks or logo on packaging materials shall, where appropriate, be formally agreed between the relevant parties.	Compliance	Not Applicable, it is completely controlled by customer's artwork.
3.4.5	A specification review process shall be operated where the product composition or characteristics change or at an appropriate predetermined interval. Reviews and changes shall be documented and communicated to the customer, where required. Any changes to existing agreements or contracts shall be agreed, documented and communicated to appropriate departments.	Compliance	Specification are modified when change in material or composition. Review on yearly basis
3.5 Internal audits			
Fundamental	The company shall be able to demonstrate that it verifies the effective application of the requirements of the Standard and any applicable module through internal audits.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.5.1	There shall be a scheduled programme of internal audits. The frequency at which each activity is audited shall be established in relation to the risks associated with the activity and previous audit performance. All processes shall be audited at least annually. The internal audit programme shall be fully	Compliance	Internal audit plan was in place & facility is audited against all 6 clauses twice a year.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 5 Of 25

	implemented and effective.		
3.5.2	As a minimum, the scope of the internal audit programme shall include the: • HARA or product safety and quality plan, including the activities to implement it (e.g. supplier approval, corrective actions and verification) • prerequisite programmes (e.g. hygiene, pest control) • product defence and product fraud prevention plans • procedures implemented to achieve the Standard and modules. Each internal audit within the programme shall have a defined scope and consider a specific activity or section of the HARA or product safety plan.	Compliance	Yes, the scope of internal audit covers the HARA, PRPs, Product Defence & Fraud etc.
3.5.3	Internal audits shall be carried out by appropriately trained and competent auditors. Auditors shall be independent from the process or activity being audited to ensure impartiality (i.e. they must not audit their own work).	Compliance	Yes, documented and verified. Cross functional audit has been done.
3.5.4	Internal audit reports shall identify conformity as well as non-conformity. Results shall be notified to the personnel responsible for the process/activity audited. Root cause analysis shall be used to determine appropriate corrective actions and a designated manager shall be responsible for the implementation.	Compliance	NCR & their effective closures were evident.
3.5.5	For sites manufacturing materials intended to be in contact with food or other hygiene-sensitive products, in addition to the internal audit programme, there shall be a separate programme of documented inspections to ensure that the factory environment and processing equipment are maintained in a suitable condition. At a minimum, these inspections shall include: • hygiene inspections to assess cleaning and housekeeping performance • inspections to identify risks to the product from the building or equipment. The frequency of these inspections shall be based on risk.	Compliance	Factory Environment is covered under GMP checking as well as site standard compliance checklists & chemical and microbiological control program is also in place.
3.6 Corrective and preventive action			
Fundamental	The site shall be able to demonstrate that it uses the information from failures in its systems and processes to take any necessary corrective and preventive actions.		

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 6 Of 25

Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.6.1	The site shall have a procedure for the completion of root cause analysis and corrective actions and to determine preventive actions. As a minimum, root cause analysis shall be used to implement ongoing improvements and to prevent recurrence of non-conformities in the event of: - an analysis of non-conformities for trends which shows that there has been a significant increase in a type of non-conformity - a non-conformity which places the safety, legality, integrity or quality of a product at risk(including withdrawals) - the results of internal, second- or third-party audits - customer complaints - failure of in-line testing equipment - any incidents.	Compliance	Procedure for Correction, Corrective action & Preventive Action is in place. Verified and found ok.
3.6.2	The site shall evaluate the effectiveness of root cause analyses, and of any corrective and preventive actions.	Compliance	The effectiveness of root cause analysis and of any corrective and preventive actions is verified during MRM.
3.7 Supplier approval and performance monitoring			
	The company shall operate effective procedures for the approval and monitoring of its suppliers.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.7.1	The site shall have a documented supplier approval procedure and continual assessment programme in place, based upon risk analysis and defined performance criteria. These shall apply to the suppliers of: - materials - outsourced (subcontracted) production. The procedure shall ensure that the materials and services procured conform to defined requirements where there is a potential impact to product safety, quality or legality.	Compliance	Documented Procedure for supplier Management verified.
3.7.2	The approval procedure shall be based on risk and include either one or a combination of: a valid certification to the applicable Global Standard or GFSI-benchmarked standard. The scope of the certification shall include the raw materials purchased, and the site shall validate any BRCGS certificates using	Compliance	Documented Procedure for supplier Management verified.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 7 Of 25

	the BRCGS Directory. - supplier audits, with a scope to include product safety, traceability, HARA review and good manufacturing practices, undertaken by an experienced and demonstrably competent product safety auditor. Where the supplier audit is completed by a second or third party, the company shall be able to: - demonstrate the competency of the auditor - confirm that the scope of the audit includes product safety, traceability, HARA review and good manufacturing practices - obtain and review a copy of the full audit report or - where a valid risk-based justification is provided, a satisfactorily completed supplier questionnaire may be used for initial approval. The questionnaire shall have a scope that includes product safety, traceability, HARA review and good manufacturing practices, and it shall have been reviewed and verified by a demonstrably competent person.		
3.7.3	There shall be a documented process for ongoing supplier performance review, based on risk and defined performance criteria. The process shall be fully implemented. Where approval is based on questionnaires, these shall be reissued at agreed intervals based on risk, and suppliers shall be required to notify the site of any significant changes in the interim, including any change in certification status. Records of ongoing supplier assessment and any necessary actions shall be maintained and reviewed.	Compliance	Supplier evaluation is done for material & service provider.
3.7.4	The site shall have an up-to-date list or database of approved suppliers. This may be on paper (hard copy) or it may be controlled on an electronic system. The list or relevant components of the database shall be readily available to the relevant staff.	Compliance	Up-to date master list of approved suppliers is in place. Approved Supplier list
3.7.5	The company shall ensure that its suppliers of raw materials have an effective traceability system. Where a supplier has been approved based on a questionnaire instead of certification or audit, verification of the supplier's traceability system shall be carried out on first	Compliance	Suppliers of raw materials have effective traceability system, verified during the supplier audits and its audit reports.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 8 Of 25

	approval and then at least every 3 years. This may be achieved by a traceability test.		
3.7.6	Where raw materials are purchased from companies that are not the manufacturer or packer (e.g. purchased from an agent, broker or wholesaler), the site shall know the identity of the last manufacturer or packer. Information to enable the approval of the manufacturer or packer shall be obtained from the agent/broker or directly from the supplier, unless the agent/broker is certificated to the relevant Global Standard (e.g. Global Standard for Agents and Brokers) or a relevant standard benchmarked by GFSI.	Compliance	Every supplied product has complete details of manufacturer like company name, product identification, batch / lot number.
3.7.7	The procedures shall define how exceptions are handled; for example, the use of products or services where an audit or monitoring has not been undertaken. Assessment (on a batch or delivery basis) may take the form of: • certificate of analysis • statement of compliance.	Compliance	Yes, Exceptions are Documented in Procedure for Supplier Management verified. COA and declaration of compliance is evident for inks.
3.8 Product authenticity, claims and chain of custody			
	Systems shall be in place to minimise the risk of purchasing fraudulent raw materials for packaging and to ensure that all product descriptions and claims are legal, accurate and verified.		
Clause	Requirements	Sample Audited	Comments / Outcome
3.8.1	The company shall have processes in place to access information on historical and developing threats to the supply chain which may present a risk of substitution of raw materials (i.e. fraudulent raw materials). Such information may, for example, come from: • trade associations • government sources • private resource centres.	Compliance	Documented Procedure for raw material vulnerability assessment.
3.8.2	A documented vulnerability assessment shall be carried out on all raw materials or groups of raw materials to assess the potential risk of substitution. This shall take into account: • historical evidence of substitution • economic factors which may make substitution more attractive • ease of access to raw materials through the supply chain • sophistication of routine and upstream testing to identify substitution • nature of the raw material.	Compliance	Covered in Product Defence and Product Fraud Prevention Plan.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 9 Of 25

	The output from this assessment shall be a documented vulnerability assessment plan. This plan shall be kept under review to reflect changing economic circumstances and market intelligence which may alter the potential risks. It shall be formally reviewed annually.		
3.8.3	Where raw materials are identified as being at particular risk of substitution, the vulnerability assessment plan shall include appropriate assurance and/or testing processes to mitigate the identified risk(s).	Compliance	System is in place for incoming material visual checked and accepted on the basis of COA or DOC.
3.9 Management of subcontracted activities and outsourced processes			
	Where any process steps in the manufacture of the packaging material are outsourced to a third party, or the process is wholly subcontracted to another site, this shall be managed to ensure it does not compromise the quality, safety or legality of the product.		
Clause	Requirements	Sample Audited	Comments / Outcome
3.9.1	The company shall be able to demonstrate that, where any part of the production is outsourced and undertaken off-site, this has been declared to the customer or brand owner and, where required, approval has been granted.	Compliance	System is in place Currently nothing is outsourced.
3.9.2	Where any processes are subcontracted or outsourced, including artwork or pre-press activity, the risks to the quality and safety of the product shall form part of the hazard and risk analysis and the company's evaluation of the system shall be held on record.	Compliance	Available
3.9.3	Clear specifications shall be agreed for all work outsourced or subcontracted.	Compliance	Available
3.9.4	Where any process steps in the manufacture of the packaging materials are subcontracted or outsourced, final release of the product shall remain the responsibility of the site. Controls shall be in place for checks on finished work to ensure product safety and quality meets specification prior to dispatch to the final customer.	Compliance	System is in place
3.9.5	The company shall ensure that any subcontracted or outsourced processors have an effective traceability system. Where a supplier has been approved based on a questionnaire instead of certification or audit, verification of the supplier's traceability system shall be carried out on first approval and then at least once every 3 years. This may be achieved by a traceability test.	Compliance	System is in place

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 10 Of 25

3.10 Management of suppliers of services			
	The company shall be able to demonstrate that, where services are outsourced, any risks presented to product safety, quality or legality have been evaluated to ensure effective controls are in place.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.10.1	There shall be a documented procedure for the approval and monitoring of suppliers of services. Such services shall include, but are not limited to: • pest control • laundry services • transport and distribution • storage and dispatch • sorting or rework • laboratory services • calibration services • waste management • product safety and quality consultants to the site. Providers of utilities such as water, electricity or gas may be excluded on the basis of risk. This approval and monitoring process shall be risk-based and take into consideration: • risk to the safety and quality of products • compliance with any specific legal requirements • potential risks to the security of the product (i.e. risks identified in the vulnerability and product defence assessments).	Compliance	Documented Procedure for supplier Management verified.
3.10.2	Contracts or formal agreements shall exist with the suppliers of services which clearly define service expectations and ensure potential risks associated with the service have been addressed.	Compliance	Yes, agreement available for service provider including risk assessment in Procedure for service vendor selection and evaluation
3.11 Traceability			
Fundamental	The site shall be able to trace and follow all raw materials through processing (including subcontracted processes) to the distribution of the finished product (packaging material) to the customer and vice versa.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.11.1	The site shall have a documented traceability procedure and system that can trace and follow all raw materials from the supplier through all stages of processing (including subcontracted processes) and distribution of the finished	Compliance	Yes, Procedure for identification and traceability. Verified the record of backward traceability.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 11 Of 25

		product, and vice versa. Where continuous processes are used, or raw materials are in bulk silos, traceability shall be achieved to the best practical level of accuracy.		
3.11.2		Identification of raw materials, intermediate products, finished products, non-conforming products and quarantined goods shall be adequate to ensure traceability.	Compliance	Yes, system in place. Highlighted in procedure for Identification and traceability.
3.11.3		For traceability, an appropriate system shall be in place to ensure that the customer can identify a product or production lot number for the product. Where coding is applied, this shall be checked for legibility and accuracy against production records.	Compliance	Yes, all materials are provided with SAP generated bar code / batch code as appropriate & verified for Paper rolls
3.11.4		The traceability procedure and system shall be tested at a predetermined frequency, at least annually, and the results shall be retained and easily retrieved for inspection. Traceability of all materials shall be achievable in a timely manner.	Compliance	Traceability-forward and backward being done once in a year. Forward traceability is done and Backward traceability is done, verified the record and found ok.
3.11.5		Where rework or any reworking operation is performed or outsourced or subcontracted activities are carried out, traceability shall be maintained.	Compliance	Yes, rewinding log sheet is verified.
3.11.6		Traceability of test data and samples to production lots shall be maintained.	Compliance	Maintained with the traceability records.
3.12 Complaint-handling				
		Customer complaints relating to product hygiene, safety or quality shall be handled effectively and the information used to reduce complaint levels.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome	
3.12.1	All complaints shall be recorded and investigated (including root cause analysis) and the results of the investigation documented. Actions appropriate to the seriousness and frequency of the problems identified shall be carried out promptly and effectively by appropriately trained staff.	Compliance	Yes, Customer complaint with RCA & CAPA records verified.	
3.12.2	Complaint data shall be analysed to identify significant trends. Where there has been an increase or repetition of a complaint type, root cause analysis shall be used to implement	Compliance	Trend analysis of past customer complaints as well as for current year also evident.	

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 12 Of 25

	ongoing improvements to product safety, legality and quality, and to avoid recurrence. This analysis shall be made available to relevant staff.		
3.13 Management of product withdrawals, incidents and product recalls			
	The site shall have a documented procedure and systems in place to effectively manage any product withdrawals, returns from customers, incidents or product recalls in order to ensure that all potential risks to the hygiene, quality, safety or legality of products and the final consumer are controlled.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
3.13.1	A product withdrawal procedure shall be documented and include as a minimum: • identification of the key personnel involved in assessing potential product withdrawals or returns, with their responsibilities clearly defined • a communications plan including methods of informing customers • root cause analysis and corrective action to implement appropriate improvements as required.	Compliance	Yes, documented Procedure for Product Withdrawals & Recall covers all the requirement.
3.13.2	The withdrawal procedure shall be capable of being operated at any time and will take into account notification to the supply chain, stock return, logistics for recovery, storage of recovered product, and disposal.	Compliance	Yes, all departments are covered and aware for withdrawal procedure
3.13.3	The company shall provide written guidance and training for relevant staff regarding the type of event that would constitute an incident. Incidents may include: • disruption to normal production processes • disruption to key services such as water, energy, transport, refrigeration processes, staff availability and communications • events such as fire, flood or natural disaster • malicious contamination or sabotage • failure of, or attacks against, digital cyber-security. Where products which have been released from the site could be affected by an incident, the need to withdraw products and, where appropriate, advise customers to withdraw and/or recall products shall be considered. A documented incident reporting procedure shall be in place.	Compliance	Yes, documented in Procedure for Incident Reporting covers types of incidents. No Incident recorded till date.
3.13.4	The company shall determine and document	Compliance	Yes, Documented

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 13 Of 25

	the activity required to effectively manage an incident to prevent release of product where hygiene, safety or quality may have been affected.		procedure is in place.
3.13.5	A procedure to manage product recalls initiated by the brand owner or specifier shall be documented and include as a minimum: • identification of the key personnel involved in assessing potential recalls, together with clearly defined responsibilities • a communications plan that includes methods of informing customers and (where necessary) regulatory bodies in a timely manner.	Compliance	Yes, all Information as per standard requirement mentioned in Withdrawal and recall procedure.
3.13.6	Where a site's products are involved in a product recall, the site shall assist with provision of information (such as traceability) as required.	Compliance	Yes, site can assist with the provision of information such as traceability.
3.13.7	The product withdrawal procedure shall be tested, at least annually, in a way that ensures its effective operation. Results of the test shall be retained and shall include timings of key activities. The results of the test, and of any actual withdrawals, shall be used to review the procedure and implement improvements as necessary.	Compliance	Yes, one mock withdrawal exercise record of product withdrawal verified, and complete traceability done.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 14 Of 25

4 Site standards

4.1 External standards			
	The site shall be of suitable size and construction, in a suitable location, and maintained to an appropriate standard to reduce the risk of contamination and facilitate the production of safe and legal products.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.1.1	Consideration shall be given to local activities and the site environment, which may have an adverse impact on the safety or quality of the finished product or raw materials, and measures shall be taken to prevent contamination. Where measures have been put in place to protect the site, they shall be regularly reviewed to ensure they continue to be effective (e.g. flood controls).	Compliance	The Plant is Fully covered & no chance of product contamination. PSTL conducting quarterly audit of all PRP (including site standard) for control of internal & external environment.
4.1.2	The external areas shall be maintained in good order. Any grassed or planted areas surrounding buildings shall be regularly tended and well maintained. External traffic routes under site control shall be suitably surfaced to avoid contamination of the product.	Compliance	Outside area is maintained in good condition & vegetation is maintained away from main plant periphery.
4.1.3	The building fabric shall be maintained to minimise potential for pest entry, ingress of water and other contaminants. External silos, pipework or other access points for the product and/or raw materials shall be appropriately sealed and secured. Where possible, a cleaned unobstructed area shall be provided along the external walls of the buildings used for production and/or storage.	Compliance	Building fabric found adequately maintained
4.1.4	Where natural external drainage is inadequate, additional drainage shall be installed. Drains shall be properly protected to prevent entry of pests.	Compliance	All external drainage is cleaned and covered properly.
4.1.5	Where external storage of raw materials is necessary, these shall be protected in order to minimise the risk of contamination.	Compliance	No material found stored outside of the plant.
4.2 Building fabric and interiors: raw materials handling, preparation, processing, packing and storage areas			
	The internal site, buildings and facilities shall be suitable for the intended purpose and shall be designed, constructed, maintained and monitored to effectively control the risk of product contamination.		

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 15 Of 25

Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.2.1	Walls, floors, ceilings and pipework shall be maintained in good condition and shall facilitate cleaning.	NC - 01	Wall painting peeling and small cracks have been observed near Old plant worker's entry area
4.2.2	Where suspended ceilings exist, they shall be constructed, finished and maintained to prevent the risk of product contamination, and accessible for cleaning and inspection for pests unless the void is fully sealed.	Compliance	No suspended ceilings are there.
4.2.3	All internal drain openings shall be suitably protected against the entry of pests and designed to minimise odour.	Compliance	Such openings are completely covered and found protected.
4.2.4	Where they constitute a risk to product, and based on the likelihood and risk of contamination, windows and roof glazing shall be protected against breakage.	Compliance	All such window glasses are found protected as tempered glass were used
4.2.5	Where they constitute a risk to product, and based on the likelihood and risk of non-production glass contamination, all bulbs and strip lights, including those on flying-insect control devices, shall be adequately protected.	Compliance	Most of the lightings are LED and all other tube lights are completely covered with cleaned plastic cover.
4.2.6	Where elevated walkways are adjacent to or pass over production lines, based on risk they shall be: - designed to prevent contamination of products and production lines - easy to clean - correctly maintained.	Compliance	There is elevated walkways design prevent contamination of production lines and easily clean.
4.2.7	Suitable and sufficient lighting shall be provided to ensure a safe working environment, correct operation of processes, effective inspection of the product and cleaning.	Compliance	Lighting found sufficient and Lux Level are maintained as per standard requirement
4.2.8	Suitable and sufficient ventilation shall be provided.	Compliance	Ventilation is provided in each section adequately
4.3 Utilities			
	All utilities to and within the production and storage areas shall be designed, constructed, maintained and monitored to effectively control the risk of product contamination.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.3.1	All water used in the processing of the	Compliance	Water do not use in

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 16 Of 25

	products or equipment cleaning shall be potable or suitably treated to prevent contamination.		process or machine cleaning.
4.3.2	Based on risk assessment, the microbiological and chemical quality of water, steam, ice, air, compressed air or other gases which come into direct contact with packaging shall be regularly monitored. These shall present no risk to product safety or quality and shall comply with relevant legal regulations.	Compliance	Microbiological test report for Air swab of processing area and Work Zone monitoring being done once in a year. Water testing is done as per IS 10500:2012 annually
4.4 Site security and product defence			
	A product defence plan shall be in place to ensure that there are systems to protect products, premises and brands from malicious actions while under the control of the site.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.4.1	The company shall undertake a documented risk assessment (threat assessment) of the security arrangements and potential risks to the products from any deliberate attempt to inflict contamination or damage. This threat assessment shall include both internal and external threats. The output from this assessment shall be a documented product defence plan. Areas shall be assessed according to risk; sensitive or restricted areas shall be defined, clearly marked, monitored and controlled. This plan shall be kept under review to reflect changing circumstances and external influences. It shall be formally reviewed at least annually.	Compliance	Product Defence Plan is documented and found ok. Site Security Risk assessment is also carried out for the same.
4.4.2	Measures shall be in place to ensure only authorised personnel have access to production and storage areas, and access to the site by employees, contractors and visitors shall be controlled. A visitor reporting system shall be in place. Staff shall be trained in site security procedures and encouraged to report unidentified or unknown visitors.	Compliance	Visitor entry is logged at security.
4.4.3	External storage tanks, silos and any intake pipes with an external opening shall be sufficiently secure to prevent unauthorised access.	Compliance	There are no external storage tanks, silos & any intake pipes in the plant.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 17 Of 25

4.5 Layout, product flow and segregation			
	The factory layout, flow of processes and movement of personnel shall be sufficient to prevent the risk of product contamination and to comply with all relevant legislation.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.5.1	There shall be a current map or plan of the site which defines: - access points for personnel - travel routes for personnel, raw materials and intermediate or finished products - staff facilities - routes for the removal of waste - production and process flows - storage areas.	Compliance	Single Entry/Exit for personnel, verified. Plan layout and Section-wise facility floor plan displayed showing all the locations including man-material movement.
4.5.2	The process flow from intake to dispatch shall be arranged to minimise the risk of contamination or damage to the product.	Compliance	Complied, premises cleaning and compliance with good hygiene practices found effective.
4.5.3	Premises shall allow sufficient working space and storage capacity to enable all operations to be carried out properly under safe and hygienic conditions.	Compliance	Yes, sufficient working space and storage capacity is provided.
4.5.4	Sorting or other activities involving the direct handling of the product shall take place in areas that have, as a minimum, the same standards as production areas.	Compliance	Yes, it is having sufficient space for other activities also.
4.5.5	Activities that could produce a contamination risk, such as the removal of outer packaging, shall be carried out in a designated, segregated area.	Compliance	Such activities are carried out away from processing area and done at designated place in that area.
4.5.6	If it is necessary to allow access through production areas, designated walkways shall be provided that ensure there is adequate segregation from materials.	Compliance	Yes, it is evident.
4.5.7	Where possible, all facilities shall be designed and positioned so that movement of personnel is by simple, logical routes.	Compliance	Designed as per requirements, single entry/exit for plant is evident. And as per simple and logical routes.
4.6 Equipment			
	Equipment shall be suitably designed for the intended purpose and shall be maintained and used so as to minimise the risk to product safety, legality and quality.		

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 18 Of 25

Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.6.1	Production, storage and warehousing equipment shall be designed for the intended purpose and shall minimise the risk of contamination to the product. Lubrication points and application methods of any lubricant shall not be able to contaminate the product. Equipment shall be constructed of suitable materials and be designed to ensure it can be effectively cleaned and maintained.	Compliance	Yes, Production, storage and warehousing equipment design is adequate, hygiene is maintained. Lubrication points and application method is evident.
4.6.2	Newly installed equipment shall be properly specified before purchase. New equipment shall be tested and commissioned prior to use and a maintenance and cleaning programme established.	Compliance	New equipment is procured as per the specification considering product safety measures.
4.6.3	Wooden equipment including desks, chairs, tables, etc. shall be properly sealed to enable effective cleaning. This equipment shall be kept clean, in good condition and free from splinters or other sources of physical contamination.	Compliance	Documented wood control policy. Wood articles identified & monitoring.
4.6.4	Notices on equipment shall be cleanable and secure.	Compliance	Yes, Notice on Equipment found in clean condition.
4.7 Maintenance			
	An effective maintenance programme shall be in operation for plant and equipment to prevent contamination and reduce the potential for breakdowns.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.7.1	A documented programme of maintenance shall be operated, covering all items of production equipment and plant critical to product safety, legality and quality, to prevent contamination and reduce the risk of breakdown.	Compliance	A documented PM plan is evident, verified and found ok. Checklist for preventive maintenance cum record
4.7.2	Maintenance logs shall be maintained for all off-line testing equipment. This shall include, as a minimum: - any adjustments - the re-calibration date of any interventions.	Compliance	Maintenance log is maintained for instruments; however, instruments are new no as such changes noted till date.
4.7.3	In addition to any planned maintenance programme, where there is a risk of product contamination by foreign bodies arising from equipment failure or damage, the equipment shall be inspected at predetermined intervals,	Compliance	Break down maintenance records verified in Machinery Breakdown Register in ERP.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 19 Of 25

	inspection results documented, and appropriate action taken.		
4.7.4	Maintenance work shall not place product safety, quality or legality at risk. Maintenance work shall be followed by a documented clearance procedure which records that contamination hazards have been removed and equipment cleared to resume production.	Compliance	Yes, it is documented in procedure. Records of Engineering & Maintenance Hygiene Clearance Record verified.
4.7.5	Tools and other maintenance equipment shall be cleared away after use and appropriately stored.	Compliance	Tool kit used and cleared after maintenance work. Same is verified in records of preventive & breakdown records.
4.7.6	Temporary repairs/modifications using tape, cardboard, etc. shall only be permitted in emergencies and where product contamination is not at risk. Such modifications shall be subject to a time limit and shall be recorded and scheduled for correction.	NC - 02	Use of temporary modification using thread and cloth noted in Lamination machine
4.7.7	Engineering workshops shall be controlled to prevent transfer of engineering debris to production or storage areas (e.g. by provision of swarf mats).	Compliance	Engineering workshop is designated separately.
4.7.8	Contractors involved in maintenance or repair shall be suitably monitored by a staff member who shall be responsible for their activities.	Compliance	Yes, system is in place. One maintenance person accompanies outsourced contractors.
4.8 Housekeeping and cleaning			
Fundamental	Housekeeping and cleaning systems shall be in place which ensure that appropriate standards of hygiene are maintained and that the risk of product contamination is minimised.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.8.1	Good standards of housekeeping shall be maintained, which shall include a condition-based cleaning or 'clean as you go' policy.	Compliance	Yes, complied as per the requirement.
4.8.2	Documented cleaning procedures shall be in place and maintained for buildings, equipment and vehicles. Cleaning schedules and procedures shall include the following information: - responsibility for cleaning - item/area to be cleaned - frequency of cleaning - method of cleaning - cleaning materials to be used - cleaning record and responsibility for	Compliance	Yes, documented procedure for premises cleaning, maintenance and sanitation.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 20 Of 25

	verification. The frequency and methods of cleaning shall be based on risk. The procedures shall be implemented to ensure that appropriate standards of cleaning are achieved.		
4.8.3	Cleaning chemicals shall be fit for purpose, suitably labelled, and used in accordance with manufacturers' instructions. They shall be stored in a secured, designated location, in closed containers. Chemicals that are strongly scented or could give rise to taint and odour contamination shall not be used. Cleaning equipment shall be kept in a suitable designated location.	Compliance	Yes, policy for Chemical Control is in place Chemicals that are strongly scented or could give rise to taint and odour contamination is not used. List of chemicals is maintained
4.8.4	Materials and equipment used for cleaning toilets shall be differentiated from those used elsewhere, and physically segregated where necessary.	Compliance	Yes, being stored separately away from production area.
4.8.5	Where appropriate, based on risk, a microbiological environmental monitoring programme shall be in place to ensure that the cleaning operations are effective in minimising the risk of contamination by microorganisms that would be detrimental to the products. The programme shall consider the likelihood of the microorganisms' survival on packaging materials and their use. Where a programme is in place, this shall include: • sampling protocol • identification of sample locations • frequency of tests • target organisms (e.g. pathogens, spoilage organisms and/or indicator organisms) • test methods • recording and evaluation of results. The programme and its associated procedures shall be documented.	Compliance	Microbial Testing and Swab Testing Programme is in place
4.9 Product contamination control			
	All practicable steps shall be taken to identify, eliminate, avoid or minimise the risk of foreign-body or chemical contamination.		
4.9.1 Glass, brittle plastics, ceramics and similar materials control			

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 21 Of 25

Clause	Requirements	Sample Audited	Comments / Outcome
4.9.1.1	There shall be no unnecessary non-production glass, ceramics or brittle plastic present, which may pose a foreseeable risk of contamination. Where non-production glass, ceramics or brittle plastics are required in production, packing or storage areas, and where there is a risk of product contamination, procedures for their handling shall be in place.	Compliance	Glass & Brittle Plastic Policy is in place. Monthly monitoring records verified for glass & brittle materials identified in plant. Procedure for handling is also covered in the same
4.9.1.2	Glass or brittle plastics (other than the product) that pose a potential product contamination hazard shall be controlled and recorded on a register that includes, as a minimum: - a list of items detailing location, number, type and condition - recorded checks of condition of items, carried out at a specified frequency that is based on the level of risk to the product - details on cleaning or replacing items to minimize the potential for product contamination. Glass or brittle plastics not in the production or storage areas shall be included in the register on the basis of risk.	Compliance	Monthly monitoring records verified for glass & brittle materials identified in plant. All such brittle & glass materials in plant are marked with their unique identification no. Tempered glass is used in the plant.
4.9.1.3	Where non-production glass or brittle plastic breakage occurs, a responsible person shall be placed in charge of the clean-up operation and shall ensure that no other area is allowed to become contaminated due to the breakage. Any product that has become contaminated shall be segregated and disposed of. All breakages shall be recorded in an incident report.	Compliance	No incident took place till date for glass and brittle plastic.

4.9.2 Sharps and metal control

Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.9.2.1	There shall be a documented policy for the controlled use and storage of sharp implements, including knives, needles and wires, to prevent contamination. The policy shall include control of these items into and out of the site.	Compliance	Policy for sharp Metal Control is in place.
4.9.2.2	Production equipment that incorporates blades or sharps shall be monitored. Blades or other sharp implements shall not be allowed to contaminate the product.	Compliance	Loose blades and doctor blade are monitored.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 22 Of 25

4.9.2.3	Snap-off blade knives shall not be used.	Compliance	Snap-off blade knives not be used.
4.9.2.4	Where open noticeboards are present in production, packing and storage areas, loose fastenings, such as drawing pins and staples, shall not be used.	Compliance	No Open Noticeboard observed

4.9.3 Chemical and biological control

Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.9.3.1	Processes shall be in place to manage the use, storage and handling of non-production chemicals, to prevent chemical contamination. These shall include, as a minimum: - a list of approved chemicals for purchase - availability of material safety data sheets and specifications - avoidance of strongly scented products - the labelling and/or identification of containers of chemicals at all times - designated storage area with access restricted to authorized personnel - use by trained personnel only.	Compliance	Policy for Chemical Control MSDS is in place covered all stated requirement Stored under lock & key. MSDS available for all chemicals.
4.9.3.2	Hazard and risk analysis shall be used to identify, control and manage any potential risks from microbiological contamination and any potential allergens.	Compliance	Allergen risk assessment is in place. And also, risk associated from microbiological contamination is assessed in HARA. There is no risk regarding microbiological contamination as all the chemicals are solvents & detergents.

4.10 Waste and waste disposal

	Waste disposal shall be managed in accordance with legal requirements and to prevent accumulation, risk of contamination and the attraction of pests.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.10.1	Where licensing is required by law for the removal of waste, it shall be removed by licensed contractors and records of removal shall be maintained and available for audit.	Compliance	Contract agreement is in place for waste management. Waste removal record is evident.
4.10.2	Process waste shall be managed to minimise release to the environment. This shall include, but is not limited to, pellet, flake, powder, dust and offcuts.	Compliance	No as such process waste which can contaminate the product.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 23 Of 25

			No pellets, flakes, dust and offcuts are produced during any process.
4.10.3	Suitable and sufficient refuse and waste containers shall be provided, which shall be emptied at appropriate frequencies and maintained in an adequately clean condition.	Compliance	Yes, Waste bins are provided area wise and being emptied on regular interval.
4.10.4	Where appropriate, waste shall be categorised according to legislative requirements based on the intended means of disposal (such as recycling), and sorted, segregated and collected in appropriate designated waste containers.	Compliance	Yes, Wastes are being segregated and disposed separately.
4.10.5	Substandard trademarked materials shall be rendered unusable through a destructive process. All materials disposed of shall be recorded.	Compliance	Such material is shredded & then given to concerned
4.10.6	If substandard trademarked materials are transferred to a third party for destruction or disposal, that third party shall be a specialist in appropriate waste disposal and shall provide records of material destruction.	Compliance	Such material is shredded & then given to concerned
4.10.7	External storage of refuse shall be in designated areas and designed or maintained to minimise the risk of pest harbourage.	Compliance	Designated place is provided, and cleaning is done routinely.
4.11 Pest management			
	In order to minimise the risk of infestation and risk to products, the whole site shall have an effective preventive pest management programme in place and the resources available to respond immediately to any issues which occur.		
Clause	Requirements	Compliance/Non compliance	Comments / Outcome
4.11.1	A preventive pest management programme shall be maintained, covering all areas of the site under the site's control. The site shall assess the suitability of its pest management programme to address variation in pest activity through different seasons, and consider any additional preventive activity required. The site shall document and implement any required additional activity.	Compliance	Pest Management Plan is documented by service provider. Daily service is provided by pest management service provider Addition activity is documented as call out service
4.11.2	The site shall either contract the services of a competent pest management organisation or have appropriately trained staff for the regular inspection and treatment of the site in order to deter and eradicate infestation. The frequency	Compliance	Contractual agreement is in place with external pest control service provider

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 24 Of 25

	of inspections shall be determined by risk assessment and documented. The risk assessment shall be reviewed whenever: - there are changes to the building or production processes which could have an impact on the pest management programme - there has been a significant pest issue. Where the services of a pest management contractor are employed, the service contract shall be clearly defined and reflect the activities of the site.		Training record is evident for pest control personnel
4.11.3	Where a site undertakes its own pest management, it shall be able to demonstrate that: - pest management operations are undertaken by trained and competent staff with sufficient knowledge to select appropriate pest control chemicals and proofing methods and understand the limitations of use, relevant to the biology of the pests associated with the site - staff undertaking pest management activities meet any legal requirements for training or registration - sufficient resources are available to respond to any infestation issues - there is ready access to specialist technical knowledge when required - legislation governing the use of pest control products is understood and complied with - dedicated locked facilities are used for the storage of pesticides.	Compliance	Contractual agreement is in place with external pest control service provider Training certificates of P external pest control service provider's technicians evident. Medical Fitness Certificates of technicians verified. Locked rodents' boxes are placed. No onsite storage of Pesticide and other chemicals at site
4.11.4	Equipment such as bait stations, traps or electric fly-killing devices shall be appropriately located and operational.	Compliance	Yes, Bait stations, traps and insectoquator are installed at identified locations.
4.11.5	Effective precautions shall be in place to prevent pests entering the premises. The building shall be suitably proofed against the entry of all pests via doors, windows, ducts and cable entry points. This shall include measures to prevent birds and flying mammals from entering buildings or roosting above loading or unloading areas.	Compliance	Trend analysis records verified. Done on monthly basis
4.11.6	In the event of infestation, immediate action shall be taken to eliminate the hazard. Action shall be taken to identify, evaluate the potential for contamination or damage, and authorise	Compliance	External pest control service provider Technician take the action against the cause.

INTERNAL AUDIT FINDINGS / OBSERVATION REPORT

Format No.: F / SYS / 08

Rev No: 01

Date: 01.03.2023

Page No.: 25 Of 25

	the release of any product potentially affected.		No incident took place till date
4.11.7	In the event of an infestation, and at appropriate intervals, the site shall request a catch analysis from flying-insect control devices to help identify problem areas. In the event of increase in activity, the site shall use risk assessment to determine the activity required to eliminate the hazard.	Compliance	Risk assessment related to pest activity is assessed Trend analysis is carried out & overall trend improvement
4.11.8	Documented procedures and detailed records of pest activity, pest management inspections and recommendations shall be maintained. These shall include, as a minimum: • an up-to-date, signed and authorised site plan identifying numbered pest control devices and their locations • identification of the baits and/or monitoring devices on site • clearly defined responsibilities for the site management and the contractor • details of pest control products used and instructions for their effective use • detailed records of inspections, recommendations and of any pest infestation. It shall be the responsibility of the site to ensure that all the relevant recommendations made by the contractor or in-house expert are implemented in a timely manner and monitored for efficacy.	Compliance	Yes, updated Bait plan is in place. IDENTIFICATION is in place. Verified and found ok
4.11.9	Employees shall understand the signs of pest activity and be aware of the need to report any evidence to a designated manager.	Compliance	Training imparted to entire workforce on Pest Management from outside agency verified.