# Session 4

#### Task 1.1

```
[cloudera@quickstart kafka_2.11-1.0.0]$ bin/kafka-topics.sh --create --zookeeper localhost:2181 --replication-factor 1 --partitions 1 --topic keyLess Created topic "keyLess".

[cloudera@quickstart kafka_2.11-1.0.0]$ bin/kafka-topics.sh --list --zookeeper localhost:2181

Sales

keyLess

test

[cloudera@quickstart kafka_2.11-1.0.0]$ bin/kafka-console-producer.sh --broker-list localhost:9092 --topic keyLess

>{"name":"John", "exp":16}

{"name":"Finn", "exp":20}

{"name":"Cylin", "exp":18}

{"name":"Akshay", "exp":14}

>>>>>>
```

### Task 2

```
[cloudera@quickstart kafka_2.11-1.0.0]$ bin/kafka-console-consumer.sh --bootstrap-server localhost:9092 --topic keyLess --from-beginning
{"name":"John", "exp":16}
{"name":"Finn", "exp":20}
{"name":"Cylin", "exp":18}
{"name":"Mark", "exp":2}
{"name":"Akshay", "exp":14}
```

# Task 3

```
[cloudera@quickstart kafka_2.11-1.0.0]$ bin/kafka-console-producer.sh --broker-list localhost:9092 --topic keyed --property "parse.key=true" --property "key.separator=,"
>{"name":"John"},{"exp":16}
{"name":"Finn"},{"exp":20}
{"name":"Cylin"},{"exp":18}
{"name":"Mark"},{"exp":2}
{"name":"Akshay"},{"exp":14}>>>>
```

## Task 4

```
[cloudera@quickstart kafka_2.11-1.0.0]$ bin/kafka-console-consumer.sh --bootstrap-server localhost:9092 --topic keyed --property print.key=true --property key.separator=-
{"name":"John"}-{"exp":16}
{"name":"Finn"}-{"exp":20}
{"name":"Cylin"}-{"exp":18}
("name":"Mark"}-{"exp":2}
["name":"Akshay"}-{"exp":14}
```