

SAFETY DATA SHEET

Creation Date 27-Nov-2010 Revision Date 22-Mar-2018 Revision Number 1

1. Identification

Product Name Sodium hydrosulfite, technical grade

Cat No.: 33381

CAS-No 7775-14-6 Synonyms Sodium dithionite

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-322-4757
Email: tech@alfa.com

www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Self-heating substances and mixtures Category 1
Acute oral toxicity Category 4

Label Elements

Signal Word

Danger

Hazard Statements

Self-heating; may catch fire Harmful if swallowed



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep cool. Protect from sunlight

Wear protective gloves/protective clothing/eye protection/face protection

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Maintain air gap between stacks/pallets

Store away from other materials

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Contact with acids liberates toxic gas

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium dithionite	7775-14-6	>85

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation Move to fresh air. Obtain medical attention. If not breathing, give artificial respiration.

Ingestion Do not induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get

medical attention if symptoms occur.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point Method -No information available

No information available

Autoignition Temperature Not applicable >80 °C / >176 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Self-heating; exposure to air may cause substance to self-heat without an energy supply.

Hazardous Combustion Products

Sulfur oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards332N/A

6. Accidental release measures

Personal Precautions
Environmental Precautions

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in **Up** suitable, closed containers for disposal.

7. Handling and storage

Handling Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on

skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area.

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Tightly fitting safety goggles.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StatePowder SolidAppearanceWhiteOdorrotten-egg like

Odorrotten-egg likeOdor ThresholdNo information available

pH 8-9.5 50 g/l aq.sol
Melting Point/Range 300 °C / 572 °F
Boiling Point/Range No information available
Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Sodium hydrosulfite, technical grade

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific Gravity 1.4

Solubility

No information available

Partition coefficient; n-octanol/water

No data available

Autoignition Temperature Not applicable >80 °C / >176 °F

Decomposition Temperature No information available

ViscosityNot applicableMolecular FormulaNa2 O4 S2Molecular Weight174.1

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under normal conditions. Moisture sensitive. Strong reducing agent. Fire and

explosion risk in contact with oxidizing agents.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.

Incompatible Materials Acids, Oxidizing agents

Hazardous Decomposition Products Sulfur oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsContact with acids liberates toxic gas.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium dithionite LD50 = 2500 mg/kg (Rat)		>2 g/kg (Rat)	>5.5 mg/L/4h (Rat)

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
ı	Sodium dithionite	7775-14-6	Not listed				

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms. Contains a substance which is:.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium dithionite	EC50: = 120 mg/L, 72h (Desmodesmus subspicatus) EC50: = 87 mg/L, 96h (Desmodesmus subspicatus)	LC50: 46 - 68 mg/L, 96h static (Leuciscus idus)	EC50 = 107 mg/L 17 h	EC50: = 98 mg/L, 48h (Daphnia magna Straus)

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Sodium dithionite	-4.7

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1384

Proper Shipping Name SODIUM DITHIONITE

Hazard Class 4.2 Packing Group

TDG

UN-No UN1384

Proper Shipping Name SODIUM DITHIONITE

Hazard Class 4.2 Packing Group II

<u>IATA</u>

UN-No UN1384

Proper Shipping Name Sodium dithionite

Hazard Class 4.2 Packing Group II

IMDG/IMO

UN-No UN1384

Proper Shipping Name Sodium dithionite (Sodium hydrosulphite)

Hazard Class 4.2 Packing Group

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium dithionite	Х	Χ	-	231-890-0	-		Χ	Χ	Χ	Х	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Г	Sodium dithionite	X	X	Χ	-	Χ

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Sodium dithionite	2000 lb STQ

Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 27-Nov-2010

 Revision Date
 22-Mar-2018

 Print Date
 22-Mar-2018

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 91.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Creation Date 26-Nov-2010 Revision Date 22-Mar-2018 Revision Number 1

1. Identification

Product Name Sodium selenate

Cat No.: 12613

CAS-No 13410-01-0

Synonyms Selenic acid, disodium salt.; Disodium selenate

Recommended UseLaboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 3

Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Kidney, Heart, Liver.

Label Elements

Signal Word

Danger

Hazard Statements

Fatal if swallowed

Toxic if inhaled

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium selenate	13410-01-0	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician

Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

None known

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
4	0	1	N/A

6. Accidental release measures

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Environmental Precautions

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust

Up formation.

7. Handling and storage

Handling

Wear personal protective equipment. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors/dust. Do not

ingest.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Sodium selenate	TWA: 0.2 mg/m ³	(Vacated) TWA: 0.2 mg/m ³	IDLH: 1 mg/m ³	TWA: 0.2 mg/m ³
	_		TWA: 0.2 mg/m ³	_

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face ProtectionWear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StatePowder SolidAppearanceWhiteOdorOdorless

Odor Threshold
PH
No information available
No information available
No data available
No data available

Melting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity No information available

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature

Decomposition TemperatureNo information available

ViscosityNot applicableMolecular FormulaNa2 O4 SeMolecular Weight188.94

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Exposure to moist air or water.

Incompatible Materials Acids

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium selenate	1.6 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium selenate	13410-01-0	Not listed				

Mutagenic Effects Ames test: positive.

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposureSTOT - repeated exposure
None known
Kidney Heart Liver

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium selenate	Not listed	Pimephales promelas: EC50	Not listed	EC50 = 0.39 mg/L/48h
		= 0.69 mg/L/96h		

Persistence and Degradability Soluble in water

Bioaccumulation/ AccumulationNo information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Sodium selenate	5

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and

national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2630 Proper Shipping Name SELENATES

Proper technical name (SODIUM SELENATE)

Hazard Class 6.1 Packing Group

TDG

UN-No UN2630 Proper Shipping Name SELENATES

Hazard Class 6.1 Packing Group

IATA

UN-No UN2630 Proper Shipping Name SELENATES

Hazard Class 6.1 Packing Group

IMDG/IMO

UN-No UN2630
Proper Shipping Name SELENATES
Hazard Class 6.1

Hazard Class 6.1 Packing Group

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

	Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ī	Sodium selenate	Х	Χ	-	236-501-8	-		Χ	Χ	Χ	Х	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Sodium selenate	13410-01-0	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants
-----------	-----------------	------------------	------------------------	---------------------------

	Substances	Quantities		
Sodium selenate	-	-	Х	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Sodium selenate	X		-

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium selenate	-	100 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium selenate	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

	16. Other information	
Prepared By	Health, Safety and Environmental Department	

Health, Safety and Environmental Department Email: tech@alfa.com

www.alfa.com

Creation Date26-Nov-2010Revision Date22-Mar-2018

Print Date 22-Mar-2018

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 13410-01-0.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Issuing Date 30-Oct-2009 Revision Date 08-Jan-2016 Revision Number 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Sodium Selenite

Other means of identification

Product Code(s) 0321 UN/ID no. 2630

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended Use For Further Manufacturing Use Only.
Uses advised against Not for Human or Animal Drug Use

Details of the supplier of the safety data sheet

Company AddressManufacturer AddressVWR International, LLCVWR International, LLCRadnor Corporate Center28600 Fountain Parkway100 Matsonford RoadSolon, Ohio 44139

Radnor, PA 19087-8660

Company Phone Number 1-800-448-4442 E-mail Address info@amresco-inc.com

Emergency Telephone Number

Emergency Telephone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 2
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin Sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Danger

Hazard statements

H300 - Fatal if swallowed

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure



Appearance White to off-white

Physical State Powder

Odor No information available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label)

Specific treatment (see .? on this label)

Get medical advice/attention if you feel unwell

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not regulated

Other Information

- Toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	EC No.	Weight %	Trade Secret
Sodium selenite	10102-18-8	233-267-9	95-100	Not applicable

4. FIRST AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Inhalation Move to fresh air. If not breathing, give artificial respiration.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion

Selenium/Selenium Oxides.

Products

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection Ensure adequate ventilation, especially in confined areas.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Avoid dust formation. Pick up and transfer to properly labeled containers. Ventilate area

and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Handle in accordance with good industrial hygiene and safety practice. Moisture sensitive.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture.

Incompatible Products Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium selenite	=	=	-
10102-18-8			

Appropriate engineering controls

Engineering Measures Showers

> **Eyewash stations** Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Wear protective gloves/clothing. **Skin and Body Protection**

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Powder

White to off-white No information available **Appearance** Odor Color No information available **Odor Threshold** No information available

Property Values Remarks • Method No information available

No information available

Melting point/freezing point

Boiling Point/Range No information available Flash Point (High in °C) No information available **Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available **Vapor Density** No information available **Specific Gravity** No information available **Water Solubility** No information available Solubility in other solvents No information available No information available Partition coefficient **Autoignition Temperature** No information available No information available **Decomposition Temperature** Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive Properties** No information available

Other Information

Oxidizing Properties

No information available **Softening Point Molecular Weight** No information available **VOC Content** No information available **Density** No information available **Bulk Density** No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Protect from moisture.

Incompatible Materials

Strong acids.

Hazardous Decomposition Products

Selenium/Selenium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Toxic by inhalation.

Eye Contact There is no data available for this product.

Skin Contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion May be fatal if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium selenite	= 7 mg/kg (Rat)	-	-
10102-18-8			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium selenite	-	Group 3	-	-
10102-18-8		·		

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

Target Organ Effects Liver.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

070 of the mixture consists of components(s) of unknown nazards to the aquatic environment				
Chemical Name	Algae/aquatic plants	Toxicity to Fish	Crustacea	
Sodium selenite	-	-	-	

Ī	10102-18-8		

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Chemical Name	Partition coefficient
Sodium selenite	·
10102-18-8	

Other Adverse Effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Dispose of material in accordance with all federal, state, and local regulations.

Contaminated Packaging Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sodium selenite	(hazardous constituent - no	-	-	-
10102-18-8	waste number)			

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium selenite 10102-18-8	-	-	-	-

Chemical Name	California Hazardous Waste Status
Sodium selenite	Toxic
10102-18-8	

14. TRANSPORT INFORMATION

DOT

UN/ID no. 2630

Proper shipping name SELENITES (CONTAINS SODIUM SELENITE)

Hazard Class 6.1 Packing Group

<u>IATA</u>

UN/ID no. 2630

Proper shipping name SELENITES (CONTAINS SODIUM SELENITE)

Hazard Class 6.1
Packing Group

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** DSL/NDSL Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies Complies **KECL PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Component	SARA 313 - Threshold Values %
Sodium selenite	1.0
10102-18-8 (95-100)	

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium selenite	100 lb	X	-	X
10102-18-8				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium selenite	100 lb	100 lb	RQ 100 lb final RQ
10102-18-8			RQ 45.4 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Chemical Name	California Prop. 65
Sodium selenite - 10102-18-8	-

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium selenite	X	X	X
10102-18-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not regulated

16. OTHER INFORMATION

Issuing Date 30-Oct-2009 **Revision Date** 08-Jan-2016

Revision Note

No information available

Disclaimer

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. VWR International and its Affiliates shall not be held liable for any damage resulting from handling.

End of Safety Data Sheet

BDH STORY OF THE S

SAFETY DATA SHEET

Issuing Date 23-Jul-2012 Revision Date 12-Feb-2015 Revision Number 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name SODIUM SULFATE

Other means of identification

Product Code(s) BDH9302-2.5KG : BDH9302-500G

Synonyms No information available.

Recommended use of the chemical and restrictions on use

Recommended Use For Laboratory Use Only. Not for Drug, Food, or Household use.

Uses advised against Not for Human or Animal Drug Use

Details of the supplier of the safety data sheet

Company Address VWR International, LLC Radnor Corporate Center

100 Matsonford Road Radnor, PA 19087-8660

Company Phone Number 610-386-1700 E-mail Address www.vwr.com

Emergency Telephone Number

Emergency Telephone Number CHEMTREC 800.424.9300 CANUTEC 613.996.6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Label elements

Emergency Overview

Appearance White Physical State Powder Odor No information available

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	EC No.	Weight %	Trade Secret
Sodium Sulfate	7757-82-6	231-820-9	95-100	Not applicable

4. FIRST AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Inhalation Move to fresh air. If not breathing, give artificial respiration.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing media appropriate to surrounding fire conditions.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion

Sulfur oxides.

Products

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Avoid dust formation. Pick up and transfer to properly labeled containers. Ventilate area

and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Handle in accordance with good industrial hygiene and safety practice. Hygroscopic.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Hygroscopic.

Incompatible Products Strong acids. Aluminium. Magnesium. moisture.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Sulfate	-	-	
7757-82-6			

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Safety glasses with side-shields.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Powder Appearance White

AppearanceWhiteOdorNo information availableColorNo information availableOdor ThresholdNo information available

Property Values Remarks • Method

pH No information available.

Melting point/freezing point 844 °C

Boiling Point/Range
Flash Point (High in °C)
Evaporation Rate
Flammability (solid, gas)

No information available.
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:No information available.Vapor pressureNo information available.Vapor DensityNo information available.

Specific Gravity 1.46

Water Solubility Soluble in 1.5 parts of water @ 25C

(77F

Solubility in other solvents
Partition coefficient
No information available.
No information available

Autoignition Temperature

Decomposition TemperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other Information

Softening Point
Molecular Weight
VOC Content
Density
No information available.
No information available.
No information available.
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Protect from moisture.

Incompatible Materials

Strong acids. Aluminium. Magnesium. moisture.

Hazardous Decomposition Products

Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation There is no data available for this product.

Eye Contact There is no data available for this product.

Skin Contact There is no data available for this product.

Ingestion There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chemical Name	l EDJU Olai	LD30 Dellial	

Sodium Sulfate	> 10000 mg/kg (Rat)	-	-
7757-82-6			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Sulfate	-	-	-	-
7757-82-6				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

100% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sodium Sulfate	-	13500 - 14500: 96 h Pimephales	2564: 48 h Daphnia magna mg/L
7757-82-6		promelas mg/L LC50 6800: 96 h	EC50 630: 96 h Daphnia magna
		Pimephales promelas mg/L LC50	mg/L EC50
		static 3040 - 4380: 96 h Lepomis	
		macrochirus mg/L LC50 static	
		13500: 96 h Lepomis macrochirus	
		mg/L LC50	

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Chemical Name	Log Pow
Sodium Sulfate 7757-82-6	-

Other Adverse Effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Dispose of material in accordance with all federal, state, and local regulations.

Contaminated Packaging Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sodium Sulfate	-	-	-	-
7757-82-6				

Sodium Sulfate	-	-

Chemical Name	California Hazardous Waste Status
Sodium Sulfate	-
7757-82-6	

14. TRANSPORT INFORMATION

DOTNot regulated

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies Complies **PICCS AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	SARA 313 - Threshold Values %
Sodium Sulfate	-
7757-82-6 (95-100)	

SARA 311/312 Hazard Categories

With to the Hazara Catogorico	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Sulfate 7757-82-6	-	-	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium Sulfate 7757-82-6	-	-	-

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Chemical Name	California Prop. 65
Sodium Sulfate - 7757-82-6	-

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Sulfate	-	-	X
7757-82-6			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Canada

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

Issuing Date23-Jul-2012Revision Date12-Feb-2015

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



Revision date: 04/13/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:	Sulfuric Acid
December 1981	BDH3068-500MLP
	BDH3070-2.5LPC
	BDH3072-2.5LG
	BDH3074-3.8LP
	BDH3076-19L
	BDH3078-56L
	BDH3088-111L
	BDH3090-185L
	BDH3132-2.2LP
	TXBDH307438CPI
	of Vitriol, Battery Acid, Sulphuric Acid,
Dihydrogen Sulfate	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Manufacturing and Laboratory use

1.3. Details of the supplier of the safety data sheet

Company VWR International, LLC

Radnor Corporate Center 100 Matsonford Road Radnor, PA 19087-8660

Telephone 610.386.1700

1.4. Emergency Telephone number

CHEMTREC 800.424.9300 CANUTEC 613.996.6666

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

For the full text of the H-Statement(s) and R-phrase(s) mentioned in this Section, see Section 16.



Hazard classes and hazard categories	Hazard statements
Skin corrosion; Category 1A	Causes severe skin burns and eye damage
Serious eye damage; Category 1	Causes serious eye damage
Acute aquatic toxicity; Category 3	Harmful to aquatic life

2.2. GHS Label elements, including precautionary statements



Pictograms

Signal word Danger

Hazard statements	
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.

Precautionary statements	
P260	Do not breathe mists.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	F SWALLOWED: Rinse mouth. Do not induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

2.3. WHIMS Classification

Class E: Corrosive material

2.4. Hazards not otherwise classified (HNOC) or not covered by GHS or WHIMS



SECTION 3: Composition / information on ingredients

3.1. Hazard components

Chemical name	Formula	Molecular weight	CAS#	Weight%
Sulfuric Acid	H ₂ SO ₄	98.08 g/mol	7664-93-9	93-98

SECTION 4: First aid measures

4.1. General information

In case of inhalation

Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respirations.

In case of skin contact

Flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention immediately.

In case of eye contact

Immediately rinse with plenty of water for at least 15 minutes and seek medical attention.

In case of ingestion

Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

May cause deep, penetrating ulcers of the skin. Contact with skin may cause inflammation and severe burns. Contact to eyes may cause severe burns and possible irreversible eye damage including corneal injury and cataracts. Inhalation may cause coughing burns and breathing difficulty. Ingestion may cause burns, swelling of the lips, mouth, and larynx, throat constriction, nausea, vomiting, convulsions, shock, and may cause severe and permanent damage to gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed



SECTION 5: Firefighting measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use appropriate media for adjacent fire. Cool unopened containers with water.

5.2. Special hazards arising from the substance or mixture

Hydrogen sulfide gas

5.3. Special protective equipment for firefighters

Not Available

5.4. Hazardous combustion products

Not Available

5.5. Advice for firefighters

Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

5.6. Additional information

Not Available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for recommendations on the use of personal protective equipment.

6.2. Environmental precautions

Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.

6.3. Methods and material for containment and cleaning up

Neutralize spill with sodium bicarbonate or soda lime. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

6.4. Additional information



SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

7.2. Conditions for safe storage, including any incompatibilities

Store in cool, dry, well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

7.3. Specific end use(s)

Not Available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical Name	Limit value type & Country of Origin	Exposure Limit value	Source
Sulfuric Acid	0.2 mg/m ³	TLV	ACGIH
	1 mg/m ³	PEL	OSHA
	1 mg/m ³	REL	NIOSH
	15 mg/m ³	IDLH	OSHA

8.2. Exposure controls

Appropriate engineering controls

Showers Eye wash stations Ventilation system

Personal protection equipment

Eye/face protection

Safety glasses or goggles with face shield

Skin protection

Nitrile or rubber gloves and full body protection

Respiratory protection



Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practices.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

a) Appearance:
Physical state Liquid

Color Clear, colorless
b) Odor Not Available
c) Odor Threshold Not Available

d) pH 1

e) Melting point/ 3°C (37°F)

freezing point

f) Initial boiling point 290°C (554°F)

and boiling range

g) Flash point Not Available
h) Evaporation rate Not Available
i) Flammability (solid, gas) Not Available
j) Upper/lower flammability Not Available

or explosive limits

k) Vapor pressure Not Availablel) Vapor density Not Available

m) Relative density 1.84

n) Solublitieso) Partition coefficientNot Available

(n-Octanol/Water)

p) Auto-ignition temperature Not Available

q) Decomposition temperature

r) Viscosity Not Availables) Explosive properties Not Availablet) Oxidizing properties Not Available

9.2. Other information





SECTION 10: Stability and reactivity

10.1. Reactivity

Not Available

10.2. Chemical stability

Stable under normal storage conditions

10.3. Possibility of hazardous reactions

Not Available

10.4. Conditions to avoid

Uncontrolled additions of water

10.5. Incompatible materials

Bases, halides, organic material, carbides, chlorates, fulminates, nitrates, picrates, cyanides, cyclopentadiene, cyclopentanone oxime, nitroaryl amines, hexalithium disilicide, phosphorus (III) oxide, powdered metals

10.6. Hazardous decomposition products

Hydrogen chloride gas

SECTION 11: Toxicology

11.1. Information on toxicological effects

Acute toxicity

Oral LD₅₀

Inhalation LC₅₀

Dermal LD₅₀

Other information on acute toxicity

Skin corrosion/irritation

Skin – Rabbit – Result: Extremely corrosive and destructive to tissue

Serious eye damage/eye irritation

Eyes - Rabbit - Result: Corrosive to eyes

Respiratory or skin sensitization



Germ cell mutagenicity

Not Available

Carcinogenicity

IARC – 1: Carcinogenic to humans (aerosol form)
ACGIH – A2: Suspected human carcinogen (aerosol form)

Reproductive toxicity

Not Available

Specific target organ toxicity-single exposure

Not Available

Specific target organ toxicity-repeated exposure

Not Available

Aspiration hazard

Not Available

Additional information

Not Available

SECTION 12: Ecological information

12.1. Ecotoxicity

LC50 – Gambusia affinis – 42 mg/L – 96h EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h

12.2. Persistence and degradability

Not Available

12.3. Bioaccumulative potential

Not Available

12.4. Mobility in soil

Not Available

12.5. Results of PBT and vPvB assessment

Not Available

12.6. Other adverse effects



Not Available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land Transport DOT (U.S.)

UN Number 1830

Proper Shipping name Sulfuric acid

Transport Hazard Classes

Class 8

Hazard Label(s) 8

Packing Group II

Environmental hazard(s)

Special precautions for user

Sea Transport IMDG

UN Number 1830

Proper Shipping name Sulfuric acid

Transport Hazard Classes

Class 8

Hazard Label(s) 8

EMS- No. F-A, S-B

Packing Group II

Environmental hazard(s)

Segregration Group

Special precautions for user

Air Transport IATA

UN Number 1830



Proper Shipping name Sulfuric acid
Transport Hazard Classes
Class 8
Hazard Label(s) 8
Packing Group II
Environmental hazard(s)
Special precautions for user

SECTION 15: Regulatory information

OSHA Hazards

Corrosive

SARA 302 Extremely Hazardous Substances

Sulfuric Acid

SARA 313 (TRI reporting)

Sulfuric Acid

SARA 311/312 Hazardous Chemicals

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right-To-Know Substance List

Sulfuric Acid

Pennsylvania Right-To-Know Hazardous substances

Sulfuric Acid

New Jersey Worker and Community Right-To-Know Components

Sulfuric Acid

California Propostion 65

Sulfuric Acid

Inventory status:

Canada DSL Inventory List: Listed US TSCA Inventory List: Listed EINECS, ELINCS or NLP: 231-939-5





SECTION 16: Other information

Full text of H-Statement(s) and R-phrase(s)

H314 Causes severe skin burns and eye damage.

H402 Harmful to aquatic life.

R34 Causes burns.

Canadian Carcinogenicity hazard class
PHNOC hazard class
HHNOC hazard class
Biohazardous Infectious Materials hazard class

NFPA Rating:

Health: 3

Flammability: 0 Reactivity: 2 Special Hazard: W



DISCLAIMER

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. VWR International and its Affiliates shall not be held liable for any damage resulting from handling.

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reviewed on 12/01/2014 Printing date 03/05/2015

1 Identification

· Product identifier

· Trade name: Iron powder

· Article number: 125385

· CAS Number: 7439-89-6 · EC number: 231-096-4

- · Application of the substance / the mixture Laboratory chemicals for research and development
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051

USA

Phone: (603) 402-2234 Fax: (603) 402-9713

Email: technical@beantownchem.com

www.beantownchem.com

- · Information department: Technical Support Department
- · Emergency telephone number:

During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: iron

(Contd. on page 2)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/05/2015 Reviewed on 12/01/2014

Trade name: Iron powder

(Contd. of page 1)

· Hazard statements

Flammable solid.

Causes serious eye irritation.

May cause respiratory irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7439-89-6 iron

- · Identification number(s)
- · EC number: 231-096-4

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/05/2015 Reviewed on 12/01/2014

Trade name: Iron powder

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/05/2015 Reviewed on 12/01/2014

Trade name: Iron powder

(Contd. of page 3)

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eve protection: Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information	chemica properaes	
Appearance:		
Form:	Powder	
Color:	Not determined.	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1535 °C (2795 °F)	
Boiling point/Boiling range:	2750 °C (4982 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Highly flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	7.86 g/cm³ (65.592 lbs/gal)	
Bulk density at 20 °C (68 °F):	2900 kg/m³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	

(Contd. on page 5)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/05/2015 Reviewed on 12/01/2014

Trade name: Iron powder

(Contd. of page 4)

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic:Not applicable.Kinematic:Not applicable.

Organic solvents: 0.0 %

Solids content: 100.0 %

• *Other information* No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/05/2015 Reviewed on 12/01/2014

Trade name: Iron powder

(Contd. of page 5)

- · Additional ecological information:
- General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3089
	01/3/009
UN proper shipping name	
DOT	Metal powders, flammable, n.o.s.
IMDG, IATA	METAL POWDER, FLAMMABLE, N.O.S.
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	4.1 Flammable solids, self-reactive substances and soli
	desensitised explosives
Label	4.1
Dasking quan	
Packing group	II
DOT, IMDG, IATA	11
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable solids, self-reactive substances and soli
	desensitised explosives
EMS Number:	F-G,S-G
Segregation groups	Heavy metals and their salts (including their organometall)
Segregation groups	compounds), powdered metals
	* * * *
Transport in bulk according to Annex	· ·
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	UN3089, Metal powders, flammable, n.o.s., 4.1, II

USA

(Contd. on page 7)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/05/2015 Reviewed on 12/01/2014

Trade name: Iron powder

(Contd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· RTECS

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0-4)

Health = 1

Fire = 0

Reactivity = 0

· HMIS ratings (scale 0-4)

Health = 1

Fire = 0

Reactivity = 0

- · Department issuing SDS: Technical Support Department
- · Contact: Technical Support Department
- · Date of preparation / last revision 03/05/2015 / -

(Contd. on page 8)

Safety Data Sheet acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/05/2015 Reviewed on 12/01/2014

Trade name: Iron powder

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Sol. 1: Flammable solids, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

IIS A