

Table of Contents

NOVA documentation.....	1
Documents	1
Reading order.....	2
Document control	2
Building DOCX and PDF	2
Conventions	2

NOVA documentation

Document set for the NOVA project. Authored in Markdown, versioned in git, reviewed through pull requests. Distributable DOCX and PDF are generated from these sources.

Documents

ID	Document	Standard followed	Status
NOVA-VS-001	Vision and Scope	Wiegers vision and scope template	Draft
NOVA-SRS-001	Software Requirements Specification	ISO/IEC/IEEE 29148:2018	Draft
NOVA-SAD-001	Software Architecture Document	arc42 v9, C4 model, ISO/IEC/IEEE 42010	Draft
NOVA-STP-001	Software Test Plan	ISO/IEC/IEEE 29119-3:2021	Draft
NOVA-TM-001	Threat Model	STRIDE, OWASP ASVS references	Draft
NOVA-SDP-001	Software Development Plan	ISO/IEC/IEEE 16326:2019	Draft
NOVA-RR-001	Risk Register	ISO 31000 risk register practice	Draft
NOVA-DL-001	Decision Log	Project decision log	Draft
NOVA-UI-001	User Interface Design	Project convention. Screen inventory and wireframes	Draft
	Architecture Decision Records	MADR 4.0	Various

ID	Document	Standard followed	Status
	Spikes	Project convention	Various

Reading order

New reader with limited time: [Vision and Scope](#), then [section 1 of the SAD](#), then the [model selection spike](#).

Evaluating the engineering: [SAD](#) sections 4, 8, and 9, then the [Test Plan](#) section 5, then the [ADRs](#).

Evaluating what it looks like to use: [User Interface Design](#) sections 4 and 7.

Document control

Every document carries a control block: document ID, version, status, owner, and date, followed by a revision history at the end.

Status values, one word, in lifecycle order:

Status	Meaning
Draft	Being written. Content may change without notice
Review	Complete and awaiting review
Approved	Reviewed and accepted. Changes require a version bump
Active	Approved and describing the system as built
Superseded	Replaced by a later document, retained for history

Versions follow MAJOR.MINOR. Minor for edits within a status, major on approval.

Building DOCX and PDF

Sources are Markdown. Deliverables are generated with [Pandoc](#) into `dist/`.

```
powershell -File tools/build-docs.ps1
```

Requires Pandoc. PDF export additionally requires Microsoft Word, which the script drives through COM automation. Run with `-Format docx` to skip PDF.

Conventions

- Diagrams are [Mermaid](#) fenced blocks, which GitHub renders natively. C4 levels 1 and 2 (context and container) are used for structural views
- Requirement identifiers are stable: FR-n functional, NFR-n non-functional, CON-n constraint, ASM-n assumption
- Architecture decisions use [MADR 4.0](#) and are numbered sequentially from 0001. Superseded ADRs are never deleted

- Measured values are stated with the method and sample size. Unmeasured values appear as bracketed placeholders and are removed rather than softened if they cannot be filled