

PowerTrade Order Entry FIX API Specification

Table of Contents

1. Introduction	2
2. FIX Dictionary	3
2.1. Downloads	3
2.2. CFICode (ISO 10962)	3
2.3. Get connected	3
2.4. SETUP A TEST ACCOUNT	4
2.5. GENERATE API KEYS	4
3. Session-Level Messages	4
3.1. Establishing a connection	4
3.2. When can sequence numbers be reset?	4
3.3. Ending a connection	5
3.4. Standard Header	5
3.5. Standard Trailer	6
3.6. Logon <A>	6
3.7. Heartbeat <0>	7
3.8. Test Request <1>	7
3.9. Resend Request <2>	8
3.10. Reject <3>	8
3.11. Sequence Reset <4>	9
3.12. Logout <5>	10
3.13. Business Message Reject <j>	10
4. Exchange-Bound Messages	11
4.1. New Order Single <8>	11
4.2. New Order Multileg <AB>	13
4.3. Order Cancel Request <F>	16
4.4. Security Definition Request <c>	18
4.5. Security List Request <x>	18
5. Client-Bound Messages	19
5.1. Execution Report <8>	19
5.2. Order Cancel Reject <9>	23
5.3. Security Definition <d>	24
5.4. Security Status <f>	26
5.5. Security List <y>	29
6. Examples	31

6.1. Logon	31
6.1.1. Request	31
6.1.2. Response	32
6.2. NewOrderSingle: Limit	33
6.2.1. Request	33
6.2.2. Response: Pending	33
6.2.3. Response: New	34
6.2.4. Response: Trade	35
6.3. NewOrderSingle: Market	36
6.3.1. Request	36
6.3.2. Response: Pending	37
6.3.3. Response: New	37
6.3.4. Response: Trade	38
6.4. NewOrderMultileg: RFQ Limit	39
6.4.1. Request	39
6.4.2. Response: New	40
6.5. Cancel by ClOrdID	41
6.5.1. Request	41
6.5.2. Response	42
6.6. Cancel by OrderID	42
6.6.1. Request	42
6.6.2. Response	43
6.7. Reference Data	44
6.7.1. Security Definition Request	44
6.7.2. Security Definition: Spot	45
6.7.3. Security Definition: Option	45
6.7.4. Security Definition: Future	46
6.7.5. Security Definition: Perpetual Future	47
6.7.6. Security Status	48
6.7.7. Security List Request	49
6.7.8. Security List	49
7. Revision History	51

VERSION 1.3 (see [Revision History](#))

1. Introduction

Institutions can use the FIX Order Entry session to submit and cancel orders.

Please note that for **FIX Order Entry** sessions API key with **"Trade"** permission **is required** as a password in **Logon <A>** .

API keys can be generated in [PowerTrade Web App](#).

2. FIX Dictionary

PowerTrade uses FIX 4.4 with the 20030618 errata. No custom tags are used.

2.1. Downloads

<https://raw.githubusercontent.com/quickfix/quickfix/master/spec/FIX44.xml>

2.2. CFICode (ISO 10962)

https://en.wikipedia.org/wiki/ISO_10962

- **OCECCS** - European cash-settled currency option Call
- **OPECCS** - European cash-settled currency option Put
- **IFXXXP** - Spot
- **FFCCSX** - Cash-settled currency future, perpetual == **Connecting**

Steps to get connected to our FIX infrastructure:

2.3. Get connected

There are 2 options for production FIX connectivity to PowerTrade:

1. Over Internet with TLS encryption using server-side certificate;
2. Over Internet with mutual TLS: using signed certificates on client and server sides.

If you use [QuickFIXgo](#), please specify

```
SocketUseSSL=Y
```

or if you use [QuickFIXn](#)

```
SocketUseSSL=Y
```

- TEST:
 - **DropCopy**: `api.wss.test.power.trade:2020`
 - **OrderEntry**: `api.wss.test.power.trade:2021`
- PROD:
 - **DropCopy**: `api.wss.prod.power.trade:2020`

- **OrderEntry:** `api.wss.prod.power.trade:2021`

2.4. SETUP A TEST ACCOUNT

Create a Test account by going to:

<https://powertrade-web-test.web.app/>

2.5. GENERATE API KEYS

Generate API Keys at: <https://powertrade-web-test.web.app/api-keys>

3. Session-Level Messages

3.1. Establishing a connection

1. Client sends server → `Logon <A>` message
2. Is client `ResetSeqNumFlag <141>` to `Y`?
 - Yes, reset sequence numbers and proceed
 - server resets next expected client sequence number
 - server resets its own sequence number
 - server responds with ← `Logon <A>` message with reset sequence number
 - client sends server → `Heartbeat <0>`
 - No, disconnect
3. Success! Your FIX connection is established.

3.2. When can sequence numbers be reset?

PowerTrade runs the server side of the FIX connection ("*acceptor*"). PowerTrade never resets sequence numbers on the server side during the logon workflow unless the client explicitly requests it.

The client ("*initiator*") can reset sequence numbers during `Logon <A>` by setting `ResetSeqNumFlag <141>` to `Y`.

PowerTrade recommends that client consider configuring the FIX initiator to automatically reset sequence numbers under the following conditions:

- logon
- logout
- disconnect
- error

While synchronizing sequence numbers after a replay, the client may send a [Sequence Reset <4>](#) with [GapFillFlag <123>](#) = **Y** in lieu of a replay.

3.3. Ending a connection

If the session was initiated using an API Key with enabled **Cancel on Disconnect**, then when the client disconnects from the FIX Order Entry, for whatever reason, the exchange will cancel all the orders associated with that FIX session.

The client may send the server an optional [Logout <5>](#) message but the exchange will not interpret its absence as being an abnormal condition.

Under certain conditions, the server may send the client a [Logout <5>](#) message where the [Text <58>](#) field contains the reason, such as scheduled maintenance.

3.4. Standard Header

The [Standard Header](#) is required on every message.

Table 1. [Standard Header](#) fields:

Tag	Name	Required	Description	Valid Values
8	BeginString	Y	Identifies beginning of new message and protocol version. Must be first field in message	"FIX.4.4"
9	BodyLength	Y	Message length, in bytes, forward to the CheckSum field. Must be second field in message	
35	MsgType	Y	Defines message type. Must be third field in message	
34	MsgSeqNum	Y	Integer message sequence number.	
43	PossDupFlag	N	Indicates possible retransmission of message with this sequence number. Required for retransmitted messages.	"Y" = Possible Duplicate "N" = Original Transmission

Tag	Name	Required	Description	Valid Values
49	SenderCompID	Y	Assigned value used to identify firm sending message. If this message is sent to PowerTrade, then it should contain an API Key.	
56	TargetCompID	Y	Assigned value used to identify firm sending message.	<p>If this message is sent to PowerTrade, then it should contain PowerTrade Server Identifier:</p> <p>"PT-OE" = for Order Entry</p> <p>"PT-DC" = for Drop Copy</p>
52	SendingTime	Y	UTC Time of message transmission	YYYYMMDD-HH:mm:ss.nnnnnnnnnn

3.5. Standard Trailer

The [Standard Trailer](#) is required on every message. [Standard Trailer](#) fields:

Tag	Name	Required	Description	Valid Values
10	Checksum	Y	Message Checksum, zero-padded 3 chars (e.g. "052"). Must be last field in the message.	Value calculated by the standard algorithm

3.6. Logon <A>

[FIX4.4 Standard](#)

Table 2. [Logon](#) fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=A				
98	EncryptMethod	N	PowerTrade does not support encryption.	"0" = None
108	HeartBtInt	Y	Heartbeat interval in seconds.	"30" = 30 seconds

Tag	Name	Required	Description	Valid Values
141	ResetSeqNumFlag	Y	Indicates both sides of a FIX session should reset sequence numbers. Required in PowerTrade.	"Y" = Yes, reset sequence numbers
554	Password	Y	Assigned value used to authenticate the firm sending the message.	<p>JWT of PowerTrade API key.</p> <p>API keys can be generated in PowerTrade Web App.</p> <p>Procedure of JWT generation is documented in this article.</p> <p>NOTE:</p> <p>FIX Drop Copy API requires Read-Only API keys, while FIX Order Entry API requires API keys with Trade permission enabled.</p>
Trailer				

3.7. Heartbeat <0>

[FIX4.4 Standard](#)

Table 3. **Heartbeat** fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=0				
112	TestReqID	C	Required when the heartbeat is the result of a Test Request <1> message	
Trailer				

3.8. Test Request <1>

[FIX4.4 Standard](#)

Table 4. **Resend Request** fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=1				
112	TestReqID	C	Required when the heartbeat is the result of a Test Request <1> message	
Trailer				

3.9. Resend Request <2>

FIX4.4 Standard

Table 5. Resend Request fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=2				
7	BeginSeqNo	Y	Message sequence number of first message in range to be resent	
16	EndSeqNo	Y	<p>Message sequence number of last message in range to be resent.</p> <p>If request is for a single message BeginSeqNo <7> = EndSeqNo <16>. If request is for all messages subsequent to a particular message, EndSeqNo <16> = 0 (representing infinity).</p>	
Trailer				

3.10. Reject <3>

FIX4.4 Standard

Table 6. Reject fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=3				

Tag	Name	Required	Description	Valid Values
45	RefSeqNum	Y	MsgSeqNum <34> of the rejected message.	SeqNum
58	Text	N	Human-readable explanation	
371	RefTagID	Y	The tag number of the FIX field being referenced.	
372	RefMsgType	Y	The MsgType <35> of the rejected message.	
373	SessionRejectReason	Y	Code to identify the reason for the Reject <3> message.	<p>"0" = Invalid tag number</p> <p>"1" = Required tag missing</p> <p>"2" = Tag not defined for this message type</p> <p>"3" = Undefined Tag</p> <p>"4" = Tag specified without a value</p> <p>"5" = Value is incorrect (out of range) for this tag</p> <p>"6" = Incorrect data format for value</p> <p>"10" = SendingTime <52> accuracy problem</p> <p>"11" = Invalid MsgType <35></p>
Trailer				

3.11. Sequence Reset <4>

FIX4.4 Standard

Table 7. Resend Request fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=4				

Tag	Name	Required	Description	Valid Values
36	NewSeqNo	Y	New sequence number. The receiver should expect this to be the sequence number of the following message.	
123	GapFillFlag	Y	Indicates that the sender is skipping messages rather than resending them.	"Y" = Gap Fill message
Trailer				

3.12. Logout <5>

FIX4.4 Standard

Table 8. Logout fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=5				
58	Text	N	Human-readable explanation	
Trailer				

3.13. Business Message Reject <j>

FIX4.4 Standard

Table 9. Business Message Reject fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=j				
45	RefSeqNum	Y	MsgSeqNum <34> of the rejected message.	SeqNum
58	Text	N	Human-readable explanation	
372	RefMsgType	Y	The MsgType <35> of the rejected message.	
379	BusinessRejectRefID	Y	The value of the business level ID field being referenced.	

Tag	Name	Required	Description	Valid Values
380	BusinessRejectReason	Y	Code to identify the reason for the Business Message Reject <j> message	<p>"0" = Other</p> <p>"1" = Unknown ID</p> <p>"2" = Unknown Security</p> <p>"3" = Unsupported Message Type</p> <p>"4" = Application not available</p> <p>"5" = Conditionally Required Field Missing</p>
Trailer				

4. Exchange-Bound Messages

4.1. New Order Single <8>

[FIX4.4 Standard](#)

Table 10. [New Order Single](#) fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=8				
11	ClOrdID	Y	<p>Unique ID of the new Order, Cancel, or Cancel/Replace request as assigned by the firm.</p> <p>It is critical that this ID is unique and monotonically increased and be in range 0..72'057'594'037'927'936 (2^56)</p> <p>Good practice: start with Unix time in µs and increment for each request.</p>	order_token

Tag	Name	Required	Description	Valid Values
18	ExecInst	N	Used to specify values for different order types. If more than one instruction is applicable to an order, this field can contain multiple instructions separated by space.	"6" = Participate Do Not Initiate
40	OrdType	Y	Indicates order type	"1" = Market "2" = Limit
44	Price	C	Order Price	Required for OrdType=LIMIT orders
38	OrderQty	Y	Order Quantity	Decimal
110	MinQty	N	Minimum quantity of an order to be executed. Should not be set for TimeInForce except "3" IOC or "4" FOK.	Quantity .minimum_quantity field of full order
54	Side	Y	Order Side	"1" = Buy "2" = Sell side
55	Symbol	Y	Symbol of the Tradeable Entity	.symbol field of tradeable_entity PowerTrade provides symbols of listed tradeable entities in Reference Data: * Simplified MD Feeds * Session-based MD Service Ignored for Multi-Leg Order
65	SymbolSfx	N	ID of the market for corresponding order book	"0" = normal order book (where firm orders being matched) "none" = indicative order book (RFQ)

Tag	Name	Required	Description	Valid Values
59	TimeInForce	Y	Specifies how long the orders remains alive	"0" = Cycle "1" = GTC "3" = IOC "4" = FOK "6" = GTD time_in_force
60	TransactTime	Y	UTC Time this order request was initiated/released by the trader, trading system, or intermediary.	YYYYMMDD-HH:mm:ss.nnnnnnnnnn
126	ExpireTime	C	UTC Time of order expiration Required if TimeInForce=GTD	YYYYMMDD-HH:mm:ss.nnnnnnnnnn time_to_live
Trailer				

4.2. New Order Multileg <AB>

FIX4.4 Standard

Table 11. New Order Multileg fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=AB				

Tag	Name	Required	Description	Valid Values
11	ClOrdID	Y	<p>Unique ID of the new Order, Cancel, or Cancel/Replace request as assigned by the firm.</p> <p>It is critical that this ID is unique and monotonically increased and be in range 0..72'057'594'037'927'936 (2^56)</p> <p>Good practice: start with Unix time in μs and increment for each request.</p>	order_token
18	ExecInst	N	Used to specify values for different order types. If more than one instruction is applicable to an order, this field can contain multiple instructions separated by space.	"6" = Participate Do Not Initiate
40	OrdType	Y	Indicates order type	<p>"1" = Market</p> <p>"2" = Limit</p>
44	Price	C	Order Price	Required for OrdType=LIMIT orders
38	OrderQty	Y	Order Quantity	Decimal
110	MinQty	N	<p>Minimum quantity of an order to be executed.</p> <p>Should not be set for TimeInForce except "3" IOC or "4" FOK.</p>	<p>Quantity</p> <p>.minimum_quantity field of full order</p>
54	Side	Y	Order Side	<p>"1" = Buy</p> <p>"2" = Sell</p> <p>side</p>

Tag	Name	Required	Description	Valid Values
55	Symbol	Y	Symbol of the Tradeable Entity	<p>.symbol field of tradeable_entity</p> <p>PowerTrade provides symbols of listed tradeable entities in Reference Data: * Simplified MD Feeds * Session-based MD Service</p> <p>Ignored for Multi-Leg Order</p>
65	SymbolSfx	N	ID of the market for corresponding order book	<p>"0" = normal order book (where firm orders being matched)</p> <p>"none" = indicative order book (RFQ)</p>
555	NoLegs	C	Number of legs. Identifies a Multi-leg Execution if present and non-zero.	
Component Block InstrumentLeg :				
600	⇒ LegSymbol	Y	Multileg instrument's individual security's Symbol. See Symbol <55> field for description	legs.tradeable_entity_id field of legs
623	⇒ LegRatioQty	Y	The ratio of quantity for this individual leg relative to the entire multileg security.	<p>legs.ratio field of legs</p> <p>May be negative to represent Leg's Side as reciprocal to Order's Side</p>
The end of Component Block InstrumentLeg				
59	TimeInForce	Y	Specifies how long the orders remains alive	<p>"0" = Cycle</p> <p>"1" = GTC</p> <p>"3" = IOC</p> <p>"4" = FOK</p> <p>"6" = GTD</p> <p>time_in_force</p>

Tag	Name	Required	Description	Valid Values
60	TransactTime	Y	UTC Time this order request was initiated/released by the trader, trading system, or intermediary.	YYYYMMDD-HH:mm:ss.nnnnnnnnnn
126	ExpireTime	C	UTC Time of order expiration Required if TimeInForce=GTD	YYYYMMDD-HH:mm:ss.nnnnnnnnnn time_to_live
Trailer				

4.3. Order Cancel Request <F>

FIX4.4 Standard

Table 12. Order Cancel Request fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=F				
11	ClOrdID	Y	Unique ID of the new Order, Cancel, or Cancel/Replace request as assigned by the firm. It is critical that this ID is unique and monotonically increased and be in range 0..72'057'594'037'927'936 (2 ⁵⁶) Good practice: start with Unix time in µs and increment for each request.	order_token
18	ExecInst	N	Used to specify values for different order types. If more than one instruction is applicable to an order, this field can contain multiple instructions separated by space.	"6" = Participate Do Not Initiate
38	OrderQty	Y	Order Quantity	Decimal

Tag	Name	Required	Description	Valid Values
40	OrdType	Y	Indicates order type	"1" = Market "2" = Limit
44	Price	C	Order Price	Required for OrdType=LIMIT orders
54	Side	Y	Order Side	"1" = Buy "2" = Sell side
55	Symbol	Y	Symbol of the Tradeable Entity	.symbol field of tradeable_entity PowerTrade provides symbols of listed tradeable entities in Reference Data: * Simplified MD Feeds * Session-based MD Service Ignored for Multi-Leg Order
59	TimeInForce	Y	Specifies how long the orders remains alive	"0" = Cycle "1" = GTC "3" = IOC "4" = FOK "6" = GTD time_in_force
60	TransactTime	Y	UTC Time this order request was initiated/released by the trader, trading system, or intermediary.	YYYYMMDD-HH:mm:ss.nnnnnnnnnn
126	ExpireTime	C	UTC Time of order expiration Required if TimeInForce=GTD	YYYYMMDD-HH:mm:ss.nnnnnnnnnn time_to_live
Trailer				

4.4. Security Definition Request <c>

FIX4.4 Standard

Subscription to **Security Definition Request** means subscribing to **Security Definition** and **Security Status** updates.

Table 13. **Security Definition Request** fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=c				
320	SecurityReqID	Y	Unique ID	String
321	SecurityRequestType	Y	Type of Security Definition Request	"3" = Request List Securities
55	Symbol	N	Symbol of the Tradeable Entity	. symbol field of tradeable_entity
Trailer				

4.5. Security List Request <x>

FIX4.4 Standard

Subscription to **Security List Request** means subscribing to **Security Definition** and **Security Status** updates.

Table 14. **Security List Request** fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=x				
320	SecurityReqID	Y	Unique ID	String
559	SecurityListRequestType	Y	Identifies the type/criteria	"0" = Symbol <55> - query by symbol prefix "4" = All Securities
55	Symbol	N	Symbol of the Tradeable Entity	. symbol field of tradeable_entity
Trailer				

5. Client-Bound Messages

5.1. Execution Report <8>

PowerTrade uses the [Execution Report <8>](#) message to:

- confirm the receipt of an order
- confirm the successful cancellation of an order
- relay fill information on orders
- reject orders

Each execution report contains two fields which are used to communicate both the current state of the order as understood by the exchange [OrdStatus <39>](#) and the purpose of the message [ExecType <150>](#).

Table 15. [Execution Report](#) fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=8				
1	Account	Y	Identifier of the party associated with the order.	account_id
55	Symbol	Y	Symbol of the Tradeable Entity	.symbol field of tradeable_entity PowerTrade provides symbols of listed tradeable entities in Reference Data: * Simplified MD Feeds * Session-based MD Service Ignored for Multi-Leg Order
17	ExecID	Y	Unique event ID assigned by PowerTrade.	
37	OrderID	Y	The PowerTrade-assigned order ID.	order_id "NONE" = Unknown OrderID (if ExecType = "8" Rejected)

Tag	Name	Required	Description	Valid Values
11	ClOrdID	Y	<p>Unique ID of the new Order, Cancel, or Cancel/Replace request as assigned by the firm.</p> <p>It is critical that this ID is unique and monotonically increased and be in range 0..72'057'594'037'927'936 (2^56)</p> <p>Good practice: start with Unix time in μs and increment for each request.</p>	order_token
198	SecondaryOrderID	C	Required if order is visible in the Order Book	<p>The PowerTrade-assigned display_order_id, appears in Public Market Data: Session-based Service, Simplified MD Feeds.</p> <p>display_order_id</p>
526	SecondaryClOrdID	N		<p>Right 16 bytes from client_reference provided by a client in enter_order request</p> <p>Characters in ASCII range 32-127 are allowed</p>
150	ExecType	Y	Describes the purpose of the Execution Report.	<p>"0" = New</p> <p>"4" = Cancelled</p> <p>"8" = Rejected</p> <p>"A" = Pending New</p> <p>"C" = Expired</p> <p>"D" = Restated</p> <p>"F" = Trade</p> <p>"H" = Trade Cancel</p>

Tag	Name	Required	Description	Valid Values
39	OrdStatus	Y	Describes the current order status.	"0" = New "1" = Partially Filled "2" = Filled "4" = Canceled "8" = Rejected "A" = Pending New "C" = Expired order_state
59	TimeInForce	Y	Specifies how long the orders remains alive	"0" = Cycle "1" = GTC "3" = IOC "4" = FOK "6" = GTD time_in_force
126	ExpireTime	C	UTC Time of order expiration Required if TimeInForce=GTD	YYYYMMDD-HH:mm:ss.nnnnnnnnnn time_to_live
40	OrdType	Y	Indicates order type	"1" = Market "2" = Limit
54	Side	Y	Order Side	"1" = Buy "2" = Sell side
44	Price	C	Order Price	Required for OrdType=LIMIT orders
38	OrderQty	Y	Order Quantity	Decimal

Tag	Name	Required	Description	Valid Values
151	LeavesQty	Y	Quantity open for further execution. If the OrdStatus <39> is 4 = Canceled or 8 = Rejected (in which case the order is no longer active) then LeavesQty <151> could be 0, otherwise LeavesQty <151> = OrderQty <38> - CumQty <14>.	Quantity
31	LastPx	C	Price of this (last) fill. Required if ExecType <150> is F = Trade . For Security Status <f> represents the last price for that security, absent if security has no trades.	.price field of trade
32	LastQty	C	Quantity (e.g. shares) of the fill. This field is only present when the order is updated due to a match on the exchange. Required if ExecType <150> is F = Trade .	.quantity field of trade
6	AvgPx	Y	Calculated average price of all fills on this order. PowerTrade doesn't update this field, so it is always set to 0.	"0"
555	NoLegs	C	Number of legs. Identifies a Multi-leg Execution if present and non-zero.	
Component Block InstrumentLeg :				
600	⇒ LegSymbol	Y	Multileg instrument's individual security's Symbol. See Symbol <55> field for description	legs.tradeable_entity_id field of legs
623	⇒ LegRatioQty	Y	The ratio of quantity for this individual leg relative to the entire multileg security.	legs.ratio field of legs May be negative to represent Leg's Side as reciprocal to Order's Side
The end of Component Block InstrumentLeg				

Tag	Name	Required	Description	Valid Values
Trailer				

5.2. Order Cancel Reject <9>

The [Order Cancel Reject <9>](#) message is issued by the broker upon receipt of a cancel request or cancel/replace request message which cannot be honored.

Table 16. [Order Cancel Reject](#) fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=9				
37	OrderID	Y	The PowerTrade-assigned order ID.	order_id "NONE" = Unknown OrderID (if ExecType = "8" Rejected)
11	ClOrdID	Y	Unique ID of the new Order, Cancel, or Cancel/Replace request as assigned by the firm. It is critical that this ID is unique and monotonically increased and be in range 0..72'057'594'037'927'936 (2^56) Good practice: start with Unix time in μ s and increment for each request.	order_token
41	OrigClOrdID	C	Unique ID of the Order.	order_token

Tag	Name	Required	Description	Valid Values
39	OrdStatus	Y	Describes the current order status.	"0" = New "1" = Partially Filled "2" = Filled "4" = Canceled "8" = Rejected "A" = Pending New "C" = Expired order_state
Trailer				

5.3. Security Definition <d>

FIX4.4 Standard

Table 17. Security Definition fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=d				
320	SecurityReqID	Y	Unique ID	String
322	SecurityResponseID	Y	Unique ID	String
323	SecurityResponseType	Y	Type of Security Definition <d> message response.	"1" = Accept security proposal as is
55	Symbol	Y	Symbol of the Tradeable Entity	.symbol field of tradeable_entity PowerTrade provides symbols of listed tradeable entities in Reference Data: * Simplified MD Feeds * Session-based MD Service Ignored for Multi-Leg Order

Tag	Name	Required	Description	Valid Values
48	SecurityID	N	Required if order is visible in the Order Book	The PowerTrade-assigned tradeable_entity_id .
22	SecurityIDSource	N		"8" = Exchange Symbol
461	CFICode	Y	Indicates the type of security using ISO 10962 standard	See CFICode
711	NoUnderlyings	C	Number of underlying legs that make up the security.	
Component Block UnderlyingInstrument :				
311	⇒ UnderlyingSymbol	Y	Underlying security's Symbol.	
309	⇒ UnderlyingSecurityID	Y		
305	⇒ UnderlyingSecurityIDSource	Y		
463	⇒ UnderlyingCFICode	Y		
318	⇒ UnderlyingCurrency	Y		
The end of Component Block UnderlyingInstrument				
15	Currency	Y	Identifies currency used for price.	String

Tag	Name	Required	Description	Valid Values
58	Text	Y	Additional information: trading_rule	<p>JSON, all fields are strings representing monetary numbers:</p> <p>"minimum_price"</p> <p>"maximum_price"</p> <p>"price_step" - tick size</p> <p>"minimum_quantity"</p> <p>"maximum_quantity"</p> <p>"quantity_step" - lot size</p> <p>"minimum_value"</p> <p>"maximum_value"</p> <p>e.g.{"minimum_price":"0.50","maximum_price":"1000000.00","price_step":"0.50","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0000500000","maximum_value":"10000000000.0000000000"}</p>
Trailer				

5.4. Security Status <f>

FIX4.4 Standard

Table 18. Security Status fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=f				
320	SecurityReqID	Y	Unique ID	String
322	SecurityResponseID	Y	Unique ID	String

Tag	Name	Required	Description	Valid Values
323	SecurityResponseType	Y	Type of Security Definition <d> message response.	"1" = Accept security proposal as is
55	Symbol	Y	Symbol of the Tradeable Entity	<p>.symbol field of tradeable_entity</p> <p>PowerTrade provides symbols of listed tradeable entities in Reference Data: * Simplified MD Feeds * Session-based MD Service</p> <p>Ignored for Multi-Leg Order</p>
48	SecurityID	N	Required if order is visible in the Order Book	The PowerTrade-assigned tradeable_entity_id .
22	SecurityIDSource	N		"8" = Exchange Symbol
461	CFICode	Y	Indicates the type of security using ISO 10962 standard	See CFICode
711	NoUnderlyings	C	Number of underlying legs that make up the security.	
Component Block UnderlyingInstrument :				
311	⇒ UnderlyingSymbol	Y	Underlying security's Symbol.	
309	⇒ UnderlyingSecurityID	Y		
305	⇒ UnderlyingSecurityIDSource	Y		
463	⇒ UnderlyingCFICode	Y		
318	⇒ UnderlyingCurrency	Y		
The end of Component Block UnderlyingInstrument				
15	Currency	Y	Identifies currency used for price.	String

Tag	Name	Required	Description	Valid Values
326	SecurityTradingStatus	Y	Identifies the trading status applicable to the transaction.	trading_state "2" = Trading Halt "17" = Ready to trade "18" = Not Available for trading
31	LastPx	C	Price of this (last) fill. Required if <code>ExecType <150></code> is F = Trade. For Security Status <f> represents the last price for that security, absent if security has no trades.	.price field of trade
58	Text	Y	Additional information: trading_rule	JSON, all fields are strings representing monetary numbers: "minimum_price" "maximum_price" "price_step" - tick size "minimum_quantity" "maximum_quantity" "quantity_step" - lot size "minimum_value" "maximum_value" e.g. {"minimum_price": "0.50", "maximum_price": "1000000.00", "price_step": "0.50", "minimum_quantity": "0.00010000", "maximum_quantity": "10000.00000000", "quantity_step": "0.00010000", "minimum_value": "0.0000500000", "maximum_value": "10000000000.0000000000"}

Tag	Name	Required	Description	Valid Values
Trailer				

5.5. Security List <y>

FIX4.4 Standard

Only ready to trade tradeable entities are shown here. If you want to get the list of all tradeable entities including suspended and indicative (e.g. indexes), please use [SecurityDefinitionRequest <c>](#)

Table 19. *Security List* fields:

Tag	Name	Required	Description	Valid Values
Header with MsgType=y				
320	SecurityReqID	Y	Unique ID	String
322	SecurityResponseID	Y	Unique ID	String
560	SecurityRequestResult	Y	Unique ID	String
146	NoRelatedSym	Y	Specifies the number of repeating symbols specified.	
Component Block ReLatedSym :				
55	Symbol	Y	Symbol of the Tradeable Entity	<p>.symbol field of tradeable_entity</p> <p>PowerTrade provides symbols of listed treadable entities in Reference Data: * Simplified MD Feeds * Session-based MD Service</p> <p>Ignored for Multi-Leg Order</p>
48	SecurityID	N	Required if order is visible in the Order Book	The PowerTrade-assigned tradeable_entity_id .
22	SecurityIDSource	N		"8" = Exchange Symbol
461	CFIcode	Y	Indicates the type of security using ISO 10962 standard	See CFIcode
711	NoUnderlyings	C	Number of underlying legs that make up the security.	

Tag	Name	Required	Description	Valid Values
Component Block UnderlyingInstrument :				
311	⇒ UnderlyingSymbol	Y	Underlying security's Symbol.	
309	⇒ UnderlyingSecurityID	Y		
305	⇒ UnderlyingSecurityIDSource	Y		
463	⇒ UnderlyingCFICode	Y		
318	⇒ UnderlyingCurrency	Y		
The end of Component Block UnderlyingInstrument				
15	Currency	Y	Identifies currency used for price.	String

Tag	Name	Required	Description	Valid Values
58	Text	Y	Additional information: trading_rule	<p>JSON, all fields are strings representing monetary numbers:</p> <p>"minimum_price"</p> <p>"maximum_price"</p> <p>"price_step" - tick size</p> <p>"minimum_quantity"</p> <p>"maximum_quantity"</p> <p>"quantity_step" - lot size</p> <p>"minimum_value"</p> <p>"maximum_value"</p> <p>e.g.{"minimum_price":"0.50","maximum_price":"1000000.00","price_step":"0.50","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0000500000","maximum_value":"10000000000.0000000000"}</p>
The end of Component Block RelatedSym				
Trailer				

6. Examples

6.1. Logon

6.1.1. Request

```
8=FIX.4.4|9=371|35=A|34=1|49=17b92233f33a4d9a1688fe7d2a5be705|52=20230802-
11:01:23.047|56=PT-
OE|98=0|108=30|141=Y|554=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJhcGkud3NzLmRl
di5wb3dlci50cmFkZSIsInN1YiI6IjE3YjkyMjZjMzYTRkOWExNjg4ZmU3ZDZjNWJlNzA1IiwiaXhwIjojNj
kwOTc0MDk4LClpYXQiOiJlE2OTA5NzQwODN9.p_j6e_1dfmuYT9eveIx-ASu-
```

mtT8HuXltQ_0_8K896f8Y5W5CZQiNb0G1Y8XGZoDGryjuGC-YzMoEkqsGSIYAA|10=201|

HEADER:

```
-----
[  8]          BeginString: FIX.4.4 []
[  9]          BodyLength: 371 []
[ 34]          MsgSeqNum: 1 []
[ 35]          MsgType: A [LOGON]
[ 49]          SenderCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[ 52]          SendingTime: 20230802-11:01:23.047 []
[ 56]          TargetCompID: PT-OE []
```

BODY:

```
-----
[ 98]          EncryptMethod: 0 [NONE]
[108]          HeartBtInt: 30 []
[141]          ResetSeqNumFlag: Y [YES]
[554]          Password:
eyJhbGciOiJFUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJhcGkud3NzLmRldi5wb3dldi50cmFkZSI6InN1Y
iI6IjE3YjkyMjZjMzYTRkOWExNjg4ZmU3ZDZhNWJlNzA1IiwiaXhwaWJjoxNjkwOTc0MDk4LCJpYXQiOiE2OTA
5NzQwODN9.p_j6e_1dfmuYT9eveIx-ASu-mtT8HuXltQ_0_8K896f8Y5W5CZQiNb0G1Y8XGZoDGryjuGC-
YzMoEkqsGSIYAA []
```

TRAILER:

```
-----
[ 10]          CheckSum: 201 []
```

6.1.2. Response

8=FIX.4.4|9=98|35=A|34=1|49=PT-OE|52=20230802-
11:01:23.046|56=17b92233f33a4d9a1688fe7d2a5be705|98=0|108=30|141=Y|10=032|

HEADER:

```
-----
[  8]          BeginString: FIX.4.4 []
[  9]          BodyLength: 98 []
[ 34]          MsgSeqNum: 1 []
[ 35]          MsgType: A [LOGON]
[ 49]          SenderCompID: PT-OE []
[ 52]          SendingTime: 20230802-11:01:23.046 []
[ 56]          TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
```

BODY:

```
-----
[ 98]          EncryptMethod: 0 [NONE]
[108]          HeartBtInt: 30 []
[141]          ResetSeqNumFlag: Y [YES]
```

TRAILER:

[10]

Checksum: 032 []

6.2. NewOrderSingle: Limit

6.2.1. Request

8=FIX.4.4|9=199|35=D|34=7|49=17b92233f33a4d9a1688fe7d2a5be705|52=20230802-11:20:11.303|56=PT-OE|11=1690975211302602|38=0.1500|40=2|44=22150.00|54=1|55=BTC-USD|59=6|60=20230802-11:20:11.302|126=20230803-11:20:11.302|10=186|

HEADER:

[8]	BeginString: FIX.4.4 []
[9]	BodyLength: 199 []
[34]	MsgSeqNum: 7 []
[35]	MsgType: D [ORDER_SINGLE]
[49]	SenderCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[52]	SendingTime: 20230802-11:20:11.303 []
[56]	TargetCompID: PT-OE []

BODY:

[11]	ClOrdID: 1690975211302602 []
[38]	OrderQty: 0.1500 []
[40]	OrdType: 2 [LIMIT]
[44]	Price: 22150.00 []
[54]	Side: 1 [BUY]
[55]	Symbol: BTC-USD []
[59]	TimeInForce: 6 [GOOD_TILL_DATE]
[60]	TransactTime: 20230802-11:20:11.302 []
[126]	ExpireTime: 20230803-11:20:11.302 []

TRAILER:

[10]

Checksum: 186 []

6.2.2. Response: Pending

8=FIX.4.4|9=290|35=8|34=6|49=PT-OE|52=20230802-11:20:11.305|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690975211302602|14=0.0000000|17=P15091429|37=15091429|38=0.15000000|39=A|40=2|44=22150.00|54=1|55=BTC-USD|59=6|60=20230802-11:20:11.304719000|126=20230803-11:20:00.000000000|150=A|151=0.15000000|10=117|

HEADER:

```
[ 8] BeginString: FIX.4.4 []
[ 9] BodyLength: 290 []
[34] MsgSeqNum: 6 []
[35] MsgType: 8 [EXECUTION_REPORT]
[49] SenderCompID: PT-OE []
[52] SendingTime: 20230802-11:20:11.305 []
[56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
```

BODY:

```
-----
[ 1] Account: 333 []
[ 6] AvgPx: 0 []
[11] ClOrdID: 1690975211302602 []
[14] CumQty: 0.00000000 []
[17] ExecID: P15091429 []
[37] OrderID: 15091429 []
[38] OrderQty: 0.15000000 []
[39] OrdStatus: A [PENDING_NEW]
[40] OrdType: 2 [LIMIT]
[44] Price: 22150.00 []
[54] Side: 1 [BUY]
[55] Symbol: BTC-USD []
[59] TimeInForce: 6 [GOOD_TILL_DATE]
[60] TransactTime: 20230802-11:20:11.304719000 []
[126] ExpireTime: 20230803-11:20:00.000000000 []
[150] ExecType: A [PENDING_NEW]
[151] LeavesQty: 0.15000000 []
```

TRAILER:

```
-----
[ 10] CheckSum: 117 []
```

6.2.3. Response: New

```
8=FIX.4.4|9=290|35=8|34=7|49=PT-OE|52=20230802-
11:20:11.306|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690975211302602|14=0.00
000000|17=N15091429|37=15091429|38=0.15000000|39=0|40=2|44=22150.00|54=1|55=BTC-
USD|59=6|60=20230802-11:20:11.306529000|126=20230803-
11:20:00.000000000|150=0|151=0.15000000|10=084|
```

HEADER:

```
-----
[ 8] BeginString: FIX.4.4 []
[ 9] BodyLength: 290 []
[34] MsgSeqNum: 7 []
[35] MsgType: 8 [EXECUTION_REPORT]
[49] SenderCompID: PT-OE []
[52] SendingTime: 20230802-11:20:11.306 []
[56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
```

BODY:

```
-----  
[ 1] Account: 333 []  
[ 6] AvgPx: 0 []  
[11] ClOrdID: 1690975211302602 []  
[14] CumQty: 0.00000000 []  
[17] ExecID: N15091429 []  
[37] OrderID: 15091429 []  
[38] OrderQty: 0.15000000 []  
[39] OrdStatus: 0 [NEW]  
[40] OrdType: 2 [LIMIT]  
[44] Price: 22150.00 []  
[54] Side: 1 [BUY]  
[55] Symbol: BTC-USD []  
[59] TimeInForce: 6 [GOOD_TILL_DATE]  
[60] TransactTime: 20230802-11:20:11.306529000 []  
[126] ExpireTime: 20230803-11:20:00.000000000 []  
[150] ExecType: 0 [NEW]  
[151] LeavesQty: 0.15000000 []
```

TRAILER:

```
-----  
[ 10] CheckSum: 084 []
```

6.2.4. Response: Trade

8=FIX.4.4|9=314|35=8|34=8|49=PT-OE|52=20230802-
11:20:11.307|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690975211302602|14=0.15
000000|17=E741540|31=21150.00|32=0.15000000|37=15091429|38=0.15000000|39=2|40=2|44=221
50.00|54=1|55=BTC-USD|59=6|60=20230802-11:20:11.306529000|126=20230803-
11:20:00.000000000|150=F|151=0.00000000|10=168|

HEADER:

```
-----  
[ 8] BeginString: FIX.4.4 []  
[ 9] BodyLength: 314 []  
[34] MsgSeqNum: 8 []  
[35] MsgType: 8 [EXECUTION_REPORT]  
[49] SenderCompID: PT-OE []  
[52] SendingTime: 20230802-11:20:11.307 []  
[56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
```

BODY:

```
-----  
[ 1] Account: 333 []  
[ 6] AvgPx: 0 []  
[11] ClOrdID: 1690975211302602 []  
[14] CumQty: 0.15000000 []
```

```
[ 17]                               ExecID: E741540 []
[ 31]                               LastPx: 21150.00 []
[ 32]                               LastQty: 0.15000000 []
[ 37]                               OrderID: 15091429 []
[ 38]                               OrderQty: 0.15000000 []
[ 39]                               OrdStatus: 2 [FILLED]
[ 40]                               OrdType: 2 [LIMIT]
[ 44]                               Price: 22150.00 []
[ 54]                               Side: 1 [BUY]
[ 55]                               Symbol: BTC-USD []
[ 59]                               TimeInForce: 6 [GOOD_TILL_DATE]
[ 60]                               TransactTime: 20230802-11:20:11.306529000 []
[126]                               ExpireTime: 20230803-11:20:00.000000000 []
[150]                               ExecType: F [TRADE]
[151]                               LeavesQty: 0.00000000 []
```

TRAILER:

```
-----
[ 10]                               CheckSum: 168 []
```

6.3. NewOrderSingle: Market

6.3.1. Request

```
8=FIX.4.4|9=161|35=D|34=3|49=17b92233f33a4d9a1688fe7d2a5be705|52=20230802-
11:01:08.714|56=PT-OE|11=1690974068713638|38=0.0800|40=1|54=2|55=BTC-
USD|59=3|60=20230802-11:01:08.713|10=183|
```

HEADER:

```
-----
[  8]                               BeginString: FIX.4.4 []
[  9]                               BodyLength: 161 []
[ 34]                               MsgSeqNum: 3 []
[ 35]                               MsgType: D [ORDER_SINGLE]
[ 49]                               SenderCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[ 52]                               SendingTime: 20230802-11:01:08.714 []
[ 56]                               TargetCompID: PT-OE []
```

BODY:

```
-----
[ 11]                               ClOrdID: 1690974068713638 []
[ 38]                               OrderQty: 0.0800 []
[ 40]                               OrdType: 1 [MARKET]
[ 54]                               Side: 2 [SELL]
[ 55]                               Symbol: BTC-USD []
[ 59]                               TimeInForce: 3 [IMMEDIATE_OR_CANCEL]
[ 60]                               TransactTime: 20230802-11:01:08.713 []
```

TRAILER:

[10]

Checksum: 183 []

6.3.2. Response: Pending

8=FIX.4.4|9=246|35=8|34=4|49=PT-OE|52=20230802-11:01:08.716|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690974068713638|14=0.0000000|17=P15091414|37=15091414|38=0.08000000|39=A|40=1|54=2|55=BTC-USD|59=3|60=20230802-11:01:08.716150000|150=A|151=0.08000000|10=083|

HEADER:

[8]	BeginString: FIX.4.4 []
[9]	BodyLength: 246 []
[34]	MsgSeqNum: 4 []
[35]	MsgType: 8 [EXECUTION_REPORT]
[49]	SenderCompID: PT-OE []
[52]	SendingTime: 20230802-11:01:08.716 []
[56]	TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []

BODY:

[1]	Account: 333 []
[6]	AvgPx: 0 []
[11]	ClOrdID: 1690974068713638 []
[14]	CumQty: 0.00000000 []
[17]	ExecID: P15091414 []
[37]	OrderID: 15091414 []
[38]	OrderQty: 0.08000000 []
[39]	OrdStatus: A [PENDING_NEW]
[40]	OrdType: 1 [MARKET]
[54]	Side: 2 [SELL]
[55]	Symbol: BTC-USD []
[59]	TimeInForce: 3 [IMMEDIATE_OR_CANCEL]
[60]	TransactTime: 20230802-11:01:08.716150000 []
[150]	ExecType: A [PENDING_NEW]
[151]	LeavesQty: 0.08000000 []

TRAILER:

[10]

Checksum: 083 []

6.3.3. Response: New

8=FIX.4.4|9=246|35=8|34=5|49=PT-OE|52=20230802-11:01:08.718|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690974068713638|14=0.0000000|17=N15091414|37=15091414|38=0.08000000|39=0|40=1|54=2|55=BTC-USD|59=3|60=20230802-11:01:08.717909000|150=0|151=0.08000000|10=063|

HEADER:

```
-----
[ 8] BeginString: FIX.4.4 []
[ 9] BodyLength: 246 []
[34] MsgSeqNum: 5 []
[35] MsgType: 8 [EXECUTION_REPORT]
[49] SenderCompID: PT-OE []
[52] SendingTime: 20230802-11:01:08.718 []
[56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
```

BODY:

```
-----
[ 1] Account: 333 []
[ 6] AvgPx: 0 []
[11] ClOrdID: 1690974068713638 []
[14] CumQty: 0.00000000 []
[17] ExecID: N15091414 []
[37] OrderID: 15091414 []
[38] OrderQty: 0.08000000 []
[39] OrdStatus: 0 [NEW]
[40] OrdType: 1 [MARKET]
[54] Side: 2 [SELL]
[55] Symbol: BTC-USD []
[59] TimeInForce: 3 [IMMEDIATE_OR_CANCEL]
[60] TransactTime: 20230802-11:01:08.717909000 []
[150] ExecType: 0 [NEW]
[151] LeavesQty: 0.08000000 []
```

TRAILER:

```
-----
[10] CheckSum: 063 []
```

6.3.4. Response: Trade

```
8=FIX.4.4|9=314|35=8|34=6|49=PT-OE|52=20230802-
11:01:08.718|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690974067710224|14=0.08
000000|17=E741538|31=22150.00|32=0.08000000|37=15091412|38=0.15000000|39=1|40=2|44=221
50.00|54=1|55=BTC-USD|59=6|60=20230802-11:01:08.717909000|126=20230803-
11:00:00.000000000|150=F|151=0.07000000|10=209|
```

HEADER:

```
-----
[ 8] BeginString: FIX.4.4 []
[ 9] BodyLength: 314 []
[34] MsgSeqNum: 6 []
[35] MsgType: 8 [EXECUTION_REPORT]
[49] SenderCompID: PT-OE []
[52] SendingTime: 20230802-11:01:08.718 []
```

[56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []

BODY:

[1] Account: 333 []
[6] AvgPx: 0 []
[11] ClOrdID: 1690974067710224 []
[14] CumQty: 0.08000000 []
[17] ExecID: E741538 []
[31] LastPx: 22150.00 []
[32] LastQty: 0.08000000 []
[37] OrderID: 15091412 []
[38] OrderQty: 0.15000000 []
[39] OrdStatus: 1 [PARTIALLY_FILLED]
[40] OrdType: 2 [LIMIT]
[44] Price: 22150.00 []
[54] Side: 1 [BUY]
[55] Symbol: BTC-USD []
[59] TimeInForce: 6 [GOOD_TILL_DATE]
[60] TransactTime: 20230802-11:01:08.717909000 []
[126] ExpireTime: 20230803-11:00:00.000000000 []
[150] ExecType: F [TRADE]
[151] LeavesQty: 0.07000000 []

TRAILER:

[10] CheckSum: 209 []

6.4. NewOrderMultileg: RFQ Limit

6.4.1. Request

8=FIX.4.4|9=237|35=AB|34=6|49=17b92233f33a4d9a1688fe7d2a5be705|52=20230802-11:01:11.732|56=PT-OE|11=1690974071730671|38=0.1000|40=2|44=16.00|54=1|59=6|60=20230802-11:01:11.730|65=none|126=20230803-11:01:11.732|55=2|600=BTC-USD|623=1|600=ETH-USD|623=-1|10=025|

HEADER:

[8] BeginString: FIX.4.4 []
[9] BodyLength: 237 []
[34] MsgSeqNum: 6 []
[35] MsgType: AB [NEW_ORDER_AB]
[49] SenderCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[52] SendingTime: 20230802-11:01:11.732 []
[56] TargetCompID: PT-OE []

BODY:

```

-----
[ 11]                                ClOrdID: 1690974071730671 []
[ 38]                                OrderQty: 0.1000 []
[ 40]                                OrdType: 2 [LIMIT]
[ 44]                                Price: 16.00 []
[ 54]                                Side: 1 [BUY]
[ 59]                                TimeInForce: 6 [GOOD_TILL_DATE]
[ 60]                                TransactTime: 20230802-11:01:11.730 []
[ 65]                                SymbolSfx: none []
[ 126]                               ExpireTime: 20230803-11:01:11.732 []
[ 555]                               NoLegs: 2 []
[ 600]                               LegSymbol: BTC-USD []
[ 623]                               LegRatioQty: 1 []
[ 600]                               LegSymbol: ETH-USD []
[ 623]                               LegRatioQty: -1 []

```

TRAILER:

```

-----
[ 10]                                CheckSum: 025 []

```

6.4.2. Response: New

```

8=FIX.4.4|9=323|35=8|34=9|49=PT-OE|52=20230802-
11:01:11.732|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690974071730671|14=0.00
0000|17=N15091416|37=15091416|38=0.100000|39=0|40=2|44=16.0000|54=1|59=6|60=20230802-
11:01:11.731938000|65=none|126=20230803-
11:00:00.000000000|150=0|151=0.100000|555=2|600=BTC-USD|623=1|600=ETH-USD|623=-
1|10=164|

```

HEADER:

```

-----
[ 8]                                BeginString: FIX.4.4 []
[ 9]                                BodyLength: 323 []
[ 34]                                MsgSeqNum: 9 []
[ 35]                                MsgType: 8 [EXECUTION_REPORT]
[ 49]                                SenderCompID: PT-OE []
[ 52]                                SendingTime: 20230802-11:01:11.732 []
[ 56]                                TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []

```

BODY:

```

-----
[ 1]                                Account: 333 []
[ 6]                                AvgPx: 0 []
[ 11]                               ClOrdID: 1690974071730671 []
[ 14]                               CumQty: 0.000000 []
[ 17]                               ExecID: N15091416 []
[ 37]                               OrderID: 15091416 []
[ 38]                               OrderQty: 0.100000 []
[ 39]                               OrdStatus: 0 [NEW]

```


[40]	OrdType: 2 [LIMIT]
[44]	Price: 16.0000 []
[54]	Side: 1 [BUY]
[59]	TimeInForce: 6 [GOOD_TILL_DATE]
[60]	TransactTime: 20230802-11:01:11.731938000 []
[65]	SymbolSfx: none []
[126]	ExpireTime: 20230803-11:00:00.000000000 []
[150]	ExecType: 0 [NEW]
[151]	LeavesQty: 0.100000 []
[555]	NoLegs: 2 []
[600]	LegSymbol: BTC-USD []
[623]	LegRatioQty: 1 []
[600]	LegSymbol: ETH-USD []
[623]	LegRatioQty: -1 []

TRAILER:

[10]	Checksum: 164 []
-------	------------------

6.5. Cancel by ClOrdID

6.5.1. Request

8=FIX.4.4|9=150|35=F|34=4|49=17b92233f33a4d9a1688fe7d2a5be705|52=20230802-11:01:09.723|56=PT-OE|11=1690974069723069|41=1690974067710224|54=1|60=20230802-11:01:09.723|10=131|

HEADER:

[8]	BeginString: FIX.4.4 []
[9]	BodyLength: 150 []
[34]	MsgSeqNum: 4 []
[35]	MsgType: F [ORDER_CANCEL_REQUEST]
[49]	SenderCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[52]	SendingTime: 20230802-11:01:09.723 []
[56]	TargetCompID: PT-OE []

BODY:

[11]	ClOrdID: 1690974069723069 []
[41]	OrigClOrdID: 1690974067710224 []
[54]	Side: 1 [BUY]
[60]	TransactTime: 20230802-11:01:09.723 []

TRAILER:

[10]	Checksum: 131 []
-------	------------------

6.5.2. Response

```
8=FIX.4.4|9=310|35=8|34=8|49=PT-OE|52=20230802-  
11:01:09.724|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690974069723069|14=0.08  
000000|17=C15091412|37=15091412|38=0.15000000|39=4|40=2|41=1690974067710224|44=22150.0  
0|54=1|55=BTC-USD|59=6|60=20230802-11:01:09.723523000|126=20230803-  
11:00:00.000000000|150=4|151=0.07000000|10=075|
```

HEADER:

```
-----  
[ 8] BeginString: FIX.4.4 []  
[ 9] BodyLength: 310 []  
[ 34] MsgSeqNum: 8 []  
[ 35] MsgType: 8 [EXECUTION_REPORT]  
[ 49] SenderCompID: PT-OE []  
[ 52] SendingTime: 20230802-11:01:09.724 []  
[ 56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
```

BODY:

```
-----  
[ 1] Account: 333 []  
[ 6] AvgPx: 0 []  
[ 11] ClOrdID: 1690974069723069 []  
[ 14] CumQty: 0.08000000 []  
[ 17] ExecID: C15091412 []  
[ 37] OrderID: 15091412 []  
[ 38] OrderQty: 0.15000000 []  
[ 39] OrdStatus: 4 [CANCELED]  
[ 40] OrdType: 2 [LIMIT]  
[ 41] OrigClOrdID: 1690974067710224 []  
[ 44] Price: 22150.00 []  
[ 54] Side: 1 [BUY]  
[ 55] Symbol: BTC-USD []  
[ 59] TimeInForce: 6 [GOOD_TILL_DATE]  
[ 60] TransactTime: 20230802-11:01:09.723523000 []  
[ 126] ExpireTime: 20230803-11:00:00.000000000 []  
[ 150] ExecType: 4 [CANCELED]  
[ 151] LeavesQty: 0.07000000 []
```

TRAILER:

```
-----  
[ 10] CheckSum: 075 []
```

6.6. Cancel by OrderID

6.6.1. Request

```
8=FIX.4.4|9=151|35=F|34=17|49=17b92233f33a4d9a1688fe7d2a5be705|52=20230802-
```

11:01:24.103|56=PT-OE|11=1690974084103284|37=15091423|41=NONE|54=1|60=20230802-11:01:24.103|10=198|

HEADER:

[8]	BeginString: FIX.4.4 []
[9]	BodyLength: 151 []
[34]	MsgSeqNum: 17 []
[35]	MsgType: F [ORDER_CANCEL_REQUEST]
[49]	SenderCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[52]	SendingTime: 20230802-11:01:24.103 []
[56]	TargetCompID: PT-OE []

BODY:

[11]	ClOrdID: 1690974084103284 []
[37]	OrderID: 15091423 []
[41]	OrigClOrdID: NONE []
[54]	Side: 1 [BUY]
[60]	TransactTime: 20230802-11:01:24.103 []

TRAILER:

[10]	Checksum: 198 []
-------	------------------

6.6.2. Response

8=FIX.4.4|9=344|35=8|34=22|49=PT-OE|52=20230802-11:01:24.102|56=17b92233f33a4d9a1688fe7d2a5be705|1=333|6=0|11=1690974084103284|14=0.000000|17=C15091423|37=15091423|38=0.100000|39=4|40=2|41=1690974077785721|44=16.0000|54=1|59=6|60=20230802-11:01:24.102096000|65=none|126=20230803-11:00:00.000000000|150=4|151=0.100000|555=2|600=BTC-USD|623=1|600=ETH-USD|623=-1|10=174|

HEADER:

[8]	BeginString: FIX.4.4 []
[9]	BodyLength: 344 []
[34]	MsgSeqNum: 22 []
[35]	MsgType: 8 [EXECUTION_REPORT]
[49]	SenderCompID: PT-OE []
[52]	SendingTime: 20230802-11:01:24.102 []
[56]	TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []

BODY:

[1]	Account: 333 []
[6]	AvgPx: 0 []
[11]	ClOrdID: 1690974084103284 []

```

[ 14] CumQty: 0.000000 []
[ 17] ExecID: C15091423 []
[ 37] OrderID: 15091423 []
[ 38] OrderQty: 0.100000 []
[ 39] OrdStatus: 4 [CANCELED]
[ 40] OrdType: 2 [LIMIT]
[ 41] OrigClOrdID: 1690974077785721 []
[ 44] Price: 16.0000 []
[ 54] Side: 1 [BUY]
[ 59] TimeInForce: 6 [GOOD_TILL_DATE]
[ 60] TransactTime: 20230802-11:01:24.102096000 []
[ 65] SymbolSfx: none []
[ 126] ExpireTime: 20230803-11:00:00.000000000 []
[ 150] ExecType: 4 [CANCELED]
[ 151] LeavesQty: 0.100000 []
[ 555] NoLegs: 2 []
[ 600] LegSymbol: BTC-USD []
[ 623] LegRatioQty: 1 []
[ 600] LegSymbol: ETH-USD []
[ 623] LegRatioQty: -1 []

```

TRAILER:

```

-----
[ 10] CheckSum: 174 []

```

6.7. Reference Data

6.7.1. Security Definition Request

```

8=FIX.4.4|9=107|35=c|34=2|49=17b92233f33a4d9a1688fe7d2a5be705|52=20230810-
11:55:16.128|56=PT-OE|320=1691668516128015|321=3|10=075|

```

HEADER:

```

-----
[ 8] BeginString: FIX.4.4 []
[ 9] BodyLength: 107 []
[ 35] MsgType: c [SECURITY_DEFINITION_REQUEST]
[ 49] SenderCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[ 56] TargetCompID: PT-OE []
[ 34] MsgSeqNum: 2 []
[ 52] SendingTime: 20230810-11:55:16.128 []

```

BODY:

```

-----
[ 320] SecurityReqID: 1691668516128015 []
[ 321] SecurityRequestType: 3 [REQUEST_LIST_SECURITIES]

```

TRAILER:

6.7.2. Security Definition: Spot

8=FIX.4.4|9=168|35=d|34=8|49=PT-OE|52=20230810-
11:55:16.128|56=17b92233f33a4d9a1688fe7d2a5be705|15=USD|22=8|48=4|55=BTC-
USD|320=1691668516128015|322=R1691668516128015|323=1|461=IFXXXP|10=100|

HEADER:

```
-----  
[ 8] BeginString: FIX.4.4 []  
[ 9] BodyLength: 168 []  
[35] MsgType: d [SECURITY_DEFINITION]  
[49] SenderCompID: PT-OE []  
[56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []  
[34] MsgSeqNum: 8 []  
[52] SendingTime: 20230810-11:55:16.128 []
```

BODY:

```
-----  
[320] SecurityReqID: 1691668516128015 []  
[322] SecurityResponseID: R1691668516128015 []  
[323] SecurityResponseType: 1 [ACCEPT_SECURITY_PROPOSAL_AS_IS]  
[55] Symbol: BTC-USD []  
[48] SecurityID: 4 []  
[22] SecurityIDSource: 8 [EXCHANGE_SYMBOL]  
[461] CFICode: IFXXXP []  
[15] Currency: USD []  
[58] Text:  
{ "minimum_price": "0.10", "maximum_price": "1000000.00", "price_step": "0.10", "minimum_quantity": "0.00010000", "maximum_quantity": "10000.00000000", "quantity_step": "0.00010000", "minimum_value": "0.0000100000", "maximum_value": "10000000000.0000000000" } []
```

TRAILER:

```
-----  
[ 10] CheckSum: 100 []
```

6.7.3. Security Definition: Option

8=FIX.4.4|9=261|35=d|34=1420|49=PT-OE|52=20230810-
11:55:16.196|56=17b92233f33a4d9a1688fe7d2a5be705|15=USD|22=8|48=14548|55=BTC-20240628-
30000C|202=30000|231=1|320=1691668516128015|322=R1691668516128015|323=1|461=OCECCS|541
=20240628|711=1|311=BTC|309=3|305=8|463=IFXXXP|318=USD|10=045|

HEADER:

```
-----  
[ 8] BeginString: FIX.4.4 []  
[ 9] BodyLength: 261 []
```

```
[ 35]                      MsgType: d [SECURITY_DEFINITION]
[ 49]                      SenderCompID: PT-OE []
[ 56]                      TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[ 34]                      MsgSeqNum: 1420 []
[ 52]                      SendingTime: 20230810-11:55:16.196 []
```

BODY:

```
-----
[ 320]                      SecurityReqID: 1691668516128015 []
[ 322]                      SecurityResponseID: R1691668516128015 []
[ 323]                      SecurityResponseType: 1 [ACCEPT_SECURITY_PROPOSAL_AS_IS]
[ 55]                      Symbol: BTC-20240628-30000C []
[ 48]                      SecurityID: 14548 []
[ 22]                      SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]                     CFICode: OCECCS []
[ 541]                     MaturityDate: 20240628 []
[ 202]                     StrikePrice: 30000 []
[ 231]                      ContractMultiplier: 1 []
[ 711]                      NoUnderlyings: 1 []
[ 311]                      UnderlyingSymbol: BTC []
[ 309]                      UnderlyingSecurityID: 3 []
[ 305]                      UnderlyingSecurityIDSource: 8 []
[ 463]                      UnderlyingCFICode: IFXXXP []
[ 318]                      UnderlyingCurrency: USD []
[ 15]                      Currency: USD []
[ 58]                      Text:
{"minimum_price":"1.00","maximum_price":"1000000.00","price_step":"1.00","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0001000000","maximum_value":"10000000000.0000000000"} []
```

TRAILER:

```
-----
[ 10]                      CheckSum: 045 []
```

6.7.4. Security Definition: Future

```
8=FIX.4.4|9=244|35=d|34=1158|49=PT-OE|52=20230810-
11:55:16.184|56=17b92233f33a4d9a1688fe7d2a5be705|15=USD|22=8|48=14245|55=BTC-
20240628|231=1|320=1691668516128015|322=R1691668516128015|323=1|461=FFCCSX|541=2024062
8|711=1|311=BTC|309=3|305=8|463=IFXXXP|318=USD|10=018|
```

HEADER:

```
-----
[ 8]                      BeginString: FIX.4.4 []
[ 9]                      BodyLength: 244 []
[ 35]                      MsgType: d [SECURITY_DEFINITION]
[ 49]                      SenderCompID: PT-OE []
[ 56]                      TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[ 34]                      MsgSeqNum: 1158 []
```

[52] SendingTime: 20230810-11:55:16.184 []

BODY:

[320] SecurityReqID: 1691668516128015 []
[322] SecurityResponseID: R1691668516128015 []
[323] SecurityResponseType: 1 [ACCEPT_SECURITY_PROPOSAL_AS_IS]
[55] Symbol: BTC-20240628 []
[48] SecurityID: 14245 []
[22] SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[461] CFICode: FFCCSX []
[541] MaturityDate: 20240628 []
[231] ContractMultiplier: 1 []
[711] NoUnderlyings: 1 []
[311] UnderlyingSymbol: BTC []
[309] UnderlyingSecurityID: 3 []
[305] UnderlyingSecurityIDSource: 8 []
[463] UnderlyingCFICode: IFXXXP []
[318] UnderlyingCurrency: USD []
[15] Currency: USD []
[58] Text:
{ "minimum_price": "0.50", "maximum_price": "1000000.00", "price_step": "0.50", "minimum_quantity": "0.00010000", "maximum_quantity": "10000.00000000", "quantity_step": "0.00010000", "minimum_value": "0.0000500000", "maximum_value": "10000000000.0000000000" } []

TRAILER:

[10] CheckSum: 018 []

6.7.5. Security Definition: Perpetual Future

8=FIX.4.4|9=242|35=d|34=26|49=PT-OE|52=20230810-11:55:16.128|56=17b92233f33a4d9a1688fe7d2a5be705|15=USD|22=8|48=13|55=BTC-USD-PERPETUAL|231=1|320=1691668516128015|322=R1691668516128015|323=1|461=FFCCSX|711=1|311=BTC-USD-INDEX|309=14|305=8|463=TICMMX|318=USD|10=169|

HEADER:

[8] BeginString: FIX.4.4 []
[9] BodyLength: 242 []
[35] MsgType: d [SECURITY_DEFINITION]
[49] SenderCompID: PT-OE []
[56] TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[34] MsgSeqNum: 26 []
[52] SendingTime: 20230810-11:55:16.128 []

BODY:

[320] SecurityReqID: 1691668516128015 []

```

[ 322]          SecurityResponseID: R1691668516128015 []
[ 323]          SecurityResponseType: 1 [ACCEPT_SECURITY_PROPOSAL_AS_IS]
[ 55]           Symbol: BTC-USD-PERPETUAL []
[ 48]           SecurityID: 13 []
[ 22]           SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]          CFICode: FFCSX []
[ 231]          ContractMultiplier: 1 []
[ 711]          NoUnderlyings: 1 []
[ 311]          UnderlyingSymbol: BTC-USD-INDEX []
[ 309]          UnderlyingSecurityID: 14 []
[ 305]          UnderlyingSecurityIDSource: 8 []
[ 463]          UnderlyingCFICode: TICMMX []
[ 318]          UnderlyingCurrency: USD []
[ 15]           Currency: USD []
[ 58]           Text:
{"minimum_price":"0.10","maximum_price":"1000000.00","price_step":"0.10","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0000100000","maximum_value":"10000000000.0000000000"} []

TRAILER:
-----
[ 10]                      CheckSum: 169 []

```

6.7.6. Security Status

```

8=FIX.4.4|9=147|35=f|34=9|49=PT-OE|52=20230810-
11:55:16.128|56=17b92233f33a4d9a1688fe7d2a5be705|15=USD|22=8|48=4|55=BTC-
USD|324=1691668516128015|326=17|461=IFXXXP|10=057|

HEADER:
-----
[ 8]           BeginString: FIX.4.4 []
[ 9]           BodyLength: 147 []
[ 35]          MsgType: f [SECURITY_STATUS]
[ 49]          SenderCompID: PT-OE []
[ 56]          TargetCompID: 17b92233f33a4d9a1688fe7d2a5be705 []
[ 34]          MsgSeqNum: 9 []
[ 52]          SendingTime: 20230810-11:55:16.128 []

BODY:
-----
[ 324]          SecurityStatusReqID: 1691668516128015 []
[ 55]           Symbol: BTC-USD []
[ 48]           SecurityID: 4 []
[ 22]           SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]          CFICode: IFXXXP []
[ 15]           Currency: USD []
[ 326]          SecurityTradingStatus: 17 [READY_TO_TRADE]
[ 31]           LastPx: 43500.00 []

```



```

[ 322]                SecurityResponseID: R1691669643474450 []
[ 560]                SecurityRequestResult: 0 [VALID_REQUEST]
[ 146]                NoRelatedSym: 1439 []
[ 55]  #0                Symbol: BTC-USD []
[ 48]                SecurityID: 4 []
[ 22]                SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]                CFICode: IFXXXP []
[ 15]                Currency: USD []
[ 58]                Text:
{"minimum_price":"0.10","maximum_price":"1000000.00","price_step":"0.10","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0000100000","maximum_value":"10000000000.0000000000"} []
[ 55]  #1                Symbol: ETH-USD []
[ 48]                SecurityID: 5 []
[ 22]                SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]                CFICode: IFXXXP []
[ 15]                Currency: USD []
[ 58]                Text:
{"minimum_price":"0.0100","maximum_price":"100000.0000","price_step":"0.0100","minimum_quantity":"0.001000","maximum_quantity":"100000.000000","quantity_step":"0.001000","minimum_value":"0.0000100000","maximum_value":"10000000000.0000000000"} []
[ 55]  #2                Symbol: PTF-USD []
[ 48]                SecurityID: 6 []
[ 22]                SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]                CFICode: IFXXXP []
[ 15]                Currency: USD []
[ 58]                Text:
{"minimum_price":"0.0001","maximum_price":"1000.0000","price_step":"0.0001","minimum_quantity":"0.0010","maximum_quantity":"10000000.0000","quantity_step":"0.0010","minimum_value":"0.00000010","maximum_value":"10000000000.00000000"} []
[ 55]  #3                Symbol: BTC-USD-PERPETUAL []
[ 48]                SecurityID: 13 []
[ 22]                SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]                CFICode: FFCCSX []
[ 231]                ContractMultiplier: 1 []
[ 711]                NoUnderlyings: 1 []
[ 311]                UnderlyingSymbol: BTC-USD-INDEX []
[ 309]                UnderlyingSecurityID: 14 []
[ 305]                UnderlyingSecurityIDSource: 8 []
[ 463]                UnderlyingCFICode: TICMMX []
[ 318]                UnderlyingCurrency: USD []
[ 15]                Currency: USD []
[ 58]                Text:
{"minimum_price":"0.10","maximum_price":"1000000.00","price_step":"0.10","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0000100000","maximum_value":"10000000000.0000000000"} []
...
[ 55]  #560                Symbol: BTC-20240628 []
[ 48]                SecurityID: 14245 []
[ 22]                SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]                CFICode: FFCCSX []

```

```

[ 541]                                MaturityDate: 20240628 []
[ 231]                                ContractMultiplier: 1 []
[ 711]                                NoUnderlyings: 1 []
[ 311]                                UnderlyingSymbol: BTC []
[ 309]                                UnderlyingSecurityID: 3 []
[ 305]                                UnderlyingSecurityIDSource: 8 []
[ 463]                                UnderlyingCFIcode: IFXXXP []
[ 318]                                UnderlyingCurrency: USD []
[  15]                                Currency: USD []
[  58]                                Text:
{"minimum_price":"0.50","maximum_price":"1000000.00","price_step":"0.50","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0000500000","maximum_value":"10000000000.0000000000"} []
...
[  55] #595                                Symbol: BTC-20240628-30000C []
[  48]                                SecurityID: 14548 []
[  22]                                SecurityIDSource: 8 [EXCHANGE_SYMBOL]
[ 461]                                CFIcode: OCECCS []
[ 541]                                MaturityDate: 20240628 []
[ 202]                                StrikePrice: 30000 []
[ 231]                                ContractMultiplier: 1 []
[ 711]                                NoUnderlyings: 1 []
[ 311]                                UnderlyingSymbol: BTC []
[ 309]                                UnderlyingSecurityID: 3 []
[ 305]                                UnderlyingSecurityIDSource: 8 []
[ 463]                                UnderlyingCFIcode: IFXXXP []
[ 318]                                UnderlyingCurrency: USD []
[  15]                                Currency: USD []
[  58]                                Text:
{"minimum_price":"1.00","maximum_price":"1000000.00","price_step":"1.00","minimum_quantity":"0.00010000","maximum_quantity":"10000.00000000","quantity_step":"0.00010000","minimum_value":"0.0001000000","maximum_value":"10000000000.0000000000"} []
...

TRAILER:
-----
[  10]                                CheckSum: 060 []

```

7. Revision History

Table 20. revision history:

Date	Version	Notes
2024-08-14	1.3	Add LastPx to SecurityStatus
2023-08-24	1.2	Fill gaps in SecurityDefinitionRequest, SecurityDefinition, SecurityStatus, SecurityListRequest, SecurityList; Add configuration examples for using SSL

Date	Version	Notes
2023-08-10	1.1	SecurityDefinitionRequest, SecurityDefinition, SecurityStatus, SecurityListRequest, SecurityList
2023-08-01	1.0	Public release
2023-07-30	0.1	Initial Order Entry FIX API documentation