

# Yixin Protocol

Kai Sun

April 5, 2014

## 1 Introduction

Yixin protocol is a protocol derived from Gomocup protocol [1]. Firstly used by Yixin [4], it supports more commands than Gomocup protocol. This document describes extensions and modifications of Yixin protocol compared with Gomocup protocol. For detail implementation of Yixin protocol, readers are recommended to refer Yixin Board [3] which have implemented all the extensions and modifications described in this document.

## 2 Modification

Compared with Gomocup protocol, Yixin protocol makes the following modifications:

- The old protocol used by Gomocup [2] which use files for communication is no longer supported. So the name of brain is no longer required to begin with prefix “pbrain-”.
- Yixin protocol no longer supports continuous game, that is, **INFO rule** [value] with **value** equals 2 or 3 does not represent continuous game any more. Instead, renju is supported by Yixin protocol and **INFO rule 2** represents renju rule.
- 

## 3 Extension

Compared with Gomocup protocol, Yixin protocol add the following extensions:

- **yxboard** After this command the data forming the playing field are send. Every line is in the form:

[X],[Y],[field]

where **[X]** and **[Y]** are coordinates and **[field]** is either number 1 (own stone) or number 2 (opponent's stone). The manager should send these lines in the same order as moves are made. Data are ended by **DONE** command.

Example:

The manager sends:

yxboard  
10,10,1  
10,11,2  
11,11,1  
9,10,2  
DONE

The brain answers:

[No Answer]

The difference between **yxboard** and **board** is that the brain is required not to answer **yxboard** with a move.

- **yxstop** When the brain receives this command, it should stop thinking immediately and output its move.

Example:

When the brain is thinking, the manager sends:

yxstop

The brain answers:

6,7

- **yxshowforbid** This command may be used only if renju rule is set. When the brain receives this command, it should output all the forbidden moves on the board. The format of output is in the form:

FORBID  $[X_1Y_1X_2Y_2 \dots X_NY_N]$ .

where  $N$  is the number of forbidden moves and  $(X_1, Y_1), (X_2, Y_2), \dots, (X_N, Y_N)$  are the coordinates of each forbidden move. To avoid ambiguity, leading zero is added to every  $X_i$  and  $Y_i$  so that every  $X_i$  and  $Y_i$  is represented with a 2-digit number.

Example:

The manager sends:

yxshowforbid

The brain answers:

FORBID 09121011.

- **INFO max\_depth [value]** The brain should stop thinking when its searching depth is over [value].
- **INFO max\_node [value]** The brain should stop thinking when it has searched over [value] nodes.

## References

- [1] Petr Lastovicka. Gomocup protocol. <http://web.quick.cz/lastp/protocl2en.htm>.
- [2] Petr Lastovicka. Old gomocup protocol. <http://web.quick.cz/lastp/protocl1en.htm>.
- [3] Kai Sun. Yixin board. <https://github.com/accreator/Yixin-Board>.
- [4] Kai Sun. Yixin homepage. <http://www.aiexp.info>.