

# BASE DE DATOS I

[CLASE N°2 BASE DE DATOS I 2024] Prof. [Natalia Lucero]

## **UTN WIZARDS**

### Integrantes:

 Aguilar, Victor Alejandro Legajo: 10982

Email:

Alonso, Florencia Irupé

Legajo: 10989

Email:

40984441@alumnos.frsr.utn.edu.ar

• Bosio, Franco Legajo: 11014

Email:

42750328@alumnos.frsr.utn.edu.ar

 Choque, Axel Legajo: Email: 37966213@alumnos.frsr.utn.edu.ar

De Los Santos Cardozo, Franco

Legajo: 11049

Email: 39075615@alumnos.frsr.utn.edu.ar

 Di Pietro, Emiliano Legajo: 11054

Email: 41368052@alumnos.frsr.utn.edu.ar

 Gomila, Rocío Legajo: 10534

Email: 42422203@alumnos.frsr.utn.edu.ar

 Lambrese, Alejandro Legajo: 11119

Email: 38910795@alumnos.frsr.utn.edu.ar

Rodríguez González, Gustavo Marcelo

Legajo: 11218

Email: 27028762@alumnos.frsr.utn.edu.ar

Ulloa Pinilla, Brisa Ayelen

Legajo: 11265


Email: 45719943@alumnos.frsr.utn.edu.ar



#### Actividad 1° Momento

1- Construcción de un modelo de base de datos.

2-



#### 2° Momento

```
a URI for downloading bundles before fetching from origin remote

BRISA@DESKTOP-CV34U7H MINGW64 ~ (master)
$ git clone https://github.com/brisaulloa/hola-mundo1.git fatal: destination path 'hola-mundo1' already exists and is not an empty directory


BRISA@DESKTOP-CV34U7H MINGW64 ~ (master)
$ cd hola-mundo1


BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
$ git clone https://github.com/brisaulloa/hola-mundo1.git
Cloning into 'hola-mundo1'...
remote: Enumerating objects: 24, done.
remote: Counting objects: 100% (24/24), done.
remote: Compressing objects: 100% (14/14), done.
remote: Total 24 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (24/24), 7.23 KiB | 740.00 KiB/s, done.


BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
$ |
```


```
MINGW64:/c/Users/BRISA/hola-mundo1
                                                                       ×
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
$ git pull
From https://github.com/brisaulloa/hola-mundo1
* [new branch]
                              -> origin/clase3
                    clase3
Already up to date.
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
$ git branch
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
$ git checkout clase3
Switched to a new branch 'clase3'
branch 'clase3' set up to track 'origin/clase3'.
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (clase3)
$ git branch
 main
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (clase3)
                                                 Activar Windows
```

```
MINGW64:/c/Users/BRISA/hola-mundo1
                                                                                         Х
                   34U7H MINGW64 ~/hola-mundo1 (main)
$ git checkout clase3
Switched to a new branch 'clase3'
branch 'clase3' set up to track 'origin/clase3'.
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (clase3)
$ git branch
  main
 BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (clase3)
$ git log --oneline --decorate
6e4130f (HEAD -> clase3, origin/main, origin/clase3, origin/HEAD) Update README.
md
6906277 Update README.md
3c81e8a (origin/información) Update README.md
3ed9f39 Update README.md
3c40606 Update README.md
 ebed4a6 Update README.md
 de98c5a Initial commit
 RISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundol (claseActivar Windows
```









```
MINGW64:/c/Users/BRISA/hola-mundo1

BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (clase3)

$ git switch main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)

$ git branch
  clase3
* main

BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)

$
```

```
Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (clase3)

$ git branch

* clase3

main

Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (clase3)

$ git switch main

Switched to branch 'main'

Your branch is up to date with 'origin/main'.

Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (main)

$ git branch -d clase3

Deleted branch clase3 (was 91a66ed).

Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (main)

$ git branch

* main

Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (main)

$ git log --all --oneline --graph --decorate

* 91a66ed (HEAD -> main, origin/main, origin/clase3, origin/HEAD) Update README.

md

* 4abdc57 Update README.md

* a13c9de Initial commit
```

```
×
 MINGW64:/c/Users/BRISA/hola-mundo1
                -CV34U7H MINGW64 ~/hola-mundo1 (main)
$ git branch
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
$ git log --all --oneline --decorete
fatal: unrecognized argument: --decorete
BRISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
$ git log --all --oneline --decorate
:112971 (HEAD -> main) Merge branch 'main' of https://github.com/brisaulloa/hola-mu
ndo1
5e4130f (origin/main, origin/clase3, origin/HEAD) Update README.md
2bee01d descripcióm de lo que se realizó
906277 Update README.md
3c81e8a (origin/información) Update README.md
3ed9f39 Update README.md
7340f06 Update README.md
 c6f816 Update README.md
ebed4a6 Update README.md
de98c5a Initial commit
RISA@DESKTOP-CV34U7H MINGW64 ~/hola-mundo1 (main)
```

```
Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (main)

$ git branch

* main

Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (main)

$ git log --all --oneline --graph --decorate

* 46248ac (HEAD -> main, tag: v2) agregue otra modificacion al readme

* fc2d959 (tag: v1) agregue una modificacion al readme

* 91a66ed (origin/main, origin/clase3, origin/HEAD) Update README.md

* 4abdc57 Update README.md

* a13c9de Initial commit

Aguil@DESKTOP-P8VFLBP MINGW64 ~/clase-10 (main)

$
```