

Design System Updates

Sync Figma DS + Real Project (React + Ant Design) to Genie 6.0

SOURCE OF TRUTH · `src/genie6/styles/tokens.css` + `tailwind.config.ts`
VISUAL REFERENCE · `design-system-comparison.html` (open in browser)
FORMAT · One row per change · Figma hook + Ant hook + new value

01	Headline summary — 18 highest-impact changes	p. 2
02	Foundation tokens — colours · type · spacing · radius · shadows · motion	p. 3
03	Component changes — Button · Card · Input · Modal · Tag · Table · etc.	p. 8
04	Genie-exclusive patterns — 15 new patterns Ant doesn't ship	p. 14
05	Migration order	p. 17

SECTION 01

Headline summary

The 18 highest-impact changes at a glance. Every row below is detailed further in Sections 02–04.

#	WHAT CHANGED	ANT DEFAULT	GENIE 6.0 (TARGET)
1	Primary colour	 #1677ff blue	 #c3eb42 lime
2	Text on primary	white	#121212 dark (high contrast on lime)
3	Border colour	 #d9d9d9 cool grey	 #e7e5dc warm beige
4	Bg-layout	 #fafafa	 #fbfbf9 warm off-white
5	Button radius (text)	6px square	100px PILL
6	Input radius	6px	28px rounded-2xl
7	Card / Modal radius	8px	16px rounded-card
8	Badge / Tag radius	4px	100px pill
9	All font sizes	base 14px	base 13px (every size -1px)
10	Heading weight	600	700
11	Heading font	system sans-serif	Geist
12	Mono font	system mono	Geist Mono
13	Mono usage scope	code blocks only	numbers, descriptions, info, eyebrows, table headers, tooltips, alerts
14	Focus halo	2px blue ring	4px lime spread
15	Modal backdrop	rgba(0,0,0,0.45) no blur	rgba(0,0,0,0.7) + blur(4px)
16	Hover lift	none	translateY(-2px) + shadow upgrade
17	Shimmer cadence	grey, 1.4s	lime mid-band, 2.4s
18	Genie-exclusive patterns	n/a	15 new patterns (Section 04)

SECTION 02

Foundation tokens

Replace these values first. Every component below inherits from these tokens — once foundation is correct, components are mostly automatic.

2.1 Brand colours

#	TOKEN	WHERE (FIGMA · ANT)	UPDATE TO
1	Primary	brand/primary · token.colorPrimary	#c3eb42
2	Primary hover	brand/primary-hover · token.colorPrimaryHover	#d4f267
3	Primary active	brand/primary-active · token.colorPrimaryActive	#9cc42d
4	Primary bg (tint)	brand/primary-bg · CSS --primary-bg	#f9ffe2
5	Primary border (tint)	brand/primary-border · CSS --primary-border	#e6f4a3
6	Text on primary	brand/primary-on · Button.primaryColor	#121212 (NOT white)
7	Primary bg (dark)	brand/primary-dark/bg · [data-theme=dark] --primary-bg	#232915
8	Primary border (dark)	brand/primary-dark/border · [data-theme=dark] --primary-border	#495522

2.2 Surface colours

#	TOKEN	WHERE (FIGMA · ANT)	OLD → NEW (LIGHT) · (DARK)
1	Bg-base	surface/bg-base · token.colorBgBase	#fff → #fbfbf9 · #000 → #0d0d0d
2	Bg-container	surface/bg-container · token.colorBgContainer	#fff (same) · #1f1f1f → #161616
3	Bg-elevated	surface/bg-elevated · token.colorBgElevated	#fff (same) · #1f1f1f → #1e1e1e
4	Bg-spotlight (NEW)	surface/bg-spotlight · token.colorBgSpotlight	#f4f4f0 · #2a2a2a
5	Bg-layout	surface/bg-layout · token.colorBgLayout	#fafafa → #fbfbf9 · #000 → #0d0d0d

2.3 Border colours

#	TOKEN	WHERE (FIGMA · ANT)	OLD → NEW (LIGHT) · (DARK)
1	Border primary	border/primary · token.colorBorder	#d9d9d9 → #e7e5dc · #424242 → #2a2a2a
2	Border secondary	border/secondary · token.colorBorderSecondary	#f0f0f0 → #efeee7 · #303030 → #1f1f1f

2.4 Text colours (alpha-channel warm blacks)

#	TOKEN	WHERE (FIGMA · ANT)	OLD → NEW
1	Text primary	text/primary · token.colorText	rgba(0,0,0,0.88) → rgba(15,15,12,0.92)
2	Text secondary	text/secondary · token.colorTextSecondary	rgba(0,0,0,0.65) → rgba(15,15,12,0.62)
3	Text tertiary	text/tertiary · token.colorTextTertiary	rgba(0,0,0,0.45) → rgba(15,15,12,0.42)
4	Text disabled	text/disabled · token.colorTextQuaternary	rgba(0,0,0,0.25) → rgba(15,15,12,0.22)

2.5 Status colours

#	TOKEN	WHERE (FIGMA · ANT)	LIGHT · DARK
1	Success	status/success · token.colorSuccess	#52c41a (same) · #49aa19
2	Warning	status/warning · token.colorWarning	#faad14 (same) · #d89614
3	Error	status/error · token.colorError	#ff4d4f (same) · #dc4446
4	Info	status/info · token.colorInfo	#1677ff (same)

2.6 Typography — Geist family + ALL sizes –1px

Font swap: replace Inter/system with **Geist** (sans) + **Geist Mono**. Install via @fontsource/geist in code, link in Figma DS.

#	TOKEN	WHERE (FIGMA · ANT)	OLD → NEW (–1PX)
1	Font size — xs	font/size/xs · (alias)	11px → 10px / 15px lh
2	Font size — sm	font/size/sm · token.fontSizeSM	12px → 11px / 19px
3	Font size — base	font/size/base · token.fontSize	14px → 13px / 21px
4	Font size — lg	font/size/lg · token.fontSizeLG	16px → 15px / 23px
5	Font size — xl	font/size/xl · token.fontSizeXL	20px → 19px / 27px
6	Heading 5	font/size/h5 · token.fontSizeHeading5	16 → 15px / 23px

#	TOKEN	WHERE (FIGMA · ANT)	OLD → NEW (–1PX)
7	Heading 4	font/size/h4 · token.fontSizeHeading4	20 → 19px / 27px
8	Heading 3	font/size/h3 · token.fontSizeHeading3	24 → 23px / 31px
9	Heading 2	font/size/h2 · token.fontSizeHeading2	30 → 29px / 37px
10	Heading 1	font/size/h1 · token.fontSizeHeading1	38 → 37px / 45px
11	Display	font/size/display · CSS var	56 → 55px / 59px
12	Display large	font/size/display-lg · CSS var	72 → 71px / 75px
13	Heading weight	font/weight/heading · token.fontWeightStrong	600 → 700
14	Heading tracking	font/tracking/display · global CSS on h1..h5	0 → –0.01em
15	Font family — sans	font/family/sans · token.fontFamily	system → Geist
16	Font family — mono	font/family/mono · global CSS 'Geist Mono'	system mono → Geist Mono

2.7 Geist Mono — usage rules (NEW)

Mono is no longer code-only. Apply it as the primary font for these categories. Rule: **secondary info → Mono**. **Primary content (titles, body, button labels) → Sans**.

#	CATEGORY	FIGMA TEXT STYLE · CODE CLASS	STYLE
1	Numbers (counts, prices, IDs, dates)	num · .num	Mono · tabular-nums · weight 500–600
2	Descriptions / captions	meta · .meta	Mono · 11px / 16px · text-tertiary
3	Info / helper / tooltip text	info · .info	Mono · 11px · text-secondary
4	Eyebrow titles above cards	eyebrow · .eyebrow	Mono · 11px · uppercase · letter-spacing 0.05em · weight 600
5	Metadata chips (v3 · 1024×1280)	meta · .meta	Mono · 10–11px · text-tertiary
6	Alert body text	Alert spec · CSS override	Mono · 12px · text-secondary
7	Table column headers	Table spec · Table.headerColor + CSS	Mono · 11px · uppercase · letter-spacing 0.08em · weight 600
8	Quality / status pills	Quality chip · QualityScoreChip wrapper	Mono · 10–11px · uppercase · weight 700

#	CATEGORY	FIGMA TEXT STYLE · CODE CLASS	STYLE
9	Domain / URL displays	inline · inline	Mono · base size · text-secondary
10	Keyboard hints (⌘K)	inline · inline	Mono · 10px · text-tertiary

2.8 Spacing (4pt scale)

#	TOKEN	WHERE	VALUE
1	space/1 → space/20	space/1..20 · tailwind gap-* / Ant default	4 · 8 · 12 · 16 · 20 · 24 · 32 · 40 · 48 · 64 · 80px

2.9 Border radius — expanded scale

#	TOKEN	WHERE (FIGMA · ANT)	OLD → NEW
1	xs	radius/xs · token.borderRadiusXS	2px (same)
2	sm	radius/sm · token.borderRadiusSM	4px (same)
3	base	radius/base · token.borderRadius	6px (same)
4	lg	radius/lg · token.borderRadiusLG	8px (same)
5	card (NEW)	radius/card · CSS --radius-card	16px
6	xl (NEW)	radius/xl · CSS --radius-xl	20px
7	2xl (NEW)	radius/2xl · CSS --radius-2xl	28px
8	pill (NEW)	radius/pill · CSS --radius-pill	100px

2.10 Shadows

#	TOKEN	WHERE (FIGMA · ANT)	COMPOSITION
1	sm (light)	shadow/sm · token.boxShadowTertiary	y=1 blur=2 rgba(15,15,12,0.04)
2	md (light)	shadow/md · token.boxShadow	y=1 blur=3 + y=8 blur=24, stacked
3	lg (light)	shadow/lg · token.boxShadowSecondary	y=2 blur=4 + y=12 blur=40, stacked
4	xl (light)	shadow/xl · CSS var	y=4 blur=8 + y=24 blur=64, stacked
5	primary-btn (NEW)	shadow/primary-btn · Button.primaryShadow	y=1 blur=2 (0,0,0,0.04) + 0 spread 4 (lime 22%)
6	input-active (NEW)	shadow/input-active · Input.activeShadow	0 spread 4 rgba(195,235,66,0.18)
7	glow (NEW)	shadow/glow · CSS --shadow-glow	0 spread 1 (lime 40%) + 0 blur 24 (lime 18%)

2.11 Heights (interactive elements)

#	TOKEN	WHERE (FIGMA · ANT)	VALUE
1	xs · sm · base · lg · xl	height/xs..xl · token.controlHeight*	16 · 24 · 32 · 40 · 52px

2.12 Motion

#	TOKEN	WHERE	VALUE
1	duration/fast · base · slow	Smart Animate presets · token.motionUnitFast / Base	200 · 300 · 500ms
2	duration/lift	preset · .lift utility class	220ms
3	duration/pop-in	preset · .pop-in utility class	320ms
4	easing/standard	preset · CSS --ease-standard	cubic-bezier(0.32, 0.72, 0, 1)
5	easing/pop	preset · CSS --ease-pop	cubic-bezier(0.2, 0.8, 0.2, 1)
6	easing/pulse	preset · CSS --ease-pulse	cubic-bezier(0.4, 0, 0.6, 1)

SECTION 03

Component changes

17 base Ant components. One row per change inside each. Figma hook + Ant token hook listed together. Once foundation tokens (Section 02) are correct, most of these changes propagate automatically — these are the per-component overrides on top.

3.1 Button Pill radius · -1px font · weight 500 · lime ring shadow

#	PROPERTY	WHERE (FIGMA · ANT)	OLD → NEW
1	Radius (text buttons)	Button → radius/pill · Button.borderRadius	6px → 100px (PILL)
2	Radius (icon buttons)	Button "icon" variant · .btn-icon-square className	6px (unchanged for icon-only)
3	Primary fill	Component prop · token.colorPrimary	blue → lime (auto via token)
4	Primary text colour	Component prop · Button.primaryColor	white → #121212
5	Primary hover shadow	Effect · Button.primaryShadow	none → lime ring
6	Default shadow	Drop shadow · Button.defaultShadow	subtle → none
7	Padding inline (default)	Spec · Button.paddingInline	15px → 16px
8	Padding inline (lg)	Spec · Button.paddingInlineLG	15px → 22px
9	Padding inline (sm)	Spec · Button.paddingInlineSM	7px → 12px
10	Font size	Type · Button.contentFontSize	14px → 13px
11	Font weight	Type · Button.fontWeight	400 → 500

3.2 Card Radius 8→16 · padding tighter · hover lift

#	PROPERTY	WHERE	OLD → NEW
1	Radius	Card → radius/card · Card.borderRadiusLG	8px → 16px
2	Padding	Spec · Card.paddingLG	24px → 20px
3	Header bg	Prop · Card.headerBg	grey → transparent
4	Hover lift	Smart Animate motion/lift · .lift class	none → translateY(-2px) + shadow lg

3.3 Input Pill radius 28 · lime focus halo · height 40

#	PROPERTY	WHERE	OLD → NEW
1	Radius	Input → radius/2xl · Input.borderRadius	6px → 28px (rounded-2xl)
2	Focus border colour	Spec · Input.activeBorderColor	blue → #e6f4a3 lime tint
3	Focus shadow	Effect · Input.activeShadow	2px blue → 4px lime halo
4	Hover border	Spec · Input.hoverBorderColor	blue → #c3eb42 lime
5	Padding block	Spec · Input.paddingBlock	4px → 8px
6	Padding inline	Spec · Input.paddingInline	11px → 14px

3.4 Select / Cascader Match Input · lime active option

#	PROPERTY	WHERE	OLD → NEW
1	Radius	radius/2xl · Select.borderRadius	6px → 28px
2	Active option bg	Spec · Select.optionSelectedBg	blue tint → #f9ffe2 lime tint
3	Active option text	Spec · Select.optionSelectedColor	blue → #121212 dark
4	Active option weight	Type · Select.optionSelectedFontWeight	400 → 600

3.5 Textarea Same as Input + hero variant

#	PROPERTY	WHERE	OLD → NEW
1	Radius	radius/2xl · Input.borderRadius	6px → 28px (matches Input)
2	Hero variant (NEW)	Hero prompt input component · <HeroPromptInput> wrapper	n/a → radial-gradient lime backdrop on focus + suggestion pill row (see Section 04.6)

3.6 Checkbox · Radio · Switch Lime active · thicker border

#	PROPERTY	WHERE	OLD → NEW
1	Checkbox border-width	Spec · Checkbox.lineWidth	1px → 1.5px
2	Checkbox checked colour	Prop · Checkbox.colorPrimary	blue → lime
3	Radio active colour	Prop · Radio.colorPrimary	blue → lime
4	Switch on colour	Prop · Switch.colorPrimary	blue → lime
5	Switch height	Spec · Switch.trackHeight	22px → 24px

3.7 Modal · Dialog Radius 8→16 · title bigger · backdrop blur

#	PROPERTY	WHERE	OLD → NEW
1	Radius	Modal → radius/card · Modal.borderRadiusLG	8px → 16px
2	Title font size	Spec · Modal.titleFontSize	16px → 17px
3	Header bg	Spec · Modal.headerBg	grey → transparent
4	Footer bg	Spec · global CSS .ant-modal-footer	white → #fbfbf9 warm
5	Backdrop	Overlay effect · global CSS .ant-modal-mask	rgba(0,0,0,0.45) no blur → rgba(0,0,0,0.7) + blur(4px)

3.8 Drawer / Sheet Wider · inner-edge radius 16

#	PROPERTY	WHERE	OLD → NEW
1	Default width	Spec · Drawer.width	360px → 400px
2	Inner-edge radius	Spec · Drawer.borderRadiusLG	0 → 16px
3	Header padding	Spec · inline override	16px → 20px 24px

3.9 Tag · Badge · Pill Pill radius · Mono uppercase · status tints softer

#	PROPERTY	WHERE	OLD → NEW
1	Radius	Tag → radius/pill · Tag.borderRadiusSM + global CSS	4px → 100px (pill)
2	Default bg	Spec · Tag.defaultBg	#fafafa → #f4f4f0
3	Padding	Spec · global CSS	0 7px → 0 10px
4	Font	Type · Tag.fontFamily	sans → Geist Mono
5	Font weight	Type · global CSS	400 → 600
6	Text case	Spec · global CSS	mixed → UPPERCASE + letter-spacing 0.06em
7	Status variants	Spec · global CSS per status	solid pastel bg → 10% alpha bg + 30% alpha border
8	Count badge font	Type · Badge.fontFamily + fontWeight	sans 400 → Mono 700

3.10 Tabs Lime underline · firmer active weight

#	PROPERTY	WHERE	OLD → NEW
1	Active underline colour	Prop · Tabs.inkBarColor	blue → lime
2	Active text weight	Spec · global CSS .ant-tabs-tab-active	400 → 600

#	PROPERTY	WHERE	OLD → NEW
3	Item gap	Spec · Tabs.horizontalItemGutter	32px → 24px
4	Item font size	Spec · Tabs.titleFontSize	14px → 13px

3.11 Segmented control **Pill container · lime active tint**

#	PROPERTY	WHERE	OLD → NEW
1	Container radius	radius/pill · Segmented.borderRadius	6px → 100px
2	Container bg	Spec · Segmented.trackBg	rgba(0,0,0,0.04) → #f4f4f0
3	Active segment bg	Spec · Segmented.itemSelectedBg	white → #f9ffe2 lime tint
4	Active segment weight	Spec · global CSS override	400 → 600

3.12 Table **Radius 8-16 · header Mono uppercase · warm bg**

#	PROPERTY	WHERE	OLD → NEW
1	Wrapping radius	radius/card · Table.borderRadiusLG	8px → 16px
2	Header bg	Spec · Table.headerBg	#fafafa → #f4f4f0 warm
3	Header font	Type · global CSS .ant-table-thead th	sans 14px → Mono 11px uppercase letter-spacing 0.08em weight 600
4	Header padding	Spec · global CSS	16px → 12px
5	Row padding	Spec · Table.cellPaddingBlock	16px → 14px
6	Row font size	Spec · Table.cellFontSize	14px → 13px
7	Row hover bg	Spec · Table.rowHoverBg	grey → #f7f7f4 warm muted

3.13 Empty state **Lime motif card · stronger hierarchy · dot-grid bg**

#	PROPERTY	WHERE	OLD → NEW
1	Image slot	New variant · <LimeMotifEmpty> wrapper (overrides Empty.image)	Generic line drawing → 64×64 lime motif card
2	Title (NEW)	New text style · inline override	n/a → 15px weight 700
3	Description	Spec · .meta class via wrapper	sans 14px → Mono 11px text-secondary
4	Optional bg	.dot-grid utility	none → dot-grid pattern overlay

3.14 Tooltip · Popover **Tooltip Mono 11px · popover compound shadow**

#	PROPERTY	WHERE	OLD → NEW
1	Tooltip font size	Spec · Tooltip.fontSize + global CSS	14px sans → 11px Geist Mono
2	Tooltip bg	Spec · Tooltip.colorBgSpotlight	rgba(0,0,0,0.85) → rgba(15,15,12,0.92)
3	Popover radius	radius/lg · Popover.borderRadius	6px → 8px
4	Popover shadow	Effect · Popover.boxShadow	single → compound stacked
5	Popover title weight	Type · Popover.titleFontWeight	500 → 600
6	Popover body font	Spec · inline overrides	sans → Geist Mono 11px

3.15 Alert · Status banner Radius 8→16 · softer tints · icon circle

#	PROPERTY	WHERE	OLD → NEW
1	Radius	radius/card · Alert.borderRadiusLG	8px → 16px
2	Bg alpha	Spec · global CSS per-status	solid pastel → 6% alpha
3	Border alpha	Spec · global CSS per-status	solid → 25% alpha
4	Icon slot	New variant · custom JSX inside Alert	inline outline-icon → 18×18 circle in status colour
5	Font	Type · Alert.fontSize + global override	sans 14px → Mono 12px

3.16 Skeleton Lime mid-band · slower 2.4s · radius 6

#	PROPERTY	WHERE	OLD → NEW
1	Shimmer cadence	Motion preset · Skeleton custom keyframe	1.4s → 2.4s
2	Shimmer mid-band	Spec · Skeleton.gradientToColor	grey → lime rgba(195,235,66,0.12)
3	Block radius	Spec · Skeleton.blockRadius	4px → 6px

3.17 Typography -1px scale · Geist · weight 700 · Mono on metadata

#	PROPERTY	WHERE	OLD → NEW
1	All sizes	Section 02.6 foundation	14/16/20/24/30/38 → -1px each: 13/15/19/23/29/37
2	Heading weight	font/weight/heading · token.fontWeightStrong	600 → 700
3	Heading tracking	Spec · global CSS	0 → -0.01em

#	PROPERTY	WHERE	OLD → NEW
4	Code bg	Spec · global CSS	grey → #f4f4f0 warm spotlight
5	Eyebrow style (NEW)	eyebrow text style · .eyebrow class	n/a → Mono 11px uppercase letter-spacing 0.05em weight 600
6	Number style (NEW)	num text style · .num class	n/a → Mono tabular-nums weight 500-600
7	Meta style (NEW)	meta text style · .meta class	n/a → Mono 11px text-tertiary
8	Info style (NEW)	info text style · .info class	n/a → Mono 11px text-secondary

SECTION 04

Genie-exclusive patterns (15 NEW)

These do NOT exist in Ant Design's library. Add each as a new DS component in Figma + a new React wrapper or CSS utility in code. Refer to [design-system-comparison.html](#) for live visual.

#	PATTERN	FIGMA · CODE	SPEC
1	Output card (generation result)	Output card component · <code><OutputCard></code> React component	radius/xl 20px · 1px border-secondary · shadow-sm · thumbnail aspect 4:5 bg-spotlight · quality chip slot top-right · body padding 12 · title Geist 13/600 · meta Mono 10 · hover motion/lift · selected motion/glow
2	Quality score chip	Quality chip component (3 variants) · <code><QualityScoreChip variant=></code> React component	pill 100px · h 20 · padding 2 8 · Mono 10 uppercase 700 letter-spacing 0.06em · bg rgba(255,255,255,0.95) + backdrop-blur(8px) · border 1px status colour 30% alpha · 3 variants success/warning/error
3	Pulse ring indicator	Pulse ring component + motion preset · <code>.pulse-ring</code> utility class + optional <code><PulseDot></code> wrapper	12×12 dot bg primary · @keyframes pulse-ring box-shadow 0→8px lime fade · 1.6s easing/pulse infinite
4	Glass surface	Glass effect style · <code>.glass</code> utility class	bg rgba(255,255,255,0.72) light · rgba(22,22,22,0.62) dark · backdrop-filter blur(20px) saturate(140%) · 1px subtle border · radius/lg or /card
5	Lime glow halo	Glow halo effect style · <code>.glow</code> utility class	composite box-shadow 0 0 0 1px rgba(195,235,66,0.4) + 0 0 24px rgba(195,235,66,0.18) · dark mode 32px corona at 0.25 alpha
6	Hero prompt input	Hero prompt input component (focused variant) · <code><HeroPromptInput></code> wrapper + <code>.hero-prompt</code> CSS class	radius/2xl 28px · 1px border · padding 16–20 · on focus-within apply shadow/glow + ::before with radial-gradient lime backdrop blur(28px) · suggestion pill row below
7	Eyebrow text style	eyebrow Text Style · <code>.eyebrow</code> class	Mono 11px / 16px · uppercase · letter-spacing 0.05em · weight 600 · text-tertiary
8	Dot-grid pattern	Pattern fill 'Dot grid' · <code>.dot-grid</code> utility class	CSS background-image radial-gradient dots 1px at 32px

#	PATTERN	FIGMA · CODE	SPEC
			grid · combined with centered lime radial-gradient · theme-aware opacity
9	Lift hover utility	motion/lift Smart Animate preset · .lift utility class	transition transform + box-shadow 220ms easing/standard · hover translateY(-2px) + shadow-sm → shadow-lg
10	Sheen animation	motion/sheen preset · .sheen utility class	::after pseudo-element with 90deg linear-gradient highlight · translateX(-120% → 220%) + skewX(-20deg) · 1.4s ease-in-out · fires ONCE
11	Float idle bob	motion/float preset · .float utility class	translateY(0 → -2px) loop · 3s ease-in-out infinite
12	Shimmer (custom skeletons)	motion/shimmer preset · .shimmer utility class	bg linear-gradient(90deg, transparent, rgba(195,235,66,0.12), transparent) + background-size 200% 100% · animate background-position -200% → 200% loop 2.4s linear
13	Fade-up entrance	motion/fade-up preset · .fade-up utility class	opacity 0 → 1 + translateY(+8px → 0) · 360ms easing/standard · often staggered (+60ms per child)
14	Pop-in entrance	motion/pop-in preset · .pop-in utility class	opacity 0 → 1 + scale 0.98 → 1 · 320ms easing/pop
15	MicroMotif icons (per-mode)	6 icon components in MicroMotif master · <MicroMotif mode=> React component	32×32 ·currentColor inheritance · semantic stroke-width · 6 modes: Brand Ad · Product Ad · Affiliate Ad · UGC Video · Forge · Image-to-Ad

SECTION 05

Migration order

Apply in this sequence — each step builds on the previous.

#	STEP	DESIGNER (FIGMA)	DEVS (REACT + ANT)
1	Foundation tokens (Section 2)	Replace Variables (colours, type, spacing, radius, shadows, motion)	Update ConfigProvider theme.token + add CSS vars in genie-tokens.css
2	Install Geist + Geist Mono	Link the font in DS file	@fontsource/geist or Google Fonts link
3	Component changes (Section 3)	Re-link DS components to updated tokens	Add per-component overrides in theme.components + global CSS where Ant doesn't expose tokens
4	Genie-exclusive patterns (Section 4)	Build 15 new DS components	5 React wrappers + 11 CSS utility classes + 6 SVG motif components
5	Dark mode	Apply dark-mode token swaps	Ant theme.darkAlgorithm + [data-theme="dark"] CSS overrides
6	Cross-check	Compare Figma against design-system-comparison.html right column	Compare shipped app against design-system-comparison.html right column

Genie 6.0 design language · Captured from FabAds Claude sandbox · Reference: design-system-comparison.html