



KS3 Electricity and Magnetism (Higher) **Revision Mat**

Draw the circuit symbol for each component:	,	Write a defi	nition for each	word:		it is true or false. to be switched on and off independently and the	g
ammeter	(current				True False In a series circuit, the current varies depending on where the ammeter is placed. potential difference across each bulb to be measured by the potential difference across each bulb to be measured by the potential difference across each bulb to be measured by the potential difference across each bulb to be measured by the potential difference across each bulb to be measured by the potential difference across each bulb to be measured by the potential difference across each bulb to be measured by the potential difference across each bulb to be measured by the potential difference across each bulb to	•
battery		potential di	fference			The more cells or batteries you add, the greater the current.	
bulb		potential al				Eventually the current in a circuit will run out.	
cell	-					Potential difference is shared between the components in a series circuit.	
		resistance				In a parallel circuit, the current is divided between the branches.	
open switch						For any statements that are false, write the correct statement.	
	C	Complete th	e table.		C		
voltmeter		Length of Wire (cm)	Potential Difference ()	Current ()	Resistance		
Write down the unit of measurement for each of		25	10	10		Explain why parallel circuits are used to wire homes	h
the following:		40	10	5		Draw the magnetic field lines around the bar	
current		80	10		5	magnet.	_
potential difference	E	xplain how	the length of a	wire affects	its resistance.		- -
resistance	-						_
Write down the equation that links current, potential difference and resistance.							- - -
							$-\Big $






KS3 Electricity and Magnetism (Higher) **Revision Mat**

Cive the definition of each vertible.	Mailes a markha des investigate la const	The discusses halous shows a second of Co. 1. 11	Label the diagram of an atom
Give the definition of each variable:	Write a method to investigate how the number of	The diagram below shows a model of a circuit.	Label the diagram of an atom.
independent variable	coils around an iron core affects the strength of an electromagnet.		
		→ · →	
	You should include any equipment you will need and		
	the variables in your investigation.	te _i	
dependent variable			Cive the sharge of each subatomic particle
			Give the charge of each subatomic particle. Particle Charge
		∦16	electron
		Suggest which part of a circuit is represented by each part of the model:	
control variable			neutron
		boiler and pump	proton
			Explain why an atom has no charge overall.
			Explain wity an atom has no charge overall.
Give one advantage of using an electromagnet over		pipes	
a permanent magnet.			
		radiator	Explain what happens to an insulator that gains electrons.
		Evaluate the use of the boiler and radiator model to	
		represent a series circuit.	
Describe two ways you could increase the strength of			
an electromagnet.			
1			Explain why a person's hair stands on end if they touch
			the dome of a Van de Graaff generator.
2			



KS3 Electricity and Magnetism (Higher) **Revision Mat Answers**



Write down the unit of measurement for each of the following:

current amps (A)

potential volts (V)

resistance ohms (Ω)

Write down the equation that links current, potential difference and resistance.

resistance = potential difference ÷ current

The flow of electric charge around a circuit.
current
Write a definition for each word:

ŭ

The amount of push (energy) provided by the battery to a moving charge.

Resistance

potential difference

A measure of how difficult it is for a flow of charge to pass through a component.

Complete the table.


Length of Wire (cm)	Potential Difference (V)	Current (A)	Resistance (Ω)
25	10	10	1
40	10	5	2
80	10	2	5

Explain how the length of a wire affects its resistance.

The longer the wire, the higher its resistance. This is because the electrons have a great distance to travel so collide with metal ions more often.

С	For each statement, tick the correct box to show if it is true or false.
	In a series circuit, the current varies depending on where the ammeter is placed.
	The more cells or batteries you add, the greater the current.
	Eventually the current in a circuit will run out.
е	Potential difference is shared between the components in a series circuit.
	In a parallel circuit, the current is divided between the branches.
d	For any statements that are false, write the correct statement.
	Statement 1 - The current is the same everywhere in a series circuit.
\dashv	Statement 3 – Current is not used up.

Draw the magnetic field lines around the bar magnet.



Draw a parallel circuit that would allow two bulbs to be switched on and off independently and the potential difference across each bulb to be measured.

Explain why parallel circuits are used to wire homes hinstead of series circuits.

Houses are wired using parallel circuits because the components in a parallel circuit are on separate branches. This allows the current several different paths for it to flow around.

If one bulb blows, the other bulbs will remain lit as the circuit is still complete.



KS3 Electricity and Magnetism (Higher) **Revision Mat Answers**

Give the definition of each variable:

independent variable

The variable you change in an investigation to see how it affects the dependent variable.

dependent variable

The variable you measure or observe for each change in the independent variable.

control variable

A variable that could affect the dependent variable so must be kept the same.

Give **one** advantage of using an electromagnet over a permanent magnet.

An electromagnet can we switched on and off, allowing magnetic objects to be picked up and released easily.

Describe **two** ways you could increase the strength of an electromagnet.

- 1. Increase the number of coils of wire around an iron core.
- 2. Increase the current supplied to the coil of wire.

Write a method to investigate how the number of coils around an iron core affects the strength of an electromagnet.

You should include any equipment you will need and the variables in your investigation.

Equipment:

- power pack
- large nail/iron core
- 30cm of insulated copper wire
- 2 crocodile clips
- 2 wires
- 30 paperclips


The independent variable is the number of coils of wire. The dependent variable is the strength of the electromagnet. This can be measured by counting the number of paperclips the electromagnet picks up. The control variables are the potential difference of the power pack, the current supplied to the coil of wire, the length of wire and the material of the core.

Method:

- Use a pair of wire strippers to remove some of the insultation from the insulated copper wire. Leave 2cm of exposed wire at each end of the copper wire.
- 2. Wrap the copper wire around the nail until you reach the required number of coils.
- 3. Attach the crocodile clips to the exposed wire.
- 4. Attach the opposite end of each wire to the terminals on the power pack.
- 5. Lay the paperclips on the bench and hold the insulated wire either side of the nail.
- 6. Turn on the power pack and hold the nail over the paperclips.
- 7. Record how many paperclips are attracted to the nail.

The diagram below shows a model of a circuit.

k



Suggest which part of a circuit is represented by each part of the model:

boiler and pump cell or battery providing the 'push' to the circuit

pipes wires carrying the current around the circuit

radiator bulb (or other component) transferring energy to the surroundings


Evaluate the use of the boiler and radiator model to represent a series circuit.

In the model, the pump pushes water around the system. The pump does a similar job to the battery pushing charges around the circuit.

There are pipes that carry the flow of water. Instead of water, the wires carry the flow of charges around the circuit. This is the electric current.

The bulb and the radiator are both very similar in that they transfer energy supplied by the circuit to the surroundings.

Label the diagram of an atom.



Give the charge of each subatomic particle.

Particle	Charge
electron	-1 / negative
neutron	0 / neutral
proton	+1 / positive

Explain why an atom has no charge overall.

The number of electrons is equal to the number of protons. Electrons have a charge of -1 and protons have a charge of +1 so the charges cancel each other out.

Explain what happens to an insulator that gains electrons.

of -1.

When a material gains electrons, it becomes negatively charged because electrons have a charge

Explain why a person's hair stands on end if they touch the dome of a Van de Graaff generator.

When the person touches the dome, electrons are transferred from the dome to the person's hair.

Their hair stands on end because each strand of hair is negatively charged and the same charges repel.