

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<con:soapui-project xmlns:con="http://eviware.com/soapui/config" id="a44e390b-2948-4b30-87d2-03c3b995fcd8" activeEnvironment="Default" name="calculadora soap" resourceRoot="{projectDir}" soapui-version="5.10.0" abortOnError="false" runType="SEQUENTIAL">
  <con:settings/>
  <con:interface xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:type="con:WsdlInterface" id="4b69ddbd-4fa8-4b98-9451-50c4e3afeae5" wsaVersion="NONE"
name="Application" type="wsdl" bindingName="{calculadora.soap}Application" soapVersion="1_1"
anonymous="optional" definition="http://localhost:8000/?wsdl">
  <con:settings/>
  <con:definitionCache type="TEXT" rootPart="http://localhost:8000/?wsdl">
    <con:part>
      <con:url>http://localhost:8000/?wsdl</con:url>
      <con:content>
        <![CDATA[ <wsdl:definitions targetNamespace="calculadora.soap" name="Application"
xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xmlns:plink="http://schemas.xmlsoap.org/ws/2003/05/partner-link/"
xmlns:wsdlsoap11="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:wsdlsoap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:soap11enc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:soap11env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:soap12env="http://www.w3.org/2003/05/soap-envelope"
xmlns:soap12enc="http://www.w3.org/2003/05/soap-encoding"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2003/03/addressing"
xmlns:xop="http://www.w3.org/2004/08/xop/include"
xmlns:http="http://schemas.xmlsoap.org/wsdl/http/" xmlns:tns="calculadora.soap">
  <wsdl:types> <xs:schema targetNamespace="calculadora.soap"
elementFormDefault="qualified"> <xs:complexType name="dividir"> <xs:sequence>
<xs:element name="a" type="xs:float" minOccurs="0" nillable="true"/> <xs:element
name="b" type="xs:float" minOccurs="0" nillable="true"/> </xs:sequence>
</xs:complexType> <xs:complexType name="dividirResponse"> <xs:sequence> <xs:element
name="dividirResult" type="xs:float" minOccurs="0" nillable="true"/> </xs:sequence>
</xs:complexType> <xs:complexType name="multiplicar"> <xs:sequence> <xs:element name="a"
type="xs:float" minOccurs="0" nillable="true"/> <xs:element name="b" type="xs:float"
minOccurs="0" nillable="true"/> </xs:sequence> </xs:complexType> <xs:complexType
name="multiplicarResponse"> <xs:sequence> <xs:element name="multiplicarResult"
type="xs:float" minOccurs="0" nillable="true"/> </xs:sequence> </xs:complexType>
<xs:complexType name="somar"> <xs:sequence> <xs:element name="a" type="xs:float"
minOccurs="0" nillable="true"/> <xs:element name="b" type="xs:float" minOccurs="0"
nillable="true"/> </xs:sequence> </xs:complexType> <xs:complexType name="somarResponse">
<xs:sequence> <xs:element name="somarResult" type="xs:float" minOccurs="0"
nillable="true"/> </xs:sequence> </xs:complexType> <xs:complexType name="subtrair">
<xs:sequence> <xs:element name="a" type="xs:float" minOccurs="0" nillable="true"/>
<xs:element name="b" type="xs:float" minOccurs="0" nillable="true"/> </xs:sequence>
</xs:complexType> <xs:complexType name="subtrairResponse"> <xs:sequence> <xs:element
name="subtrairResult" type="xs:float" minOccurs="0" nillable="true"/> </xs:sequence>
</xs:complexType> <xs:element name="dividir" type="tns:dividir"/> <xs:element
name="dividirResponse" type="tns:dividirResponse"/> <xs:element name="multiplicar"
type="tns:multiplicar"/> <xs:element name="multiplicarResponse"
type="tns:multiplicarResponse"/> <xs:element name="somar" type="tns:somar"/> <xs:element
name="somarResponse" type="tns:somarResponse"/> <xs:element name="subtrair"
type="tns:subtrair"/> <xs:element name="subtrairResponse" type="tns:subtrairResponse"/>
</xs:schema> </wsdl:types> <wsdl:message name="somar"> <wsdl:part name="somar"
element="tns:somar"/> </wsdl:message> <wsdl:message name="somarResponse"> <wsdl:part
name="somarResponse" element="tns:somarResponse"/> </wsdl:message> <wsdl:message
name="multiplicar"> <wsdl:part name="multiplicar" element="tns:multiplicar"/>
</wsdl:message> <wsdl:message name="multiplicarResponse"> <wsdl:part
name="multiplicarResponse" element="tns:multiplicarResponse"/> </wsdl:message>
<wsdl:message name="dividir"> <wsdl:part name="dividir" element="tns:dividir"/>
</wsdl:message> <wsdl:message name="dividirResponse"> <wsdl:part name="dividirResponse"
element="tns:dividirResponse"/> </wsdl:message> <wsdl:message name="subtrair">
<wsdl:part name="subtrair" element="tns:subtrair"/> </wsdl:message> <wsdl:message
name="subtrairResponse"> <wsdl:part name="subtrairResponse"
element="tns:subtrairResponse"/> </wsdl:message> <wsdl:service
name="CalculadoraService"> <wsdl:port name="Application" binding="tns:Application">
```

```

<wsdl:soap11:address location="http://localhost:8000/"></wsdl:port></wsdl:service>
<wsdl:portType name="Application"><wsdl:operation name="somar" parameterOrder="somar">
<wsdl:input name="somar" message="tns:somar"/><wsdl:output name="somarResponse"
message="tns:somarResponse"/></wsdl:operation><wsdl:operation name="multiplicar"
parameterOrder="multiplicar"><wsdl:input name="multiplicar" message="tns:multiplicar"/>
<wsdl:output name="multiplicarResponse" message="tns:multiplicarResponse"/>
</wsdl:operation><wsdl:operation name="dividir" parameterOrder="dividir"><wsdl:input
name="dividir" message="tns:dividir"/><wsdl:output name="dividirResponse"
message="tns:dividirResponse"/></wsdl:operation><wsdl:operation name="subtrair"
parameterOrder="subtrair"><wsdl:input name="subtrair" message="tns:subtrair"/>
<wsdl:output name="subtrairResponse" message="tns:subtrairResponse"/></wsdl:operation>
</wsdl:portType><wsdl:binding name="Application" type="tns:Application">
<wsdl:soap11:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
<wsdl:operation name="somar"><wsdl:soap11:operation soapAction="somar"
style="document"/><wsdl:input name="somar"><wsdl:soap11:body use="literal"/>
</wsdl:input><wsdl:output name="somarResponse"><wsdl:soap11:body use="literal"/>
</wsdl:output></wsdl:operation><wsdl:operation name="multiplicar">
<wsdl:soap11:operation soapAction="multiplicar" style="document"/><wsdl:input
name="multiplicar"><wsdl:soap11:body use="literal"/></wsdl:input><wsdl:output
name="multiplicarResponse"><wsdl:soap11:body use="literal"/></wsdl:output>
</wsdl:operation><wsdl:operation name="dividir"><wsdl:soap11:operation
soapAction="dividir" style="document"/><wsdl:input name="dividir"><wsdl:soap11:body
use="literal"/></wsdl:input><wsdl:output name="dividirResponse"><wsdl:soap11:body
use="literal"/></wsdl:output></wsdl:operation><wsdl:operation name="subtrair">
<wsdl:soap11:operation soapAction="subtrair" style="document"/><wsdl:input
name="subtrair"><wsdl:soap11:body use="literal"/></wsdl:input><wsdl:output
name="subtrairResponse"><wsdl:soap11:body use="literal"/></wsdl:output>
</wsdl:operation></wsdl:binding></wsdl:definitions>]]>
</con:content>
<con:type>http://schemas.xmlsoap.org/wsdl/</con:type>
</con:part>
</con:definitionCache>
<con:endpoints>
<con:endpoint>http://localhost:8000/</con:endpoint>
</con:endpoints>
<con:operation id="b068285d-fbea-47d7-ac2f-8ddd4df78d0c" isOneWay="false" action="dividir"
name="dividir" bindingOperationName="dividir" type="Request-Response"
outputName="dividirResponse" inputName="dividir" receivesAttachments="false"
sendsAttachments="false" anonymous="optional">
<con:settings/>
<con:call id="35ceeb5f-c19a-4604-af4c-748aa7a3a114" name="Request 1">
<con:settings>
<con:setting id="com.eviware.soapui.impl.wsdl.WsdlRequest@request-headers"><xml-
fragment/></con:setting>
</con:settings>
<con:encoding>UTF-8</con:encoding>
<con:endpoint>http://localhost:8000/</con:endpoint>
<con:request>
<![CDATA[ <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:cal="calculadora.soap">\r <soapenv:Header/>\r <soapenv:Body>\r <cal:dividir>\r <!--
Optional:-->\r <cal:a>10</cal:a>\r <!--Optional:-->\r <cal:b>2</cal:b>\r
</cal:dividir>\r </soapenv:Body>\r </soapenv:Envelope> ]]>
</con:request>
<con:credentials>
<con:authType>No Authorization</con:authType>
</con:credentials>
<con:jmsConfig JMSDeliveryMode="PERSISTENT"/>
<con:jmsPropertyConfig/>
<con:wsaConfig mustUnderstand="NONE" version="200508" action="dividir"/>
<con:wsmrConfig version="1.2"/>
</con:call>
</con:operation>
<con:operation id="18ac4376-5af7-4525-acfe-e715215219ad" isOneWay="false" action="multiplicar"
name="multiplicar" bindingOperationName="multiplicar" type="Request-Response"
outputName="multiplicarResponse" inputName="multiplicar" receivesAttachments="false"
sendsAttachments="false" anonymous="optional">
<con:settings/>
<con:call id="896f03ea-522a-4b49-b9c7-2d3b6777fc6f" name="Request 1">
<con:settings/>

```

```

<con:encoding>UTF-8</con:encoding>
<con:endpoint>http://localhost:8000/</con:endpoint>
<con:request>
  <![CDATA[ <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:cal="calculadora.soap">\r <soapenv:Header/>\r <soapenv:Body>\r <cal:multiplicar>\r
    <!--Optional:-->\r <cal:a>?</cal:a>\r <!--Optional:-->\r <cal:b>?</cal:b>\r
    </cal:multiplicar>\r </soapenv:Body>\r </soapenv:Envelope> ]]>
</con:request>
<con:wsaConfig mustUnderstand="NONE" version="200508" action="multiplicar"/>
</con:call>
</con:operation>
<con:operation id="9229054f-972f-411a-9f4d-ee66351e37ea" isOneWay="false" action="somar"
name="somar" bindingOperationName="somar" type="Request-Response" outputName="somarResponse"
inputName="somar" receivesAttachments="false" sendsAttachments="false" anonymous="optional">
  <con:settings/>
  <con:call id="9829a132-409f-408b-95f1-ad816ef0a664" name="Request 1">
    <con:settings/>
    <con:encoding>UTF-8</con:encoding>
    <con:endpoint>http://localhost:8000/</con:endpoint>
    <con:request>
      <![CDATA[ <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
        xmlns:cal="calculadora.soap">\r <soapenv:Header/>\r <soapenv:Body>\r <cal:somar>\r <!--
        Optional:-->\r <cal:a>?</cal:a>\r <!--Optional:-->\r <cal:b>?</cal:b>\r </cal:somar>\r
        </soapenv:Body>\r </soapenv:Envelope> ]]>
    </con:request>
    <con:wsaConfig mustUnderstand="NONE" version="200508" action="somar"/>
  </con:call>
</con:operation>
<con:operation id="720e2584-44fe-4394-b099-08725c3fed04" isOneWay="false" action="subtrair"
name="subtrair" bindingOperationName="subtrair" type="Request-Response"
outputName="subtrairResponse" inputName="subtrair" receivesAttachments="false"
sendsAttachments="false" anonymous="optional">
  <con:settings/>
  <con:call id="89598c0d-4e1c-4d78-b717-061c5d6f4813" name="Request 1">
    <con:settings/>
    <con:encoding>UTF-8</con:encoding>
    <con:endpoint>http://localhost:8000/</con:endpoint>
    <con:request>
      <![CDATA[ <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
        xmlns:cal="calculadora.soap">\r <soapenv:Header/>\r <soapenv:Body>\r <cal:subtrair>\r
        <!--Optional:-->\r <cal:a>?</cal:a>\r <!--Optional:-->\r <cal:b>?</cal:b>\r
        </cal:subtrair>\r </soapenv:Body>\r </soapenv:Envelope> ]]>
    </con:request>
    <con:wsaConfig mustUnderstand="NONE" version="200508" action="subtrair"/>
  </con:call>
</con:operation>
</con:interface>
<con:properties/>
<con:wssContainer/>
<con:oAuth2ProfileContainer/>
<con:oAuth1ProfileContainer/>
</con:soapui-project>

```