Week2

Web Programming

Thawatchai Sarawong

thawatchai.s@mail.rmutk.ac.th


File Paths

Absolute and Relative Paths





Multi-Page Websites






File Paths


Windows
Desktop
File
Home
Share
View
Move to
Delete
Copy
Paste
Copy to
Rename
New folder
Properties
Select
Desktop/Project/
Quick access
Desktop
Project
Downloads
BOOTCAMP (C:)
100 Days of Code
londo
Desktop
OneDrive - Personal
Philipp Muellauer
This PC
Libraries
Network
Control Panel
Linux
1 item
Project
Mac
Desktop
/Users/angelayu/Desktop/Project/
Go to:
Users › angelayu › Desktop › Project




Files vs. Folders



Absolute vs. Relative


Absolute File Path




```
C:/Project/Images/cat.png
```


```
/Project/Images/cat.png
```

Relative File Path




```
Images/cat.png
```

Special Characters




```
../essay.docx
```


```
./dog.png
```

Try an Exercise




4.0 File
Paths.zip

Exercise 4.0


Code File Edit Selection View Go Run Terminal Window Help
index.html — Web Development Projects
EXPLORER
index.html
WEB DEVELOP...
2.1 Heading Element
2.2 Paragraph Element
2.3 Void Elements
2.4 Movie Ranking Proj...
3.0 List Elements
3.1 Nesting and Indent...
3.2 Anchor Elements
3.3 Image Elements
3.4 Birthday Invite Proj...
4.0 File Paths
Folder0
Folder3
cat.png
goal.png
index.html
rabbit.png
solution.html
Folder1
Folder2
bird.png
fish.png
dog.png
4.1 Webpages
4.2 HTML Boilerplate
4.3 HTML Porfolio Proj...
4.0 File Paths > Folder0 > index.html > h1
1 <h1>All the Animals</h1>
2 <h2>Rabbit:</h2>
3
4 <h2>Cat:</h2>
5
6 <h2>Dog:</h2>
7
8 <h2>Fish:</h2>
9
10 <h2>Bird:</h2>


Web Pages

A Website



Webpages





project
index.html
About Page
about.html
assets
images
cat.png


About Page


http://127.0.0.1:3000/4.1 Webpages/index.html
About Page
http://127.0.0.1:3000/4.1 Webpages/public/about.html
About Me
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque sem tel
sagittis non odio nec, interdum elementum lacus. Ut ac justo eget risus
sollicitudin fringilla sed ut leo. Ut condimentum elit nec fermentum lobortis.
Quisque tincidunt quam nec tincidunt ullamcorper. Integer vitae pretium just
placerat volutpat pellentesque. Etiam gravida quam vitae odio pulvinar
imperdiet. Vivamus venenatis gravida purus sit amet aliquet. Ut in nibh sed
laoreet lacinia. Cras cursus ut dui vitae posuere. Vivamus volutpat urna vitae
odio fringilla placerat. Nulla vel rhoncus sapien. Phasellus at interdum enim.
Curabitur elementum sagittis mollis. In porta nec quam ut semper. Nulla volu
neque quis lacus mattis eleifend. Phasellus et congue odio. Mauris tristique,
quis porttitor porttitor, tortor ante mattis ex, at dictum tortor dolor ut sem. Nu
nec libero non ex porta vulputate a eu sapien. In nec bibendum mauris. Fusce
iaculis lectus vel magna laoreet gravida.
Donec euismod vestibulum arcu, a blandit metus mattis ultrices. Integer quis
hendrerit iusto. Maecenas sed tempor mi. Fusce egestas urna leo. Mauris viv

Quiz


Quiz

project
index.html
about.html
assets
images
cat.png


Cat

Try an Exercise



4.1 Webpages.zip

Exercise 4.1


EXPLORER
WEB DEVELOPMENT PROJECTS
2.1 Heading Element
2.2 Paragraph Element
2.3 Void Elements
2.4 Movie Ranking Proj...
3.0 List Elements
3.1 Nesting and Indent...
3.2 Anchor Elements
3.3 Image Elements
3.4 Birthday Invite Proj...
4.0 File Paths
4.1 Webpages
assets / images
cat.png
public
about.html
contact.html
goal.png
index.html
solution.html
4.2 HTML Boilerplate
4.3 HTML Porfolio Proj...
index.html
4.1 Webpages > index.html > ...
1 <h1>Welcome to My Website!</h1>
2 <!-- Add an image of yourself that links to the about page -->
3
4 <hr />
5 <!-- Add a link to your contact me page here -->
6
solution.html
http://127.0.0.1:3000/4.1 Webpages/s
Welcome to My Website!
Contact Me

The HTML Boilerplate

Understanding HTML structure



COPY

Mr. Alec Head
c/o Media Sound
311 West 57th Street
New York, N.Y. 10019


Dear Alec: RE: MADONNA

I enjoyed listening to Madonna. The production, arrangements and she are very strong. The direction is a good one, in my opinion. The only thing missing from this project is the material. I liked "I Want You", "Get Up" and "High Society", but I did not like "Love On The Run" at all. I do not feel that she is ready yet, but I do hear the basis for a strong artist. I will pass for now, but I will wait for more.


Good luck and thank you for thinking of me.


Best regards,

Jimmy Jenner
President



The HTML Boilerplate
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>My Website</title>
</head>
<body>
<h1>Hello World!</h1>
</body>
</html>


HTML
1991
HTML+
1993
HTML 2.0
1995
HTML 3.2
1997
HTML 4
1999
HTML
2012



opening
<!DOCTYPE html>
<html lang="en">
closing
</html>



<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
</head>
</html>


<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>My Website</title>
</head>
</html>


Chrome File Edit View History Bookmarks Profiles Tab Window Help
Google
Google
google.com
About
Store



<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>My Website</title>
</head>
<body>
</body>
</html>


<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>My Website</title>
</head>
<body>
<h1>Hello World!</h1>
</body>
</html>



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>My Website</title>
  </head>

  <body>
    <h1>Hello World!</h1>
  </body>
</html>
```


Welcome
index.html
C: > Users > COM > index.html
1 !
! Emmet Abbreviation
!!!



C: > Users > COM > index.html > html > head > meta
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0
<title>Document</title>
</head>
<body>
</body>
</html>

Portfolio Project

Show Off Your Work!





ZIP
HTML Portfolio
Project.zip


index.html — Web Development Projects
EXPLORER
index.html
WEB DEVELOP...
2.1 Heading Element
2.2 Paragraph Element
2.3 Void Elements
2.4 Movie Ranking Proj...
3.0 List Elements
3.1 Nesting and Indent...
3.2 Anchor Elements
3.3 Image Elements
3.4 Birthday Invite Proj...
4.0 File Paths
4.1 Webpages
4.2 HTML Boilerplate
4.3 HTML Porfolio Proj...
assets
public
goal.png
index.html
solution.html
4.3 HTML Porfolio Project > index.html
1 <!-- TODO 1: Create the HTML Boilerplate -->
2
3 <!-- TODO 2: Add Your previous projects' HTML into the public folder -->
4
5 <!-- TODO 3: Take screenshots of your project previews and add the images to the images folder -->
6
7 <!-- TODO 4: Add titles/subtitles etc. -->
8
9 <!-- TODO 5: Add a link to the project pages -->
10
11 <!-- TODO 6: Add images to show the project previews
12 HINT for TODO 6: You can use the height attribute set to 200 to make the image smaller:
13 https://developer.mozilla.org/en-US/docs/Web/HTML/Element/img#attr-height -->
14
15 <!-- TODO 7: Add the Contact Me and About Me page links -->


Hosting Your Website

Make your Website go Live!




web server
LOGO
PERU
index.html
internet
24/7


LOGO
PERU



4.3 HTML Porfolio Project
assets
public
goal.png
index.html
solution.html


web hosting.



LOGO
PERU





4.3 HTML Portfolio Project.zip



GitHub: Let's build from here
github.com
Product
Solutions
Open Source
Pricing
Search GitHub
Sign in
Sign up
Github.com
Let's build from here
Harnessed for productivity. Designed for collaboration. Celebrated for built-in security. Welcome to the platform developers love.
Email address
Sign up for GitHub
Start a free enterprise trial



Search or jump to...
Pull requests
Issues
Codespaces
Marketplace
Explore
angelabauer
Top Repositories
New
Find a repository...
angelabauer/beanstalk-app
appbrewery/webdev
appbrewery/test
angelabauer/sherlock-text
angelabauer/dNFT
angelabauer/sherlock-html
angelabauer/Story
Show more
Recent activity
Following
For you
Beta
Send feedback
Filter
Welcome to the new feed!
We're updating the cards and ranking all the time, so check back regularly. At first, you might need to follow some people or star some repositories to get started 🌱.
Send feedback
googlecodelabs published a release · 2m
googlecodelabs / tools
fix oauth flow, missing bucket for codelab elements, lots of other improvements
What's Changed
• Output devsite tables with vertical lines. by @DragonRider0o0 in #541
• Render categories to google-codelab's category attribute. by @DragonRider0o0 in #542
New repository
Import repository
New codespace
New gist
New organization
New project
Trending repositories
snesrev / zelda3
2k
C
apitable / apitable
APITable, an API-oriented low-code platform for building collaborati
apps and better than all other Airtable open-source alternatives.
4.5k
TypeScript
microsoft / winget-cli
Windows Package Manager CLI (aka winget)
19k
C++
See more



github.com/new
Start your repository with a template repository's contents.
No template
Owner *
Repository name *
appbrewery
/
html-portfolio
Great repository names are short and memorable. Need inspiration? How about redesigned-dollop?
Description (optional)
Public
Anyone on the internet can see this repository. You choose who can commit.
Private
You choose who can see and commit to this repository.
Initialize this repository with:
Skip this step if you're importing an existing repository.
Add a README file
This is where you can write a long description for your project. Learn more.
Add .gitignore
Choose which files not to track from a list of templates. Learn more.
.gitignore template: None
Choose a license
A license tells others what they can and can't do with your code. Learn more.
License: None
This will set main as the default branch. Change the default name in The App Brewery's settings.
You are creating a public repository in the appbrewery organization.
Create repository



appbrewery / html-portfolio
Public
Edit Pins
Watch 0
Fork 0
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
main
1 branch
0 tags
Go to file
Add file
Code
angelabauer Initial commit
7dfd3ff now
1 commit
README.md
Initial commit
now
README.md
html-portfolio
About
No description, website, or topics provided.
Readme
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
© 2023 GitHub, Inc.
Terms
Privacy
Security
Status
Docs
Contact GitHub
Pricing
API
Training
Blog
About



main
1 branch
0 tags
Go to file
Add file
Code
Create new file
Upload files
angelabauer Initial commit
1 commit
README.md
Initial commit
now
README.md
html-portfolio


appbrewery / html-portfolio
Public
Edit Pins
Watch 0
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
html-portfolio /
assets
goal.png
public
solution.html
4.3 HTML Porfolio Project
Favourites
Web Develo...
AirDrop
Recents
Applications
Desktop
Documents
Web Dev 20...
Downloads
iCloud
index.html


github.com/appbrewery/html-portfolio/upload/main
/assets/images/movie-ranking.png
/assets/images/birthday-invite.png
goal.png
index.html
/public/about.html
/public/contact.html
/public/birthday-invite.html
/public/movie-ranking.html
solution.html
Commit changes
Add files via upload
Add an optional extended description...
Commit directly to the main branch.
Create a new branch for this commit and start a pull request. Learn more about pull requests.
Commit changes
Cancel
Processing your files...
This may take a few minutes to complete.
Try again


appbrewery / html-portfolio
Public
Edit Pin
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
General
Access
Collaborators and teams
Moderation options
Code and automation
Branches
Tags
Actions
Webhooks
Environments
Pages
Security
Code security and analysis
Deploy keys
Secrets and variables
Integrations
GitHub apps
Email notifications
General
Repository name
html-portfolio
Rename
Template repository
Template repositories let users generate new repositories with the same directory structure and files. Learn more.
Require contributors to sign off on web-based commits
Enabling this setting will require contributors to sign off on commits made through GitHub's web interface. Signing off is a way for contributors to affirm that their commit complies with the repository's terms, commonly the Developer Certificate of Origin (DCO).
Learn more about signing off on commits.
Social Preview
Upload an image to customize your repository's social media preview.
Images should be at least 640×320px (1280×640px for best display).
Download template


Actions
Projects
Wiki
Security
Insights
Settings
General
Access
Collaborators and teams
Moderation options
Code and automation
Branches
Tags
Actions
Webhooks
Environments
Pages
Security
Code security and analysis
Deploy keys
GitHub Pages
GitHub Pages is designed to host your personal, organization, or p
Build and deployment
Source
Deploy from a branch
Branch
GitHub Pages is currently disa Select a source below to enab
main
/ (root)
Save
Visibility
GITHUB ENTERPRISE
With a GitHub Enterprise account, you can restrict access to your
privately published site can only be accessed by people with read
You can use privately published sites to share your internal docum
enterprise.
Try GitHub Enterprise risk-free for 30 days
Learn more ab


Pages
Angela's Portfolio
appbrewery.github.io/html-portfolio/
Angela Yu's Portfolio
I'm a Web Developer
Movie Ranking Project
The Best Movies According to Angela
My top 3 movies of all-time.
Spirited Away
This is my favourite anime. I love the beautiful images.
Ex Machina
Really cool sci-fi movie.
Drive
Super beautiful film. Really artistic.
Birthday Invite Project
It's My Birthday!
On the 12th May
What to bring:
About Me
Contact Me

Capstone Projects

Building Up Your Portfolio



Project Specifications

1.Create an HTML file named **index.html**.
2.Use the **<!DOCTYPE html>** declaration at the beginning of the file to indicate that it's an HTML document.
3.Create a **head** section that includes a **title** element with the text "**My Resume**".
4.Inside the **body** section, write HTML code to create an online resume covering the following aspects:
- **Summary** or objective statement
- **Education** (list degrees, schools, and dates)
- **Work experience** (list job titles, employers, dates, and responsibilities)
- **Skills** (list relevant skills or areas of expertise)
- Awards, certifications, or other achievements (list any relevant awards, certifications, or other accomplishments)

5.Use appropriate HTML tags to format the content of each section, such as **h1** for section headings and **ul** or **ol** for lists.
6.Use HTML tags to add a **profile photo** of yourself.
7.Use relevant anchor tags to create a multi-page website, listing other aspects of your resume such as **Hobbies** and **Contact** details.
8.Add a **footer** element with your name and any copyright information or other disclaimers.
(Hint: use the MDN docs for things you don't know how to do:
https://developer.mozilla.org/en-US/docs/Web/HTML/Element/footer
9.Save the **index.html** file and open it in a web browser to ensure that it displays correctly.
10.Add your website to your GitHub to start building your portfolio.
11.Publish your website using GitHub pages and share it here (in the Q&A) with other students.


Example
https://appbrewery.github.io/capstone-1-example

Requirements

In order to keep the project within scope (time, energy, resource), you can **only use HTML** to complete thing project. Even if you know CSS and JS (which we're assuming you don't yet), you are expected to only write the website using HTML.


Imagine you are a professional developer working on this project. There will be things you don't know, things you want to do but haven't yet learnt how to. As a professional developer, you need to know the limits of your abilities and look up other things in Google, MDN docs, the internet.

https://appbrewery.github.io/capstone-1-example/



Introduction to CSS


What is CSS?



Cascading Style Sheets





Style Sheet
Language
Cascading Style Sheet
Sass
Less


documents look like in HTML" philosophy, you, dear sinner (nay, blasphemer), can but take solace in the fact that Mosaic is putting a blank line at the start of all toplevel lists, including yours, entirely on purpose. (Why? Primarily because we thought that looked the best for most documents on the Web at the time, as I remember.)

What can you do about it? Probably nothing. Isn't that cheery news? I think so. In fact, it has been a constant source of delight for me over the past year to get to continually tell hordes (literally) of people who want to -- strap yourselves in, here it comes -- control what their documents look like in ways that would be trivial in TeX, Microsoft Word, and every other common text processing environment: "Sorry, you're screwed."

Ah well, live and learn. Or not.

Cheers,
Marc



W3C Superseded Recommendation

REC-html32

HTML 3.2 Reference Specification

W3C Recommendation *14-Jan-1997*
Superseded *15-March-2018*

Author: *Dave Raggett* <dsr@w3.org>

Status of this document

This document has been reviewed by W3C members and other interested parties and has been endorsed by the Director as a W3C Recommendation.

This specification is a Superseded Recommendation. A newer specification exists that is recommended for new adoption in place of this specification. New implementations should follow the latest version of the HTML specification.


A list of current W3C Recommendations and other technical documents can be found at https://www.w3.org/TR/

Abstract

The HyperText Markup Language (HTML) is a simple markup language used to create hypertext documents that are portable from one platform to another. HTML documents are SGML documents with generic semantics that are appropriate for representing information from a wide range of applications. This specification defines HTML version 3.2. HTML 3.2 aims to capture recommended practice as of early '96 and as such to be used as a replacement for HTML 2.0 (RFC 1866).

Contents

- Introduction to HTML 3.2
- HTML as an SGML application
- The Structure of HTML documents
- The HEAD element and its children
- The BODY element and its children
- Sample SGML Open Catalog for HTML 3.2
- SGML Declaration for HTML 3.2
- HTML 3.2 Document Type Definition
- Character Entities for ISO Latin-1
- Table of printable Latin-1 Character codes
- Acknowledgements
- Further Reading



<font> - HTML: HyperText Ma

developer.mozilla.org/en-US/docs/Web/HT...

Update

mdn web docs


References > <font>


<font>

Deprecated: This feature is no longer recommended. Though some browsers might still support it, it may have already been removed from the relevant web standards, may be in the process of being dropped, or may only be kept for compatibility purposes. Avoid using it, and update existing code if possible; see the compatibility table at the bottom of this page to guide your decision. Be aware that this feature may cease to work at any time.

The `<font>` HTML element defines the font size, color and face for its content.

Warning: Do not use this element. Use the CSS Fonts properties to style text.


<font> - HTML: HyperText Ma
developer.mozilla.org/en-US/docs/Web/HT...
Update
mdn web docs_
References > <font>
<font>
Deprecated: This feature is n
browsers might still support it,
relevant web standards, may t
only be kept for compatibility
code if possible; see the comp
guide your decision. Be aware
time.
The HTML element defines t
Warning: Do not use this elem
text.
 - HTML: HyperText Ma
developer.mozilla.org/en-US/docs/Web/HT...
Update
mdn web docs_
References >
color
This attribute sets the text color using either
the hexadecimal #RRGGBB format.
face
This attribute contains a comma-separated li
document text in the default style is rendered
browser supports. If no font listed is installed
typically defaults to the proportional or fixed-
size
This attribute specifies the font size as either
values range from 1 to 7 with 1 being the s
defined using a relative value, like +2 or -3,
value.
: The Centered Text
developer.mozilla.org/en-US/docs/Web/HT...
Update
mdn web docs_
References >
: The Centered Text element
Deprecated: This feature is no longer recommended. Though some browsers might still support it, it may have already been removed from the relevant web standards, may be in the process of being dropped, or may only be kept for compatibility purposes. Avoid using it, and update existing code if possible; see the compatibility table at the bottom of this page to guide your decision. Be aware that this feature may cease to work at any time.
The HTML element is a block-level element that displays its block-level or inline contents centered horizontally within its containing element. The container is usually, but isn't required to be, <body>.


index.html — Web Development Projects
<!DOCTYPE html>
<html>
<head>
<title>Deprecated HTML Elements Example</title>
</head>
<body>

<h1>
My Website
</h1>

<table border="1">
<tr>
<td>
Home
</td>
<td>
About
</td>
<td>
Contact
</td>
</tr>
</table>

My Website
Home About Contact
Welcome to My Website
This is a simple website using deprecated HTML elements.
Lorem ipsum dolor sit amet, consectetur adipiscing elit. In lacinia, dolor vitae placerat euismod, leo neque tincidunt ex, sit amet dictum ante urna a purus. Integer ac mauris elit. Nam vulputate enim auctor, commodo magna eget, scelerisque quam. In velit erat, viverra vel aliquet id, pellentesque vel velit. Nunc mollis leo non tempor tincidunt. Quisque tristique leo id congue eleifend. Sed molestie libero vel sem tincidunt, vel suscipit sapien sollicitudin. Integer euismod gravida libero, vel efficitur nulla dapibus vel. Quisque sit amet dui non sapien facilisis posuere. Duis mollis malesuada nisl, a porta nunc sollicitudin a. Aliquam sed accumsan tellus. Curabitur congue viverra orci, ac commodo magna congue ut.
Copyright © 2023

W3C Recommendation

REC-CSS1-20080411

Cascading Style Sheets, level 1

W3C Recommendation 17 Dec 1996, revised 11 Apr 2008

This version: http://www.w3.org/TR/2008/REC-CSS1-20080411
Latest version: http://www.w3.org/TR/CSS1

Håkon Wium Lie (howcome@w3.org)
Bert Bos (bert@w3.org)

Note: *This paragraph is informative.* This document is currently not maintained. The CS Working Group is developing CSS Level 2 Revision 1, which has much more precise an Web-compatible definitions of the features described here. The CSS Working Group encourages authors and implementors to reference CSS 2.1 (or its successor) instead c this document and when features common to CSS1 and CSS 2.1 are defined differently follow the definitions in CSS 2.1.

Status of this document

This document is a W3C Recommendation. It has been reviewed by W3C (http://www.w3.org/) Members and general consensus that the specification is appropriate for use has been reached. stable document and may be used as reference material or cited as a normative reference from a document. W3C promotes widespread deployment of this Recommendation.


A list of current W3C Recommendations and other technical documents can be found at http://www.w3.org/TR/.

This document is a revised version of the document first released on 17 December 1996. Changes from the original version are listed in Appendix F. The list of known errors in this specification is available at http://www.w3.org/Style/CSS/Errata/REC-CSS1-19990111-errata

Abstract

This document specifies level 1 of the Cascading Style Sheet mechanism (CSS1). CSS1 is a simple





W3C Recommendation

REC-CSS1-20080411

Cascading Style Sheets, level 1

W3C Recommendation 17 Dec 1996, revised 11 Apr 2008

This version: http://www.w3.org/TR/2008/REC-CSS1-20080411
Latest version: http://www.w3.org/TR/CSS1
Previous version: http://www.w3.org/TR/1999/REC-CSS1-19990111
Authors: Håkon Wium Lie (howcome@w3.org)
Bert Bos (bert@w3.org)

Note: *This paragraph is informative.* This document is currently not maintained. The CSS Working Group is developing CSS Level 2 Revision 1, which has much more precise and Web-compatible definitions of the features described here. The CSS Working Group encourages authors and implementors to reference CSS 2.1 (or its successor) instead of this document and when features common to CSS1 and CSS 2.1 are defined differently to follow the definitions in CSS 2.1.


Status of this document


This document is a W3C Recommendation. It has been reviewed by W3C (http://www.w3.org/) Members and general consensus that the specification is appropriate for use has been reached. It is a stable document and may be used as reference material or cited as a normative reference from another document. W3C promotes widespread deployment of this Recommendation.


A list of current W3C Recommendations and other technical documents can be found at http://www.w3.org/TR/.


This document is a revised version of the document first released on 17 December 1996. Changes from the original version are listed in Appendix F. The list of known errors in this specification is available at http://www.w3.org/Style/CSS/Errata/REC-CSS1-19990111-errata

This document specifies level 1 of the Cascading Style Sheet mechanism (CSS1). CSS1 is a simple style sheet mechanism that allows authors and readers to attach style (e.g. fonts, colors and spacing) to HTML documents. The CSS1 language is human readable and writable, and expresses style in common desktop publishing terminology.


Example HTML Website
appbrewery.github.io/just-add-css/
My Website
Home
About
Contact
Welcome to My Website
This is a simple website.
Toggle CSS
Copyright © App Brewery


Example HTML Website
appbrewery.github.io/just-add-css/
Update
My Website
Home
About
Contact
Welcome to My Website
This is a simple website.
Toggle CSS
Copyright © App Brewery


My Website
Home
About
Contact
Welcome to My Website
a simple website.
Toggle CSS
ght © App Brewery
Back
Forward
Reload
Save As...
Print...
Cast...
Search Images with Google
Create QR code for this page
Translate to English
View Page Source
Inspect


Example HTML Website
view-source:https://appbrewery.github.io/just-add-css/
ine wrap
<!DOCTYPE html>
<html>
<head id="head">
<title>Example HTML Website</title>
</head>
<body>
<header>
<h1>My Website</h1>
</header>
<nav>

Home
About
Contact

</nav>
<main>
<h2>Welcome to My Website</h2>
This is a simple website.
<button onclick="addCSS()" id="button">Toggle CSS</button>
</main>
<footer>
Copyright © App Brewery
</footer>
<script>
let counter = 0
function addCSS() {
counter++
if (counter % 2 !== 0) {
document.getElementById("head").innerHTML = ' <title>Example HTML Website</title> \n<link rel="stylesheet" href="./styles.css" />'
} else {
document.getElementById("head").innerHTML = ' <title>Example HTML Website</title> '
}
}
</script>
</body>
</html>

How to Add CSS

Inline, Internal and External CSS



Inline

```
<tag style="css" />
```

Internal

```
<style>css</style>
```


External

```
<link href="style.css"/>
```


Inline
<html style="background: blue">
</html>
img
a
br


Internal
<html>
<head>
<style>
Selector
html {
background: red;
}
</style>
</head>
</html>
{ CSS }


Internal
<html>
<head>
<style>
html {
background: red;
}
</style>
</head>
</html>



index.html
External
<html>
<head>
<link
rel="stylesheet"
href="./styles.css"
/>
</head>
</html>
styles.css
html {
background: green;
}



Inline
1 element
Internal
1 webpage
External
style.css
1 website


Try an Exercise




5.1 Adding CSS.zip


Code File Edit Selection View Go Run Terminal Window Help
solution.html — Web Development Projects
EXPLORER
solution.html
5.1. Adding CSS > Solution > solution.html > html
2.1 Heading Ele...
2.2 Paragraph El...
2.3 Void Elements
2.4 Movie Rankin...
goal.png
index.html
solution.html
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.2 HTML Boiler...
4.3 HTML Porfoli...
5.1. Adding CSS
Solution
external.html
inline.html
internal.html
solution.html
style.css
external.html
index.html
inline.html
internal.html
style.css
5.3 CSS Selectors
5.4 Project
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <title>Adding CSS</title>
7 </head>
8
9 <body>
10 <h1>Three Methods of Adding CSS</h1>
11 <!-- Create 3 Links to The 3 Webpages: inline, internal and external -->
12 Inline
13 Internal
14 External
15 </body>
16
17 </html>


EXPLORER
inline.html
5.1. Adding CSS > Solution > inline.html > html
WEB DEVELOPMENT PR...
2.1 Heading Ele...
2.2 Paragraph El...
2.3 Void Elements
2.4 Movie Rankin...
goal.png
index.html
solution.html
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.2 HTML Boiler...
4.3 HTML Porfoli...
5.1. Adding CSS
Solution
external.html
inline.html
internal.html
solution.html
style.css
external.html
index.html
inline.html
internal.html
style.css
5.3 CSS Selectors
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <title>Inline</title>
7 </head>
8
9 <body>
10 <h1 style="color: blue;">Style Me in Blue!</h1>
11 </body>
12
13 </html>


internal.html — Web Development Projects
EXPLORER
internal.html
5.1. Adding CSS > Solution > internal.html > html
2.1 Heading Ele...
2.2 Paragraph El...
2.3 Void Elements
2.4 Movie Rankin...
goal.png
index.html
solution.html
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.2 HTML Boiler...
4.3 HTML Porfoli...
5.1. Adding CSS
Solution
external.html
inline.html
internal.html
solution.html
style.css
external.html
index.html
inline.html
internal.html
style.css
5.3 CSS Selectors
5.4 Project
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <title>Internal</title>
7 <style>
8 h1 {
9 color: red;
10 }
11 </style>
12 </head>
13
14 <body>
15 <h1>Style Me in Red!</h1>
16 </body>
17
18 </html>


EXPLORER
external.html
5.1. Adding CSS > Solution > external.html > html
2.1 Heading Ele...
2.2 Paragraph El...
2.3 Void Elements
2.4 Movie Rankin...
goal.png
index.html
solution.html
3.0 List Elements
3.1 Nesting and l...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.2 HTML Boiler...
4.3 HTML Porfoli...
5.1. Adding CSS
Solution
external.html
inline.html
internal.html
solution.html
style.css
external.html
index.html
inline.html
internal.html
style.css
5.3 CSS Selectors
5.4 Project
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <title>External</title>
7 <link rel="stylesheet" href="./style.css" />
8 </head>
9
10 <body>
11 <h1>Style Me in Green</h1>
12 </body>
13
14 </html>

Question 1:

What is the correct syntax for adding **inline** CSS to an HTML element?

- ○ `<element style="CSS code">`
- ○ `<element css="CSS code">`
- ○ `<element inline="CSS code">`
- ○ `<element addcss="CSS code">`

Question 2:

Which of the following is the correct syntax for adding an `internal` stylesheet to an HTML document?

○

```
<html>
  <style type="text/css">
    CSS code
  </style>
</html>
```

○

```
<body>
  <style>
     CSS code
  </style>
</body>
```

○

```
<head>
  <style>
     CSS code
  </style>
</head>
```

○

```
<style type="text/css">
  CSS code
</style>
```

Question 3:

What is the correct syntax for linking an **external** stylesheet to an HTML document?

- ○ `<style href="style.css" rel="stylesheet"/>`
- ○ `<link href="style.css" rel="stylesheet"/>`
- ○ `<link src="style.css" rel="stylesheet/>`
- ○ `<style src="style.css" type="text/css"/>`

CSS Selectors

Choosing Where to Apply CSS



Element Selector

all


```
h1 {
    color: blue
}
```


index.html
<h2>Red</h2>
<h2>Green</h2>
<h2>Blue</h2>
styles.css
h2 {
color: red;
}
Red
Green
Blue

Class Selector





index.html
<h2 class="red-text">Red</h2>
<h2>Green</h2>
<h2>Blue</h2>
styles.css
.red-text {
color: red;
}
Red
Green
Blue


index.html
<h2 class="red-text">Heading 2</h2>
<h3>Heading 3</h3>
Paragraph
styles.css
.red-text {
color: red;
}
h2
Heading 2
Heading 3
p
Paragraph

Id Selector




index.html
↓ Unique
<h2 id="main">Red</h2>
<h2>Green</h2>
<h2>Blue</h2>
styles.css
#main {
color: red;
}
→ Red
Green
Blue
id vs class
• one element
• many elements

Attribute Selector



index.html

```html
<p draggable="true">Drag me</p>
<p draggable="false">Don't drag me</p>
<p draggable="false">Don't drag me</p>
```

styles.css

```css
p[draggable="false"] {
    color: red;
}
```



Drag me

Don't drag me

Don't drag me

Universal Selector

```
* {
  color: red
}
```


index.html
<h1 class="title">Hello</h1>
<h2 id="heading">World</h2>


This is a website

styles.css
* {
color: red;
}
Hello
World
This is a website

Try an Exercise



5.2 CSS
Selectors.zip



index.html — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.1 Heading Ele...
2.2 Paragraph El...
2.3 Void Elements
2.4 Movie Rankin...
goal.png
index.html
solution.html
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.2 HTML Boiler...
4.3 HTML Porfoli...
5.1. Adding CSS
5.3 CSS Selectors
solution
goal.png
index.html
style.css
5.4 Color Vocab ...
index.html
style.css
5.3 CSS Selectors > index.html > html > body > ol
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <title>CSS Selectors</title>
7 <link rel="stylesheet" href="./style.css" />
8 </head>
9
10 <body>
11 <h1>CSS Selectors</h1>
12 <h2>Applying CSS to Different Parts of HTML</h2>
13 <p class="note">1. The element selector targets elements
14
15
16 <li class="note" value="2">Class selectors target elem
17
18 <li class="note" id="id-selector-demo" value="3">ID se
19 attribute.
20
21 <li class="note" value="4">Attribute selectors target
22
23 <li class="note" value="5">The universal selector targ
24
25 </body>
26
27 </html>
CSS Selectors
http://127.0.0.1:3000/5.3 CSS Selectors/index.html
CSS Selectors
Applying CSS to Different Parts of HTML
1. The element selector targets elements based on their HTML tag name.
2. Class selectors target elements based on the value of the class attribute.
3. ID selectors target elements based on the value of the id attribute.
4. Attribute selectors target elements based on their attributes and values.
5. The universal selector targets all elements.


Color Vocab Project

A Website to Learn Spanish




YELLOW
ORANGE
RED
PURPLE
BLUE
GREEN
TURQUOISE
PINK
GRAY
BROWN
WHITE
BLACK


Code File Edit Selection View Go Run Terminal Window Help
Tue 7 Feb 10:59
Spanish Vocabulary — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.1 Heading Ele...
2.2 Paragraph El...
2.3 Void Elements
2.4 Movie Rankin...
goal.png
index.html
solution.html
3.0 List Elements
3.1 Nesting and l...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.2 HTML Boiler...
4.3 HTML Porfoli...
5.1. Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
assets
solution
goal.png
index.html
index.html
5.4 Color Vocab Project > index.html > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <title>Spanish Vocabulary</title>
7 <link rel="stylesheet" href="./style.css" />
8 </head>
9
10 <body>
11 <h1>Colors</h1>
12 <h2>Learn the colors in Spanish!</h2>
13 <h2 class="color-title" id="red">Rojo</h2>
14
15
16 <h2 class="color-title" id="blue">Azul</h2>
17
18
19 <h2 class="color-title" id="orange">Anaranjado</h2>
20
21
22 <h2 class="color-title" id="green">Verde</h2>
23
24
25 <h2 class="color-title" id="yellow">Amarillo</h2>
26
27 </body>
28
29 </html>
30
Spanish Vocabulary
http://127.0.0.1:3000/5.4 Color Vocab Project/index.html
Colors
Learn the colors in Spanish!
Rojo
Azul
Anaranjado


style.css — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.1 Heading Ele...
2.2 Paragraph El...
2.3 Void Elements
2.4 Movie Rankin...
goal.png
index.html
solution.html
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.2 HTML Boiler...
4.3 HTML Porfoli...
5.1. Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
assets
solution
assets
solution.html
style.css
goal.png
index.html
style.css
index.html
style.css
5.4 Color Vocab Project > style.css > .color-title
#red {
color: red;
}
#blue {
color: blue;
}
#orange {
color: orange;
}
#green {
color: green;
}
#yellow {
color: yellow;
}
.color-title {
font-weight: normal;
}
img {
height: 200px;
width: 200px;
}
Spanish Vocabulary
http://127.0.0.1:3000/5.4 Color Vocab Project/index.html
Colors
Learn the colors in Spanish!
Rojo
Azul
Anaranjado