Week4


Web Progamming

CSS Cascade

How Competing Styles are Resolved



Cascading Style Sheets





index.html

```html
<ol>
  <li> One </li>
  <li> Two </li>
  <li> Three </li>
</ol>
```

styles.css

```css
li {
 color: green;
}
```



1. One
2. Two
3. Three


index.html

 One
<li style="color: red"> Two
 Three

styles.css
li {
color: green;
}
1. One
2. Two
3. Three

Position

```
li {
  color: red;
  color: blue;
}
```

Specificity

```
li {color: blue;}
.first-class {color: red;}
li[draggable] { color: purple;}
#first-id {color: orange;}
```


Type


```
<link rel="stylesheet" href="./style.css">
<style> </style>
<h1 style=" ">Hello</h1>
```

Importance

```
color: red;
color: green !important;
```




Position
li {
color: red;
color: blue;
}


Position
li
li first-class
<li id="first-id" class="first-class" draggable>
li {
color: red;
color: blue;
}
Specificity
4 element
3 class
2 attribute
1 id
li {color: blue;}
.first-class {color: red;}
li[draggable] { color: purple;}
#first-id {color: orange;}
Type


Type
<link rel="stylesheet" href="./style.css">
<style> </style>
<h1 style=" ">Hello</h1>
external 3
internal 2
inline 1

Quiz





```
<h1 class="a-class" id="an-id"> Hello </h1>
```

```
.a-class {
  color: blue;
}
```

Vs.

```
#an-id {
  color: green;
}
```

Quiz





```
<h1 class="a-class another-class"> Hello </h1>
```

```
.a-class {
  color: green;
}
.another-class {
  color: blue;
}
```

Quiz






```
<html lang="en">
<head>
  <style>#an-id{color: green}</style>
</head>
<body>
  <h1 id="an-id" style="color: blue;"> Hello </h1>
</body>
```

Try an Exercise



7.0 CSS
Cascade.zip


index.html — Web Development Projects
EXPLORER
index.html
goal.png
7.0 CSS Cascade > index.html > html > body
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
solution
goal.png
index.html
style.css
7.1 Combining Se...
7.2 CSS Positioni...
7.3 CSS Flag Proj...
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <title>CSS Cascade</title>
7 <link rel="stylesheet" href="./style.css">
8 </head>
9
10 <body>
11
12
13 Yellow Text
14
15 White Text
16
17
18
19 Yellow Text
20
21 White Text
22
23
24
CSS Cascade
http://127.0.0.1:3000/7.0 CSS Cascade/index.html
Yellow Text
White Text
Yellow Text
White Text

Combining CSS Selectors

How to target specific elements to style




index.html

```
<p>Yellow Text</p>
<div class="box inner-box">
    <p>White Text</p>
</div>
```

styles.css

```
p {
 color: yellow;
}
```




index.html

```html
<p>Yellow Text</p>
<div class="box inner-box">
    <p>White Text</p>
</div>
```

styles.css

```css
p {
 color: yellow;
}
.inner-box p {
  color: white;
}
```





Group = Apply to both selectors

```
selector, selector {
  color: bluevoilet;
}
```


To Do List

Monday

Try an Exercise




7.1 Combining Selectors.zip



index.html — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.3 Void Elements
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
7.1 Combining Se...
index.html
solution.css
style.css
7.2 CSS Positioni...
7.3 CSS Flag Proj...
OUTLINE
style.css
index.html
solution.css
7.1 Combining Selectors > index.html > html > body
<!-- Don't change any of the HTML code! -->
<body>
<h1>To Do List</h1>
<h2>Monday</h2>

Do these things today!
<ul class="list">
Wash Clothes
<li class="done">Read
<li class="done">Maths Questions

Other items

The best preparation for tomorrow is doing your b
</body>
</html>
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.



Code File Edit Selection View Go Run Terminal Window Help
Thu 16 Feb 11:45
style.css — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.3 Void Elements
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
7.1 Combining Se...
index.html
solution.css
style.css
7.2 CSS Positioni...
7.3 CSS Flag Proj...
style.css
index.html
solution.css
7.1 Combining Selectors > style.css
1 /* Write your code here: */
2
3
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.


EXPLORER
WEB DEVELOPMENT PR...
2.3 Void Elements
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
7.1 Combining Se...
index.html
solution.css
style.css
7.2 CSS Positioni...
style.css
index.html
solution.css
7.1 Combining Selectors > style.css > h1
1 /* Write your code here: */
2
3 h1, h2 {
4 color: blueviolet;
5 }
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.

Child

parent child

```
selector > selector {
  color: firebrick;
}
```



Child = Apply to direct child of left side

```
selector > selector {
  color: firebrick;
}
```

To Do List


Monday

Do these things today!

- Wash Clothes
- Read
- Maths Questions

- Other items

The best preparation for tomorrow is doing your best tod


EXPLORER
style.css
index.html
solution.css
WEB DEVELOPMENT PR...
2.3 Void Elements
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
7.1 Combining Se...
index.html
solution.css
style.css
7.2 CSS Positioni...
7.3 CSS Flag Proj...
7.1 Combining Selectors > style.css > .box > p
1 /* Write your code here: */
2
3 h1, h2 {
4 color: blueviolet;
5 }
6
7 .box > p {
8 color: firebrick;
9 }
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.

Descendant = Apply to a
descendent of left side

```
selector selector {
  color: blue;
}
```

To Do List


Monday

Do these things today!

- Wash Clothes
- Read
- Maths Questions

Other items

The best preparation for tomorrow is doing your best tod


7.1 Combining Selectors > style.css > .box > p
1 /* Write your code here: */
2
3 h1, h2 {
4 color: blueviolet;
5 }
6
7 .box > p {
8 color: firebrick;
9 }
10
11 .box li {
12 color: blue;
13 }
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.

Chaining = Apply where ALL selectors are true

```
selectorselector {
  color: seagreen;
}
```

To Do List


Monday

Do these things today!

- Wash Clothes
- Read
- Maths Questions

Other items

The best preparation for tomorrow is doing your best tod


style.css — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.3 Void Elements
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
7.1 Combining Se...
index.html
solution.css
style.css
7.2 CSS Positioni...
7.3 CSS Flag Proj...
style.css
index.html
solution.css
7.1 Combining Selectors > style.css > li.done
/* Write your code here: */
h1, h2 {
color: blueviolet;
}
.box > p {
color: firebrick;
}
.box li {
color: blue;
}
li.done {
color: seagreen;
}
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for
<body>
<h1>To Do List</h1>
<h2>Monday</h2>

Do these things today!
<ul class="list">
Wash Clothes
<li class="done">Read
<li class="done">Maths Questions

Other items

The best preparation for tomorrow is doing your
</body>
</html>

Combining Combiners

```
selector selectorselector {
  font-size: 0.5rem;
}
```

To Do List


Monday


Do these things today!

- Wash Clothes
- Read
- Maths Questions

Other items

The best preparation for tomorrow is doing your best tod


index.html — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.3 Void Elements
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
7.1 Combining Se...
index.html
solution.css
style.css
7.2 CSS Positioni...
7.3 CSS Flag Proj...
style.css
index.html
solution.css
7.1 Combining Selectors > index.html > html > body > ul > p.done
10 <!-- Don't change any of the HTML code! -->
11
12 <body>
13 <h1>To Do List</h1>
14 <h2>Monday</h2>
15
16 Do these things today!
17 <ul class="list">
18 Wash Clothes
19 <li class="done">Read
20 <li class="done">Maths Questions
21
22
23
24
25 Other items
26
27 The best preparation for tomorrow is doing your b
28
29 </body>
30
31 </html>
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.


Code File Edit Selection View Go Run Terminal Window Help
Thu 16 Feb 12:06
style.css — Web Development Projects
EXPLORER
WEB DEVELOPMENT PR...
2.3 Void Elements
2.4 Movie Rankin...
3.0 List Elements
3.1 Nesting and I...
3.2 Anchor Elem...
3.3 Image Eleme...
3.4 Birthday Invit...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfoli...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab ...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting C...
6.3 CSS Box Mo...
6.4 Motivation M...
7.0 CSS Cascade
7.1 Combining Se...
index.html
solution.css
style.css
7.2 CSS Positioni...
7.3 CSS Flag Proj...
style.css
index.html
solution.css
7.1 Combining Selectors > style.css > ul p.done
1 /* Write your code here: */
2
3 h1, h2 {
4 color: blueviolet;
5 }
6
7 .box > p {
8 color: firebrick;
9 }
10
11 .box li {
12 color: blue;
13 }
14
15 li.done {
16 color: seagreen;
17 }
18
19 ul p.done {
20 font-size: 0.5rem;
21 }
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.


CSS
Position

Relative, Absolute, Fixed and Static Positioning





When developers don’t understand positioning.


STATIC
RELATIVE
ABSOLUTE
FIXED
BROWSER
BROWSER
BROWSER
BROWSER



Static Positioning

HTML default flow


appbrewery.github.io/css-positioning/

CSS Positioning Demo


Static Positioning | Relative Positioning | Absolute Positioning | Fixed Positioning


Static Positioning

```
position: static;
left: 50px;
top: 50px;
```




CSS Positioning Demo
https://appbrewery.github.io/css-positioning/


CSS Positioning Demo
appbrewery.github.io/css-positioning/
CSS Positioning Demo
Static Positioning
Relative Positioning
Absolute Positioning
Fixed Positioning
Static Positioning
position: static;
left: 50px;
top: 50px;
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Properties
Accessibility
Filter
element.style {
}
.static .box {
position: static;
left: 50px;
top: 50px;
}
.box {
width: 200px;
height: 200px;
background-color: green;
border: 1px solid #ccc;
}
div {
outline: 1px solid #036cdb!important;
}
div {
display: block;
}
margin
border
padding
200×200



Relative Positioning


Position relative to default position


CSS Positioning Demo
Static Positioning
Relative Positioning
Absolute Positioning
Fixed Positioning
Relative Positioning
position: relative;
left: 50px;
top: 50px;
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Filter
element.style {
}
.static .box {
position: static;
left: 50px;
top: 50px;
}
.box {
width: 200px;
height: 200px;
background-color: green;
border: 1px solid #ccc;
}
div {
outline: 1px solid #036cdb!important;
}
div {
display: block;
}
margin
border
padding
200×200




Absolute Positioning


Position relative to nearest positioned ancestor
or top left corner of webpage



CSS Positioning Demo
Absolute Positioning
Fixed Positioning
Absolute Positioning
position: absolute;
top: 50px;
left: 50px;
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Styles
Computed
Layout
Event Listeners
DOM
Filter
element.style {
}
.static .box {
position: static;
left: 50px;
top: 50px;
}
.box {
width: 200px;
height: 200px;
background-color: green;
border: 1px solid #ccc;
}
div {
outline: 1px solid #036cdb!important;
}
div {
display: block;
}
margin
border
padding
200×200

Z-Index







CSS Positioning Demo
Static Positioning
Relative Positioning
Absolute Positioning
Fixed Positioning
Absolute Positioning
position: absolute;
top: 50px;
left: 50px;


<head>…</head>
<body>
<header>…</header>
<main> flex
… flex
…
…

<h2>Absolute Positioning</h2>
<code>…</code>
<div class="box" style="
z-index: -1;
"> == $0

…
</main>
<footer>…</footer>
<script>…</script>
</body>
</html>
Filter
element.style {
z-index: -1;
}
.absolute .box {
position: absolute;
top: 50px;
left: 50px;
}
.box {
width: 200px;
height: 200px;
background-color:
border: 1px solid
}
div {
display: block;
}




Fixed Positioning


Position relative to top left corner of browser window


Try an Exercise




7.2 CSS
Positioning.zip


index.html — Web Development Projects
EXPLORER
WEB DEV...
2.3 Void Elements
2.4 Movie Ranking ...
3.0 List Elements
3.1 Nesting and In...
3.2 Anchor Elemen...
3.3 Image Elements
3.4 Birthday Invite ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
goal.png
index.html
solution.html
7.3 CSS Flag Project
index.html
7.2 CSS Positioning > index.html > ...
1 <!DOCTYPE html>
2 <html>
3
4 <head>
5 <title>CSS Positioning Exercise</title>
6 <style>
7 /* Write your code here */
8 </style>
9 </head>
10
11 <body>
12
13
14
15 </body>
16
17 </html>
Combining CSS Selectors
http://127.0.0.1:3000/7.1 Combining Selectors/index.html
To Do List
Monday
Do these things today!
Wash Clothes
Read
Maths Questions
Other items
The best preparation for tomorrow is doing your best today.


Code File Edit Selection View Go Run Terminal Window Help
goal.png — Web Development Projects
EXPLORER
WEB DEV...
goal.png
7.2 CSS Positioning > goal.png
2.3 Void Elements
2.4 Movie Ranking ...
3.0 List Elements
3.1 Nesting and In...
3.2 Anchor Elemen...
3.3 Image Elements
3.4 Birthday Invite ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
goal.png
index.html
solution.html
7.3 CSS Flag Project
200 px
200 px.
150px
250px
300 px
500px


2 CSS Positioning > index.html > html > head > style > .red-circle
1 <!DOCTYPE html>
2 <html>
3
4 <head>
5 <title>CSS Positioning Exercise</title>
6 <style>
7 /* Write your code here */
8 .red-circle {
9 background-color: red;
10 width: 200px;
11 height: 200px;
12 }
13 </style>
14 </head>
15
16 <body>
17
18
19
20 </body>
21
22 </html>
http://127.0.0.1:3000/7.2 CSS Positioning/i


SS Positioning > index.html > html > head > style > .red-circle
<!DOCTYPE html>
<html>
<head>
<title>CSS Positioning Exercise</title>
<style>
/* Write your code here */
.red-circle {
background-color: red;
width: 200px;
height: 200px;
border-radius: 50px;
}
50px
</style>
</head>
<body>

</body>
</html>
http://127.0.0.1:3000/7.2 CSS Positioning/index.


CSS Positioning > index.html > html > head > style > .red-circle

```html
<!DOCTYPE html>
<html>

<head>
  <title>CSS Positioning Exercise</title>
  <style>
    /* Write your code here */
    .red-circle {
      background-color: red;
      width: 200px;
      height: 200px;
      border-radius: 50%;
    }
  </style>
</head>

<body>
  <div class="blue-box">
    <div class="red-circle"></div>
  </div>
</body>


</html>
```



```html
<!DOCTYPE html>
<html>

<head>
  <title>CSS Positioning Exercise</title>
  <style>
    /* Write your code here */
    .red-circle {
      background-color: red;
      width: 200px;
      height: 200px;
      border-radius: 50%;
    }
    .blue-box{
      background-color: blue;
    }
  </style>
</head>


<body>
  <div class="blue-box">
    <div class="red-circle"></div>
  </div>
</body>
```



```html
<!DOCTYPE html>
<html>

<head>
  <title>CSS Positioning Exercise</title>
  <style>
    /* Write your code here */
    .red-circle {
      background-color: red;
      width: 200px;
      height: 200px;
      border-radius: 50%;
    }
    .blue-box{
      background-color: blue;
      height: 300px;
      width: 500px;
    }
  </style>
</head>


<body>
  <div class="blue-box">
    <div class="red-circle"></div>
```



CSS Positioning > index.html > html > head > style > .red-circle


```
1  <!DOCTYPE html>
2  <html>
3
4  <head>
5    <title>CSS Positioning Exercise</title>
6    <style>
7      /* Write your code here */
8      .red-circle {
9        background-color: red;
10       width: 200px;
11       height: 200px;
12       border-radius: 50%;
13       position: absolute;
14       top: 150px;
15       left: 250px;
16     }
17     .blue-box{
18       background-color: blue;
19       height: 300px;
20       width: 500px;
21       position: relative;
22       top: 200px;
23       left: 200px;
24     }
```

http://127.0.0.1:3000/7.2 CSS Positioning/index.html




CSS Flag Project

Make the flag of Laos with CSS



https://diana-adrianne.com/purecss-lace/




PureCSS Lace
https://diana-adrianne.com/purecss-lace/


https://pattle.github.io/simpsons-in-css/



The Simpsons in CSS
https://pattle.github.io/simpsons-in-css/


ZIP
CSS Flag
Project.zip



Code File Edit Selection View Go Run Terminal Window Help
Thu 16 Feb 13:32
CSS Flag Project — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
2.3 Void Elements
2.4 Movie Ranking ...
3.0 List Elements
3.1 Nesting and In...
3.2 Anchor Elemen...
3.3 Image Elements
3.4 Birthday Invite ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
goal.png
index.html
solution.html
index.html
7.3 CSS Flag Project > index.html > html > body
14 Don't add any classes/ids/elements
15 Use what you know about combining selectors
16 and CSS specificity instead.
17 Hint 1: The flag is 900px by 600px
18 Hint 2: You can use CSS inspection to get the colors from
19 https://appbrewery.github.io/flag-of-laos/
20 -->
21
22 <body>
23
24 The Flag
25
26
27 of Laos
28
29
30
31 </body>
32
33 </html>
CSS Flag Project
http://127.0.0.1:3000/7.3 CSS Flag Project/index.html
The Flag
of Laos



Code File Edit Selection View Go Run Terminal Window Help
Thu 16 Feb 13:33
goal.png — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
2.3 Void Elements
2.4 Movie Ranking ...
3.0 List Elements
3.1 Nesting and In...
3.2 Anchor Elemen...
3.3 Image Elements
3.4 Birthday Invite ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
goal.png
index.html
solution.html
goal.png
7.3 CSS Flag Project > goal.png
The Flag
Cut ⌘X
Copy ⌘C
Paste ⌘V
of
Laos
CSS Flag Project
http://127.0.0.1:3000/7.3 CSS Flag Project/index.html
The Flag
of Laos

CSS Display

Block, Inline and Inline-Block




Hello
World
Hello Beautiful World
Hello Beautiful World



index.html
<h2>Harry</h2>
<h2>Potter </h2>
styles.css
h2 {
display: inline;
}
Harry Potter


Display Property


```
h2 {
    display: block
}
```

inline


inline-block



Block



Block


Inline
Hello
World

Inline-Block




None


CSS Display Property Example
appbrewery.github.io/css-display/
Update
CSS Display Property
Block Paragraph
Inline Paragraph
Inline-Block Paragraph
Block Height: 200
Block Width: 200
Inline Height: 100
Inline Width: 100
Inline-Block Height: 150
Inline-Block Width: 150

https://appbrewery.github.io/css-display/


CSS Display Property Example
https://appbrewery.github.io/css-display/



Try an Exercise



8.0 CSS Display.zip


Code File Edit Selection View Go Run Terminal Window Help
Thu 9 Mar 10:50
index.html — Web Development Projects
EXPLORER
index.html
WEB DEVELOPMENT PROJ...
8.0 CSS Display > index.html > html > head > style > .block
3.4 Birthday Invite ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
goal1.png
goal2.png
index.html
solution1.html
solution2.html
8.1 CSS Float
8.2 Media Query
8.3 Landing Page ...
1 <!DOCTYPE html>
2 <html>
3
4 <!--
5 TODO
6 1. By changing only the display property of the CSS make all 3 squares line up horizontally like in goal1
7 2. Change only the display property to make all 3 squares line up vertically like in goal2 image.
8 -->
9
10 <head>
11 <title>CSS Display Property Example</title>
12 <style>
13 p {
14 color: white;
15 }
16
17 .block {
18 display: block;
19 width: 200px;
20 height: 200px;
21 background-color: red;
22 }
23
24 .inline {

CSS Float

Wrapping text using float and clear



Why Float?


Largest Daily Circulation In New York
The Old Newspaper
Lorem Ipsum Life History, Pages 13 and 14 Only There
VOL. 127 - NO. 39
NEW YORK, SUNDAY, MAY 17, 1954-48 PAGES IN 4 SECTIONS
PRICE 10 CENTS
EDITORIAL NEWS
SUPER CAR
EXTRA! ONLY NEXT WEEK
★ World Tour Top Stars Of America ★
TOWN HALL MEETING TOMMOROW
READ ABOUT IT
IMPORTANT TEXT HERE
NEW!
YOUR TITLE
ALL INFORMATION
OLD PAPER

index.html

```
<img .../>
<p>text... </p>
```

styles.css

```
img {

}
```



Lorem ipsum dolor sit amet, in velit orci lectus eget diam, dolor. Et laoreet commodo molestie interdum accumsan, nonummy sed dis, duis ut feugiat interdum aenean ut sed, leo enim nam ipsum morbi, et sed.


index.html

```
<img .../>
<p>text... </p>
```

styles.css

```
img {
    float: left;
}
```





index.html

```
<img .../>
<p>text... </p>
```

styles.css


```
img {
    float: right;
}
```





Lorem ipsum dolor sit amet, in velit orci lectus eget diam, dolor.

Et laoreet commodo molestie interdum accumsan, nonummy sed dis, duis ut feugiat interdum aenean ut sed, leo enim nam ipsum morbi, et sed.


image
<p>
Footer

index.html

```
<img .../>
<p>text... </p>
<footer>Copyright App Brewery</footer>
```


styles.css

```
img {
    float: left;
}
footer {
    clear: left;
}
```



Lorem ipsum dolor sit amet.


Copyright App Brewery


Header
float left
Sidebar
Main content
float right
Footer
Clear : both

Try an Exercise



8.1 CSS Float.zip



Code File Edit Selection View Go Run Terminal Window Help
index.html — Web Development Projects
EXPLORER
index.html
WEB DEVELOPMENT PROJ...
8.1 CSS Float > index.html > html > head > style > div
3.4 Birthday Invite ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
cat.jpeg
dog.jpeg
goal.png
index.html
solution.html
8.2 Media Query
8.3 Landing Page ...
5 <meta charset="UTF-8">
6 <title>CSS Float</title>
7 <style>
8 div {
9 display: inline-block;
10 width: 40%;
11 }
12
13 p {
14 font-size: 2em;
15 }
16
17 .cat {
18 background-color: aquamarine;
19 }
20
21 .dog {
22 background-color: coral;
23 }
24
25 footer {
26 text-align: center;
27 background-color: blueviolet;
28 }

The App Brewery

Responsive Websites


Making websites look good on all screen sizes.





https://tastybasics.nl/
YOUR LOGO
HOME
ABOUT
WORK
INFO
CONTACT
Responsive
Web Design
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna volutpat.
Find Your Potential Job Here
Search
ABOUT US
Vision
Values

1. Media Queries
2. CSS Grid
3. CSS Flexbox
4. External Frameworks e.g. Bootstrap

Media Query


.class
#id
@media (max-width: 600px) {
/* CSS for screens below or equal to 600px wide */
}



CSS Grid



CSS Grid

```
<div class="grid-container">
  <div class="first card"></div>
  <div class="card"></div>
  <div class="card"></div>
  <div class="card"></div>
  <div class="card"></div>
</div>
```

CSS Grid




```html
<div class="grid-container">
  <div class="first card"></div>
  <div class="card"></div>
  <div class="card"></div>
  <div class="card"></div>
  <div class="card"></div>
</div>
```

```css
.grid-container {
    display: grid;
    grid-template-columns: 1fr 1fr;
    grid-template-rows: 100px 200px 200px;
    gap: 30px;
}

.first {
  grid-column: span 2;
}

.card {
  background-color: blue;
}
```

CSS Flexbox

```html
<div class="flex-container">
  <div class="first card"></div>
  <div class="second card"></div>
  <div class="card"></div>
  <div class="card"></div>
</div>
```



```css
.flex-container {
  display: flex;
}

.card{
  background: blue;
  border: 30px solid white;
  height: 100px;
  flex: 1;
}
.first {
  flex:2;
}
.second {
  flex: 0.5;
}
```

Bootstrap Framework





```
<div class="container">
  <div class="row">
    <div class="card col-6">
      Card
    </div>
    <div class="card col-2">
      Card
    </div>
    <div class="card col-4">
      Card
    </div>
  </div>
</div>
```




8.2 Responsiveness.zip

Media Queries

Adding breakpoints to define responsive layouts



Media Query




index.html

```
<div></div>
```


styles.css

```
div {
    background-color: blue;
    height: 200px;
    width: 200px;
}

@media (max-width: 600px) {
    div {
      height: 100px;
      width: 100px;
    }
}
```



Min Width




```
@media (min-width: 600px) {
        h1 {
          font-size: 15px;
        }
}
```

Min Width




```
@media (min-width: 600px) {
    h1 {
        font-size: 15px;
    }
}
```

Combine




```
@media (min-width: 600px) and (max-width: 900px){
    /* Styles for screens between 600px and 900px */
}
```


Combine




```
@media (max-width: 600px) and (min-width: 900px){
  /* Styles for screens less than 600px and greater than 900px */
}
```

Device


```
@media screen(orientation: landscape){
    /* Styles for landscape orientation*/
}
```


mdn web docs
References
Guides
MDN Plus
Theme
References › CSS › Media queries › Using media queries
▸ Flexbox
▸ Flow layout
▸ Fonts
▸ Grid
▸ Images
▸ Lists and counters
▸ Logical properties
▾ Media queries
Using media queries
Using media queries for accessibility
Testing media queries programmatically
▸ Positioning
▸ Scroll snap
▸ Shapes
▸ Text
▸ Transforms
▸ Transitions
Layout cookbook
Note: A style sheet with a media query attached to its <link> tag will still download even if the query returns false, the download will happen but the priority of downloading will be much lower. Nevertheless, its contents will not apply unless and until the result of the query changes to true. You can read why this happens in Tomayac's blog Why Browser Download Stylesheet with Non-Matching Media Queries.
Targeting media types #
Media types describe the general category of a given device. Although websites are commonly designed with screens in mind, you may want to create styles that target special devices such as printers or audio-based screen readers. For example, this CSS targets printers:
@media print {
/* … */
}
You can also target multiple devices. For instance, this @media rule uses two media queries to target both screen and print devices:
@media screen, print {
/* … */
}
See media type for a list of all media types. Because they describe devices in only very broad terms,
In this
Syntax
Targetin
Targetin
Creating
Syntax i
See also

Try an Exercise



8.3 Media Query.zip


Dimensions: Nest Hub Max
1280
800
50%
No throttling
TastyBasics
WHOLE FOODS
OVER ONS
PRODUCTEN
VERHALEN
RECEPTEN
VERKOOPPUNTEN
CONTACT
NL
THE FUTURE IS WHOLE FOODS
De natuur biedt alles wat je nodig hebt. Niets meer en niets minder. Precies goed zoals het is.
Elements
Console
Sources
Network


<svg aria-hidden="true" style="position: absolute; width: 0; height: 0; overflow: hidden;" version="1.1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink">...</svg>
...
<header class="o-header js-header">...</header>
...

<section class="o-intro u-padding -pt180 u-bgColor -bgPrimary">...</section> == $0
<section class="o-manifestIcons u-padding -py150 u-bgColor -bgSecondary">...</section>
<section class="o-usps u-padding -py150 u-bgColor -bgPrimary">...</section>
<section class="o-featuredItems u-padding -py150 u-bgColor -bgSecondary">...</section>
<section class="o-featuredItems -recipes u-padding -py150 u-bgColor -bgPrimary">...</section>
<section class="o-featuredItems u-padding -py150 u-bgColor -bgSecondary">...</section>
<section class="o-newsletter u-padding -py150 u-bgColor -bgPrimary">...</section>
smooth-wrapper
div#smooth-content
div
section.o-intro.u-padding.-pt180.u-bgColor.-bgPrimary
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Properties
Accessibility
Filter
:hov
.cls
element.style {
}
.u-bgColor.-bgPrimary {
background-color: #702c63;
}
main.css?ver=6.1.1:3
.u-padding.-pt180 {
padding-top: 9.375vw;
}
main.css?ver=6.1.1:3
*, :before, :after {
box-sizing: inherit;
}
main.css?ver=6.1.1:1
section {
display: block;
}
user agent stylesheet


Web Design Agency

Create a simple website for a web design agency




dev.com
We are a Creative Design Agency
Beauty
We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.
Construction
Built by our team of professional developers, we ensure the most rigourous and modern websites. Built from scratch using HTML and CSS. Only the best for you.
Create. Develop. Design.
dev.com
We are a Creative Design Agency
Beauty


ZIP
Web Design
Agency.zip


Agency — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
assets
index.html
solution.css
solution.html
style.css
index.html
8.4 Web Design Agency Project > index.html > html > head > meta
<body>

<img class="logo" src="./assets/images/logo.p
<h1>We are a Creative Design Agency</h1>
<img class="tile-image
<h2 class="card-title">Beauty</h2>
We strive to create th
to
design and
develop an amazing website for your busin

<img class="tile-imag
<h2 class="card-title">Construction</h2>
Built by our team of professional develo
scratch using HTML and CSS. Only the best

<footer>
Create. Develop. Design.
</footer>
</body>
Agency
http://127.0.0.1:3000/8.4 Web Design Agency Project/index.html
dev.com
We are a
Creative
Design

dev.com

We are a Creative Design Agency



Beauty

We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.



Construction

Built by our team of professional developers, we ensure the most rigourous and modern websites. Built from scratch using HTML and CSS. Only the best for you.

dev.com

We are a Creative Design Agency



Beauty

We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.



Construction

Built by our team of professional developers, we ensure the most rigourous and modern websites. Built from scratch using HTML and CSS. Only the best for you.

Create. Develop. Design.

dev.com


We are a Creative Design Agency



Beauty

We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.




mdn web docs
References
Guides
MDN Plus
Theme
References › CSS › object-fit
▸ margin-*
▸ mask-*
masonry-auto-flow
▸ math-*
▸ max-*
▸ min-*
mix-blend-mode
object-fit
object-position
▸ offset-*
opacity
order
orphans
▸ outline-*
▸ overflow-*
▸ overscroll-*
▸ padding-*
object-fit
The object-fit CSS property sets how the content of a replaced element, such as an <img> or <video>, should be resized to fit its container.
You can alter the alignment of the replaced element's content object within the element's box using the object-position property.
Try it
CSS Demo: object-fit
RESET
object-fit: fill;
object-fit: contain;
object-fit: cover;
object-fit: none;
object-fit: scale-down;