

Media Queries

Adding breakpoints to define responsive layouts



Media Query




index.html

```
<div></div>
```


styles.css

```
div {
    background-color: blue;
    height: 200px;
    width: 200px;
}

@media (max-width: 600px) {
    div {
      height: 100px;
      width: 100px;
    }
}
```



Min Width




```
@media (min-width: 600px) {
        h1 {
          font-size: 15px;
        }
}
```

Min Width




```
@media (min-width: 600px) {
    h1 {
        font-size: 15px;
    }
}
```

Combine




```
@media (min-width: 600px) and (max-width: 900px){
    /* Styles for screens between 600px and 900px */
}
```


Combine




```
@media (max-width: 600px) and (min-width: 900px){
  /* Styles for screens less than 600px and greater than 900px */
}
```

Device


```
@media screen(orientation: landscape){
    /* Styles for landscape orientation*/
}
```


mdn web docs
References
Guides
MDN Plus
Theme
References › CSS › Media queries › Using media queries
▸ Flexbox
▸ Flow layout
▸ Fonts
▸ Grid
▸ Images
▸ Lists and counters
▸ Logical properties
▾ Media queries
Using media queries
Using media queries for accessibility
Testing media queries programmatically
▸ Positioning
▸ Scroll snap
▸ Shapes
▸ Text
▸ Transforms
▸ Transitions
Layout cookbook
Note: A style sheet with a media query attached to its <link> tag will still download even if the query returns false, the download will happen but the priority of downloading will be much lower. Nevertheless, its contents will not apply unless and until the result of the query changes to true. You can read why this happens in Tomayac's blog Why Browser Download Stylesheet with Non-Matching Media Queries.
Targeting media types #
Media types describe the general category of a given device. Although websites are commonly designed with screens in mind, you may want to create styles that target special devices such as printers or audio-based screen readers. For example, this CSS targets printers:
@media print {
/* … */
}
You can also target multiple devices. For instance, this @media rule uses two media queries to target both screen and print devices:
@media screen, print {
/* … */
}
See media type for a list of all media types. Because they describe devices in only very broad terms,
In this
Syntax
Targetin
Targetin
Creating
Syntax i
See also

Try an Exercise



8.3 Media Query.zip


Dimensions: Nest Hub Max
1280
800
50%
No throttling
TastyBasics
WHOLE FOODS
OVER ONS
PRODUCTEN
VERHALEN
RECEPTEN
VERKOOPPUNTEN
CONTACT
NL
THE FUTURE IS WHOLE FOODS
De natuur biedt alles wat je nodig hebt. Niets meer en niets minder. Precies goed zoals het is.
Elements
Console
Sources
Network


<svg aria-hidden="true" style="position: absolute; width: 0; height: 0; overflow: hidden;" version="1.1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink">...</svg>
...
<header class="o-header js-header">...</header>
...

<section class="o-intro u-padding -pt180 u-bgColor -bgPrimary">...</section> == $0
<section class="o-manifestIcons u-padding -py150 u-bgColor -bgSecondary">...</section>
<section class="o-usps u-padding -py150 u-bgColor -bgPrimary">...</section>
<section class="o-featuredItems u-padding -py150 u-bgColor -bgSecondary">...</section>
<section class="o-featuredItems -recipes u-padding -py150 u-bgColor -bgPrimary">...</section>
<section class="o-featuredItems u-padding -py150 u-bgColor -bgSecondary">...</section>
<section class="o-newsletter u-padding -py150 u-bgColor -bgPrimary">...</section>
smooth-wrapper
div#smooth-content
div
section.o-intro.u-padding.-pt180.u-bgColor.-bgPrimary
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Properties
Accessibility
Filter
:hov
.cls
element.style {
}
.u-bgColor.-bgPrimary {
background-color: #702c63;
}
main.css?ver=6.1.1:3
.u-padding.-pt180 {
padding-top: 9.375vw;
}
main.css?ver=6.1.1:3
*, :before, :after {
box-sizing: inherit;
}
main.css?ver=6.1.1:1
section {
display: block;
}
user agent stylesheet


Web Design Agency

Create a simple website for a web design agency




dev.com
We are a Creative Design Agency
Beauty
We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.
Construction
Built by our team of professional developers, we ensure the most rigourous and modern websites. Built from scratch using HTML and CSS. Only the best for you.
Create. Develop. Design.
dev.com
We are a Creative Design Agency
Beauty


ZIP
Web Design
Agency.zip


Agency — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
assets
index.html
solution.css
solution.html
style.css
index.html
8.4 Web Design Agency Project > index.html > html > head > meta
<body>

<img class="logo" src="./assets/images/logo.p
<h1>We are a Creative Design Agency</h1>
<img class="tile-image
<h2 class="card-title">Beauty</h2>
We strive to create th
to
design and
develop an amazing website for your busin

<img class="tile-imag
<h2 class="card-title">Construction</h2>
Built by our team of professional develo
scratch using HTML and CSS. Only the best

<footer>
Create. Develop. Design.
</footer>
</body>
Agency
http://127.0.0.1:3000/8.4 Web Design Agency Project/index.html
dev.com
We are a
Creative
Design

dev.com

We are a Creative Design Agency



Beauty

We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.



Construction

Built by our team of professional developers, we ensure the most rigourous and modern websites. Built from scratch using HTML and CSS. Only the best for you.

dev.com

We are a Creative Design Agency



Beauty

We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.



Construction

Built by our team of professional developers, we ensure the most rigourous and modern websites. Built from scratch using HTML and CSS. Only the best for you.

Create. Develop. Design.

dev.com

We are a Creative Design Agency




Beauty

We strive to create the most beautiful websites for all your needs. Working closely with you to design and develop an amazing website for your business.



object-fit property



The App Brewery

CSS Flexbox

What is it and how does it work?



index.html

```html
<table>
  <tr class="row">
    <td class="col1">...</td>
    <td class="col2">...</td>
    <td class="col3">...</td>
  </tr>
</table>
```

styles.css

```css
.col1 {
  width: 25%;
}
.col2 {
  width: 25%;
}
.col3 {
  width: 40%;
}
```



Lorem ipsum dolor sit amet consectetur adipisicing elit. Minima numquam odit perspiciatis reprehenderit error, ex ea nobis in fuga odio alias minus quia incidunt laboriosam! Accusantium exercitationem amet assumenda numquam? Consequatur hic tempora id magnam explicabo, facere, repudiandae

Lorem ipsum dolor sit amet consectetur adipisicing elit. Repellat similique quisquam vel ab. Labore quibusdam sequi soluta eum repellat nisi pariatur quidem consectetur distinctio ipsum. Expedita fuga ipsa, aperiam dolorem illum optio impedit commodi est inventore laboriosam, sequi illo.

Lorem ipsum dolor sit amet consectetur adipisicing elit. Animi, dolores? Voluptatem temporibus ipsa adipisci nesciunt doloremque magni nihil autem ipsum, minima porro unde beatae harum molestiae architecto perferendis fuga sed. Sapiente, amet sint delectus harum omnis eum aperiam eligendi laborum velit quo praesentium reiciendis deleniti, facilis dolorum repudiandae. Molestias laborum dolore sit commodi quas necessitatibus temporibus. Nemo illum eveniet aspernatur dolor. Sed ducimus recusandae incidunt eveniet voluptas delectus minima voluptates distinctio tempore blanditiis architecto magni animi

index.html

```html
<div class="one"><p>...</p></div>
<div class="two"><p>...</p></div>
<div class="three"><p>...</p></div>
```

styles.css

```css
.one {
  width: 25%;
  position: absolute;
}
.two {
  position: absolute;
  left: 27.25%;
  width: 25%;
}
.three {
  position: absolute;
  left: 53%;
  width: 40%;
}
```



Lorem ipsum dolor sit amet consectetur adipisicing elit. Temporibus eveniet minus dolor qui laudantium molestias repudiandae reprehenderit impedit aliquid, fugit eligendi placeat, unde praesentium, vel veritatis voluptate ex corporis magni deleniti. Ipsum id at ad quo neque eos ducimus similique aliquam, modi unde soluta inventore non eius tenetur quibusdam corrupti!

Lorem ipsum dolor sit amet consectetur adipisicing elit. Consequuntur, delectus nostrum. Dolore accusantium id quibusdam! Nemo ea sunt, amet ex aspernatur fugiat praesentium eveniet voluptate? Debitis atque doloribus nostrum obcaecati!

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Possimus, voluptatem officia nulla minus, sunt nam aliquam quis explicabo consequatur beatae at? Eligendi corrupti quisquam enim accusantium possimus quis esse praesentium! Obcaecati repudiandae commodi, earum eaque velit voluptatum illum temporibus. Corporis quod dolorem officia, optio eos fuga. Voluptatum repellat maiores laborum rem voluptas esse. Hic consequuntur, quidem nobis suscipit iste autem quae! Itaque ut doloribus eaque quidem quam nostrum eos quibusdam, id vero optio consectetur velit ipsum architecto ad maiores modi aperiam nemo sed est molestiae? Facere velit magnam assumenda ullam veniam officia ea doloribus dolor. Atque, dolore exercitationem. Expedita, eius?

index.html

```html
<div class="one"><p>...</p></div>
<div class="two"><p>...</p></div>
<div class="three"><p>...</p></div>
```

styles.css


```css
.one {
  float: left;
  width: 25%;
}
.two {
 float: left;
 width: 25%;
}
.three {
  float: left;
  width: 40%;
}
```



Lorem ipsum dolor sit amet consectetur adipisicing elit. Temporibus eveniet minus dolor qui laudantium molestias repudiandae prehenderit impedit uid, fugit eligendi eat, unde sentium, vel tatis voluptate ex poris magni deleniti. psum id at ad quo neque eos ducimus similique aliquam, modi unde soluta inventore non eius tenetur quibusdam corrupti!

Lorem ipsum dolor sit amet consectetur adipisicing elit. Consequuntur, delectus nostrum. Dolore accusantium id quibusdam! Nemo ea sunt, amet ex aspernatur fugiat praesentium eveniet voluptate? Debitis atque doloribus nostrum obcaecati!

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Possimus, voluptatem officia nulla minus, sunt nam aliquam quis explicabo consequatur beatae at? Eligendi corrupti quisquam enim accusantium possimus quis esse praesentium! Obcaecati repudiandae commodi, earum eaque velit voluptatum illum temporibus. Corporis quod dolorem officia, optio eos fuga. Voluptatum repellat maiores laborum rem voluptas esse. Hic consequuntur, quidem nobis suscipit iste autem quae! Itaque ut doloribus eaque quidem quam nostrum eos quibusdam, id vero optio consectetur velit ipsum architecto ad maiores modi aperiam nemo sed est molestiae? Facere velit magnam assumenda ullam veniam officia ea doloribus dolor. Atque, dolore exercitationem. Expedita, eius?


This left float precedes both block boxes. As usual it overlaps the following boxes.
This block box is just a normal "static" box, with no float related rules.
Extended margin
This block box is the same as the above box, except that it has been given clear: both; . The top margin on this box gets extended by whatever amount necessary to "push" it down below the edge of the preceding float.
This right float is nested in the cleared box, and is unaffected by the clearing rule on that box.



FLOATS

(MAGAZINE-STYLE LAYOUTS)



FLEXBOX

(OVERALL PAGE STRUCTURE)

index.html

```
<div class="container">
  <div class="one"><p>...</p></div>
  <div class="two"><p>...</p></div>
  <div class="three"><p>...</p></div>
</div>
```

styles.css

```
.container {
  display: flex;
  gap: 10px;
}
```


inline
block
inline-block
none


The

Lorem ipsum dolor sit amet consectetur adipisicing elit. Temporibus eveniet minus dolor qui laudantium molestias repudiandae reprehenderit impedit aliquid, fugit eligendi placeat, unde praesentium, vel veritatis voluptate ex corporis magni deleniti. Ipsum id at ad quo neque eos ducimus similique aliquam, modi unde soluta inventore non eius tenetur quibusdam corrupti!


Lorem ipsum dolor sit amet consectetur adipisicing elit. Cumque nobis rem ipsa voluptatibus, recusandae illum consequuntur cum, nulla dolores eligendi fuga harum labore animi dolorum asperiores voluptate praesentium beatae, quibusdam sapiente illo ullam cupiditate officiis. Qui consequuntur sit quaerat atque magni possimus, nemo, pariatur incidunt delectus laborum veritatis placeat fugit.

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Possimus, voluptatem officia nulla minus, sunt nam aliquam quis explicabo consequatur beatae at? Eligendi corrupti quisquam enim accusantium possimus quis esse praesentium! Obcaecati repudiandae commodi, earum eaque velit voluptatum illum temporibus. Corporis quod dolorem officia, optio eos fuga. Voluptatum repellat maiores laborum rem voluptas esse. Hic consequuntur, quidem nobis suscipit iste autem quae! Itaque ut doloribus eaque quidem quam nostrum eos quibusdam, id vero optio consectetur velit ipsum architecto ad maiores modi aperiam nemo sed est molestiae? Facere velit magnam assumenda ullam veniam officia ea doloribus dolor. Atque, dolore exercitationem. Expedita, eius?











<img />
display: inline-flex


Try an Exercise




9.0 Display
Flex.zip


Code File Edit Selection View Go Run Terminal Window Help
Thu 16 Mar 10:32
Column Layout Methods — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
absolute-position...
flex.html
float.html
goal.png
html-table.html
index.html
inline-block.html
solution.html
9.1 Flex Direction
goal.png
index.html
solution.html
9.3 Flex Sizing
index.html
index.html 8.4 Web Design Agency Project
index.html 9.0 Display Flex
9.0 Display Flex > index.html > html > head > style
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-wid
7 <title>Column Layout Methods</title>
8 <style>
9 p {
10 padding: 0;
11 margin: 0;
12 font-weight: 700;
13 }
14
15 li {
16 list-style: none;
17 }
18
19 .container {
20 padding: 10px;
21 background-color: gold;
22 }
23 </style>
24 </head>
Column Layout Methods
http://127.0.0.1:3000/9.0 Display Flex/index.html
Page Layout Methods
HTML Table
Inline-Block
Absolute Positioning
Float
Flexbox



goal.png — Web Development Projects
EXPLORER
WEB DEV...
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
absolute-position...
flex.html
float.html
goal.png
html-table.html
index.html
inline-block.html
solution.html
9.1 Flex Direction
goal.png
index.html
solution.html
9.3 Flex Sizing
index.html 9.0 Display Flex
goal.png
9.0 Display Flex > goal.png
Page Layout Methods HTML Table Inline-Block Absolute Positioning Float Flexbox
Column Layout Methods
http://127.0.0.1:3000/9.0 Display Flex/index.html
Page Layout Methods
HTML Table
Inline-Block
Absolute Positioning
Float
Flexbox



index.html — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
absolute-position...
flex.html
float.html
goal.png
html-table.html
index.html
inline-block.html
solution.html
9.1 Flex Direction
goal.png
index.html
solution.html
9.3 Flex Sizing
index.html
html-table.html
index.html 9.0 Display Flex
9.0 Display Flex > index.html > html > head > style
18
19 .container {
20 padding: 10px;
21 background-color: gold;
22 }
23 </style>
24 </head>
25
26 <body>
27
28 Page Layout Methods
29
30 <a href="./html-table.html">HTML Table</
31 <a href="./inline-block.html">Inline-Blo
32 <a href="./absolute-position.html">Absol
33 <a href="./float.html">Float
34 <a href="./flex.html">Flexbox
35
36
37 </body>
38
39 </html>
Column Layout Methods
http://127.0.0.1:3000/9.0 Display Flex/index.html
Page Layout Methods
HTML Table
Inline-Block
Absolute Positioning
Float
Flexbox


EXPLORER
WEB DEV...
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
absolute-position...
flex.html
float.html
goal.png
html-table.html
index.html
inline-block.html
solution.html
9.1 Flex Direction
goal.png
index.html
solution.html
9.3 Flex Sizing
index.html
.html 9.0 Display Flex
solution.html
9.0 Display Flex > solution.html > html > head
5 <meta charset="UTF-8">
6 <meta name="viewport" content=
7 <title>Column Layout Methods</
8 <style>
9 p {
10 font-weight: 700;
11 margin: 0;
12 }
13
14 li {
15 list-style: none;
16 }
17
18 .container {
19 padding: 10px;
20 background-color: gold;
21 display: flex;
22 gap: 10px;
23 }
24 </style>
25 </head>
26
27 <body>
28
Column Layout Methods
http://127.0.0.1:3000/9.0 Display Flex/index.html
Page Layout Methods HTML Table Inline-Block Absolute Positioning Float Flexbox

Flex Direction

Row and Column Layouts






flex-direction: row


Red
Orange
Yellow
Green
Blue
Indigo
Violet
flex-direction: column;

```
flex-basis: 100px;
```




```
flex-basis: 100px;
```



Try an Exercise




9.1 Flex
Direction.zip


Flex Direction — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
4.0 File Paths
4.1 Webpages
4.3 HTML Porfolio ...
5.1 Adding CSS
5.3 CSS Selectors
5.4 Color Vocab Pr...
6.0 CSS Colors
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
goal.png
index.html
solution.html
9.3 Flex Sizing
OUTLINE
TIMELINE
index.html
9.1 Flex Direction > index.html > html > head > style > .container
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-wid
7 <title>Flex Direction</title>
8 <!-- HINT:
9 https://developer.mozilla.org/en-US/docs/Web/CS
10 https://developer.mozilla.org/en-US/docs/Learn/
11 -->
12 <style>
13 .container {
14 color: white;
15 border: 5px solid gold;
16 display: flex;
17 }
18
19 .red {background-color: #eb4d4b;}
20 .orange {background-color: #f0932b;}
21 .yellow {background-color: #f6e58d;}
22 .green {background-color: #6ab04c;}
23 .blue {background-color: #4834d4;}
24 .indigo {background-color: #30336b;}
25 .purple {background-color: #be2edd;}
26 </style>
Flex Direction
http://127.0.0.1:3000/9.1 Flex Direction/index.html
RedOrangeYellowGreenBlueIndigoPurple

Flexible Layout

Align, Justify and Wrap






Red
Orange
Yellow
Green
Blue
Indigo
Violet
order: 0;

```
flex-wrap: nowrap;
```




```
flex-wrap: wrap;
```





Flex Layout
appbrewery.github.io/flex-layout/
Red
Orange
Yellow
Green
Blue
Indigo
Purple
https://appbrewery.github.io/flex-layout/
Justify Content: Flex Start
Flex Wrap: No Wrap
Align Items: Flex Start
Align Content: Flex Start


```
justify-content: flex-start;
```




```
justify-content: flex-end;
```




```
justify-content: center;
```




```
justify-content: space-between;
```



```
align-items: flex-start;
```




```
align-items: flex-start;
height: 70vh;
```





```
align-items: flex-end;
height: 70vh;
```



```
align-items: center;
height: 70vh;
```




align-items: center;
height: 70vh;
Violet
Orange
Yellow
Green
Blue
Indigo
align-self: flex-start;


container
items
CSS
Flexbox
.container {
display: flex; /* or inline-flex */
}
flex-direction
a guide from
CSS-TRICKS
.container {
flex-direction: row | row-reverse |
column | column-reverse;
}
align-content
flex-start
flex-end
order
1
1
1
2
3

A Complete Guide to Flexbox | Flex Direction | Flexbox Froggy - A game for

css-tricks.com/snippets/css/a-guide-to-flexbox/

▸ Background

▸ Basics and terminology

▾ Flexbox properties





Properties for the Parent (flex container)

display


This defines a flex container; inline or block depending on the given value. It enables a flex context for all its direct children.


```css
.container {
  display: flex; /* or inline-flex */
```

Properties for the Children (flex items)

order




appbrewery.github.io/flexboxfroggy/
FLEXBOX FROGGY
Level 1 of 24
Welcome to Flexbox Froggy, a game where you help Froggy and friends by writing CSS code! Guide this frog to the lilypad on the right by using the justify-content property, which aligns items horizontally and accepts the following values:
flex-start: Items align to the left side of the container.
flex-end: Items align to the right side of the container.
center: Items align at the center of the container.
space-between: Items display with equal spacing between them.
space-around: Items display with equal spacing around them.
For example, justify-content: flex-end; will move the frog to the right.
#pond {
display: flex;
}
Next
Flexbox Froggy is created by Thomas Park • GitHub • Settings
Update


A Complete Guide to Flexbox
Flex Direction
Flexbox Froggy - A game for le
appbrewery.github.io/flexboxfroggy/
Update
FLEXBOX FROGGY
Level 1 of 24
#pond {
display: flex;
justify-content: flex-end;
}
Next
Flexbox Froggy is created by Thomas Park • GitHub • Settings