# CSS Grid


A Two-Dimensional Layout System





# Flexbox



# Grid





Bärn
WWW.AARE.GURU
Es letschte öpdeit hets vor 11 Minute gä
8.4°
Aaretemp. (°C)
Geduld, geduld
8.7°
Das Wasser i ca. 2 Stung
230'303
Sirupgleser pro Sec.
76 m³/s
SCHNUUR KANAL
Wassermängi: nid viu
13.3°
Lufttemp. iz grad
Hüt morge 12° 0mm 0%
Hüt nami 18° 0mm 0%
Hüt abe 17° 0mm 0%



Aareschwimmen - aare.guru
aare.guru/#bern
Update
Bärn
Du letschte Update het vor 29 Minute gä
6.3°
Aaretemp. (°C)
ulidig
6.5°
Das Wasser i ca. 2 Stung
263'636
Stange Bier pro Sec.
87
Wassermängi: nid viu
3.3°
Lufttemp. in grad
Hüt morge
3°
0mm
0%
Hüt nami
9°
0mm
0%

# Flexbox Vs. Grid






# Flexbox + Grid










Bärn
WWW.A ARE GUHD
Bis letschte Update hets vor 11 Minute gä
8.4°
Geduld, geduld
8.7°
Das Wasser i ca. 2 Stung
230'303
Sirupgleser pro Sec.
76 m³/s
SCHWIMM KANAL
Wassermängi: nid viu
13.3°
Lufttemp. iz grad
Hüt morge 12° 0mm 0%
Hüt nami 18° 0mm 0%
Hüt abe 17° 0mm 0%


# Flexbox + Grid




# Grid + Flexbox



# Appbrewery.github.io/grid-vs-flexbox




CSS Grid vs Flexbox
https://appbrewery.github.io/grid-vs-flexbox/


CSS Grid vs Flexbox
appbrewery.github.io/grid-vs-flexbox/
Update
CSS Grid vs Flexbox
CSS Grid
We've
Known
Each
Other
For
So
Long
Flexbox
We
Both
Know
What's
Been
Going
On

index.html

```html
<div class="container">
  <p>...</p>
  <p>...</p>
  <p>...</p>
  <p>...</p>
</div>
```

styles.css

```css
.container {
  display: grid;
  grid-template-columns: 1fr 2fr;
  grid-template-rows: 1fr 1fr;
  gap: 10px;
}
```








# Try an Exercise






10.0 Display
Grid.zip


index.html — Web Development Projects
EXPLORER
WEB DEV...
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
example.html
goal.png
index.html
solution.html
10.1 Grid Fundame...
10.2 Grid Placement
10.3 Mondrian Proj...
index.html
10.0 Display Grid > index.html > html > body
1 <!DOCTYPE html>
2 <html>
3
4 <head>
5 <title>Chessboard</title>
6 <style>
7 /* Write your code here */
8 /* Each square should be 100px by 10
9 /* My colours for white: #f0d9b5, bl
10 </style>
11 </head>
12
13 <body>
14 
15 
16 
17 
18 
19 
20 
21 
22 
23 
24 



<!DOCTYPE html>
<html>
<head>
<title>Chessboard</title>
<style>
/* Write your code here */
/* Each square should be 100px by 100px */
/* My colours for white: #f0d9b5, black: #b58863
.white {
height: 100px;
width: 100px;
background-color: #f0d9b5;
}
.black {
height: 100px;
width: 100px;
background-color: #b58863;
}
</style>
</head>
<body>


6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
example.html
goal.png
index.html
solution.html
10.1 Grid Fundame...
10.2 Grid Placement
8
8


Display Grid > index.html > html > head > style > .container
<!DOCTYPE html>
<html>
<head>
<title>Chessboard</title>
<style>
/* Write your code here */
/* Each square should be 100px by 100px */
/* My colours for white: #f0d9b5, black: #b58863 */
.container {
display: grid;
grid-template-columns: 1fr 1fr 1fr 1fr 1fr 1fr 1fr 1fr;
grid-template-rows: 1fr 1fr 1fr 1fr 1fr 1fr 1fr 1fr;
}
.white {
height: 100px;
width: 100px;
background-color: #f0d9b5;
}
.black {
height: 100px;
width: 100px;
background-color: #b58863;


Chessboard
127.0.0.1:3000/10.0%20Display%20Grid/index.html
Update

# Fix the space of gap



# Grid Sizing

How to Size Columns and Rows




index.html

```html
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
</div>
```

styles.css

```css
.grid-container {
  display: grid;
  grid-template-rows: 100px 200px;
  grid-template-columns: 400px 800px;
}
```



# grid-template

index.html

```
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
</div>
```

styles.css

```
.grid-container {
  display: grid;
  grid-template: 100px 200px / 400px 800px;
}
```






index.html


```html
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
</div>
```

styles.css


```css
.grid-container {
  display: grid;
  grid-template-rows: 100px auto;
  grid-template-columns: 200px auto;
}
```



# https://appbrewery.github.io/grid-sizing/




Fixed Size Grid
appbrewery.github.io/grid-sizing/fixed-size.html
Update
Fixed Size Grid
1
2
3
4


Auto Size Grid
appbrewery.github.io/grid-sizing/auto-size.html
Update
Auto Size Grid
1
2
3
4

index.html


```html
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
</div>
```

styles.css

```css
.grid-container {
  display: grid;
  grid-template-rows: 1fr 2fr;
  grid-template-columns: 1fr 2fr;
}
```



# https://appbrewery.github.io/grid-sizing/fractional-size.html




# Use minmax()


index.html


```
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
</div>
```

styles.css

```
.grid-container {
  display: grid;
  grid-template-rows: 200px 400px;
  grid-template-columns: 200px minmax(400px,800px)
 }
```




MizMax Size Grid
appbrewery.github.io/grid-sizing/minmax-size.html
Update
MinMax Size Grid
1
2
800px
3
4


MizMax Size Grid
appbrewery.github.io/grid-si...
Update
MinMax Size Grid
1
2
400 px
3
4

# Repeat()


index.html

```html
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
</div>
```

styles.css

```css
.grid-container {
  display: grid;
  grid-template-rows: repeat(2, 200px);
  grid-template-columns: repeat(2, 100px);

}
```




index.html

```html
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
</div>
```

styles.css

```css
.grid-container {
  display: grid;
  grid-template-rows: repeat(2, 200px);
  grid-template-columns: repeat(3, 100px);

}
```




index.html

```html
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="grid-item">4</div>
    <div class="grid-item">5</div>
</div>
```

styles.css

```css
.grid-container {
  display: grid;
  grid-template-rows: 200px, 200px;
  grid-template-columns: 200px, 200px;
}
```





index.html


```html
<div class="grid-container">
    <div class="grid-item">1</div>
    <div class="grid-item">2</div>
    <div class="grid-item">3</div>
    <div class="“grid-item">4</div>
    <div class="grid-item">5</div>
</div>
```


styles.css

```css
.grid-container {
  display: grid;
  grid-template-rows: 200px, 200px;
  grid-template-columns: 200px, 200px;
  grid-auto-rows: 300px;
}
```





Repeat Grid
appbrewery.github.io/grid-sizing/repeat.html
Update
Repeat
1
2
3
4
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Performance insights
CSS Overview
<!DOCTYPE html>
<html lang="en">
<head>…</head>
<body>
<h1>Repeat</h1>
…
</body>
</html>
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
.grid-container {
repeat.html:1
display: grid;
grid-template-rows: repeat(2, 200px);
grid-template-columns: repeat(2, 100px);
}
margin
border
padding
526×400


Repeat Grid
appbrewery.github.io/grid-sizing/repeat.html
Update
Repeat
1
2
3
4
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Performance insights
CSS Overview
<!DOCTYPE html>
<html lang="en">
<head>…</head>
<body>
<h1>Repeat</h1>
…
</body>
</html>
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
.grid-container {
repeat.html:10
display: grid;
grid-template-rows: repeat(2, 200px);
grid-template-columns: repeat(3, 100px);
}
margin
border
padding
526×400


Repeat Grid
appbrewery.github.io/grid-sizing/repeat.html
Repeat
1
2
3
4
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Performance insights
CSS Overview
<!DOCTYPE html>
<html lang="en">
<head>…</head>
<body>
<h1>Repeat</h1>

1
2
3
4


</body>
</html>
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
.grid-container {
display: grid;
grid-template-rows: repeat(2, 200px);
grid-template-columns: repeat(1, 100px);
}
repeat.ht
margin
border
padding
526×530



Repeat Grid
appbrewery.github.io/grid-sizing/repeat.html
Repeat
1
2
3
4
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Styles
<!DOCTYPE html>
<html lang="en">
<head>…</head>
<body>
<h1>Repeat</h1>


1
2
3
4

</body>
</html>
.grid-container {
display: grid;
grid-template-rows: repeat(2, 200px);
grid-template-columns: repeat(1, 100px);
grid-auto-rows: 300px;


# Dev Tools


1 100px 50px
2 100px 50px
3 100px 50px
4
1
2
3
200px 100px
2
4
200px 100px
3
-3
-2
-1
-4
-3
-2
-1



Repeat Grid
appbrewery.github.io/grid-sizing/repeat.html
Repeat
1 100px 50px 2 100px 50px 3
-3
1
2
200px 100px
-2
2
3
4
200px 100px
1
-1
-3
-2
-1
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Performance
<!DOCTYPE html>
<html lang="en">
<head>…</head>
<body>
<h1>Repeat</h1>
… grid == $0
</body>
</html>
Styles
Filter



Chrome File Edit View History Bookmarks Profiles Tab Window Help
Repeat Grid
appbrewery.github.io/grid-sizing/repeat.html
Repeat
1
2
3
4
Styles
Computed
Layout
Event Listeners
DOM Breakpoi
Grid
Overlay display settings
Show line numbers
Show track sizes
Show area names
Extend grid lines
Grid overlays
div.grid-container
Flexbox
No flexbox layouts found on this page


## Grid Sizing


Fixed Size
Auto Size
Fractional Size
MinMax Size
Repeat
Test

# Try an Exercise




appbrewery.github.io/grid-sizing/test.html
400px wide
min 200px max 500px wide
width expands to fill space
400px wide
min 200px max 500px wide
50px high
/* Write your CSS code below to make the purple items size, grow and shrink like the green ones.*/
.grid-container {
}
Apply CSS


CSS Grid Sizing Exercise
appbrewery.github.io/grid-sizing/test.html
CSS Grid Sizing Exercise
auto
400px
minmax(200px, 500px)
width expands to fill space
400px wide
min 200px max 500px wide
width expands to fill space
400px wide
min 200px max 500px wide
width expands to fill space
400px wide
min 200px max 500px wide
50px high
width expands to fill space
400px wide
min 200px max 500px wide
width expands to fill space


```css
/* Write your CSS code below to make the purple items size, grow and shrink like the green ones.*/

.grid-container {


  display: grid;
  grid-template-rows: 1fr 1fr 2fr;
  grid-template-columns: auto 400px minmax(200px, 500px);
  grid-auto-rows: 50px;
}
```


# Grid Item Placement


How to layout items in the grid





# Grid Container




1
2
3
4
Column
Tracks
Row
1
2
3



1
2
3
4
1
2
3
Grid
Cell


1
2
3
4
1
2
3


1
2
3
4
1
2
3
Grid
lines
(gap)

# Grid

- Lines
- Tracks
- Cells
- Container
- items




index.html

```html
<div class="container">
    <div class="item cowboy">🤠</div>
    <div class="item astronaut">🧑‍🚀</div>
    <div class="item book">📖</div>
</div>
```

styles.css

```css
.container {
  height: 100vh;
  display: grid;
  gap: 3rem;
  grid-template-columns: 1fr 1fr 1.5fr;
  grid-template-rows: 1fr 1fr;
}
```




index.html

```html
<div class="container">
    <div class="item cowboy">🤠</div>
    <div class="item astronaut">🧑‍🚀</div>
    <div class="item book">📖</div>
 </div>
```

styles.css


```css
.container {
  height: 100vh;
  display: grid;
  gap: 3rem;
  grid-template-columns: 1fr 1fr 1.5fr;
  grid-template-rows: 1fr 1fr;
}
```



# Try an Exercise





10.2 Grid
Placement.zip


goal1.png — Web Development Projects
EXPLORER
WEB DEV...
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placement
demo1.html
demo2.html
demo3.html
demo4.html
exercise1.html
exercise2.html
exercise3.html
goal1.png
goal2.png
goal3.png
solution1.html
solution2.html
solution3.html
10.3 Mondrian Proj...
exercise1.html
10.2 Grid Placement > exercise1.html
gap: 3rem;
grid-template-colu
grid-template-rows
}
.item {
font-size: 5rem;
color: white;
font-family: Arial
background-color:
/* TODO: Use Flexb
See goal1 image.
*/
}
</style>
</head>
<body>
<div class="container"
<div class="item cow
<div class="item ast
<div class="item boo

</body>
Grid Placement
goal1.png
10.2 Grid Placement > goal1.png


# Use flexbox




exercise1.html — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placement
demo1.html
demo2.html
demo3.html
demo4.html
exercise1.html
exercise2.html
exercise3.html
goal1.png
goal2.png
goal3.png
solution1.html
solution2.html
solution3.html
10.3 Mondrian Proj...
exercise1.html
10.2 Grid Placement > exercise1.html > html > head > style > .item
.item {
font-size: 5rem;
color: white;
font-family: Arial, Helvetica, sans-seri
background-color: blueviolet;
/* TODO: Use Flexbox to align the text t
See goal1 image.
*/
display: flex;
justify-content: center;
align-items: center;
}
</style>
</head>
<body>

🤠
🧑‍🚀
📖


</body>
Grid Placement
http://127.0.0.1:3000/10.2 Grid Placement/exercise1.html
10.2 Grid Placement > exercise1.html > html > head > style
.container {
height: 100vh;
display: grid;
gap: 3rem;
grid-template-columns: 1fr 1fr 1.5fr;
grid-template-rows: 1fr 1fr;
}
.item {



1
2
3
4
1
2
3

```html
<div class="container">
   <div class="item cowboy">🤠</div>
   <div class="item astronaut">🧑‍🚀</div>
   <div class="item book">📖</div>
 </div>
```

styles.css


```css
.cowboy {
   background-color: #00B9FF;
   grid-column: span 2;
 }
```






demo1.html — Web Development Projects
EXPLORER
exercise1.html
demo1.html
10.2 Grid Placement > demo1.html > html > head
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placement
demo1.html
demo2.html
demo3.html
demo4.html
exercise1.html
exercise2.html
exercise3.html
goal1.png
goal2.png
goal3.png
solution1.html
solution2.html
solution3.html
10.3 Mondrian Proj...
font-size: 5rem;
color: white;
font-family: Arial, Helvetica, sans-serif;
background-color: blueviolet;
display: flex;
align-items: center;
justify-content: center;
}
.cowboy {
background-color: #00B9FF;
grid-column: span 2;
}
</style>
</head>
<body>


🤠
🧑‍🚀
📖

Grid Placement
http://127.0.0.1:3000/10.2 Grid Placement/exercise1.h
🤠
🧑‍🚀
📖


Grid Placement
127.0.0.1:3000/10.2%20Grid%20Placement/demo1.html
Update
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Properties
Accessibility
Filter
:hov .cls
element.style {
}
.cowboy {
background-color: #0089FF;
grid-column: span 2;
}
.item {
font-size: 5rem;
color: white;
font-family: Arial, Helvetica, sans-serif;
display: flex;
align-items: center;
justify-content: center;
}
div {
display: block;
}
margin
border
padding


Grid Placement
127.0.0.1:3000/10.2%20Grid%20Placement/demo1.html
Update
1fr 183.38px
1fr 183.38px
1.5fr 154.95px
1fr 209.82px
1fr 209.82px
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Properties
Accessibility
Grid
Overlay display settings
Show line numbers
Show track sizes
Show area names
Extend grid lines
Grid overlays
div.container
Flexbox
Flexbox overlays
div.item.cowboy
div.item.astronaut
div.item.book


Grid Placement
127.0.0.1:3000/10.2%20Grid%20Placement/demo1.html
1fr 103.38px
1fr 103.38px
1.5fr 154.95px
1fr 209.82px
-4
-3
-2
-1
Elements
Console
Sources
Network
Performance
Memory
Application
Styles
Computed
Layout
Event Listeners
.cowboy {
background-color: #00B9FF;
grid-column: span 2;
grid-column-start: 2;
grid-column-end: ;
}
auto
inherit
initial
.item {
font-size: 5rem;
justify-content: center;
}
div {
display: block;
}
margin
border
padding




# Grid-Column

grid-column-start

grid-column-end


index.html

```html
<div class="container">
   <div class="item cowboy">🤠</div>
   <div class="item astronaut">🧑‍🚀</div>
   <div class="item book">📖</div>
 </div>
```

styles.css

```css
.astronaut {
      background-color: #03989E;


}
```



# Order


```
<div class="container">
   <div class="item cowboy">🤠</div>
   <div class="item astronaut">🧑‍🚀</div>
   <div class="item book">📖</div>
 </div>
```

styles.css ×

```
.astronaut {
      background-color: #03989E;
      order: 1;

}
```




exercise2.html — Web Development Projects
EXPLORER
WEB DEVELOPMENT PROJ...
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placement
demo1.html
demo2.html
demo3.html
demo4.html
exercise1.html
exercise2.html
exercise3.html
goal1.png
goal2.png
goal3.png
solution1.html
solution2.html
solution3.html
10.3 Mondrian Proj...
exercise2.html
goal2.png
10.2 Grid Placement > exercise2.html > html > head > style > .astronaut
26 background-color: blueviolet;
27 display: flex;
28 align-items: center;
29 justify-content: center;
30
31 }
32
33 .cowboy {
34 background-color: #00B9FF;
35 grid-column: span 2;
36 }
37
38 .astronaut {
39 background-color: #03989E;
40 order: 1;
41
42 /* TODO: Make the astronaut box look like t
43 grid-column: span 2;
44 }
45 </style>
46 </head>
47
48 <body>
49 
Grid Placement
http://127.0.0.1:3000/10.2 Grid Placement/exercise2.html


index.html

```html
<div class="container">
   <div class="item cowboy">🤠</div>
   <div class="item astronaut">🧑‍🚀</div>
   <div class="item book">📖</div>
 </div>
```

styles.css

```css
.astronaut {
      background-color: #03989E;
      grid-column-start: 1;
      grid-column-end: 3;
      grid-row-start: 2;
      grid-row-end: 3;


}
```



# ใช้ grid-area แทนได้


index.html


```html
<div class="container">
    <div class="item cowboy">🤠</div>
    <div class="item astronaut">🧑‍🚀</div>
    <div class="item book">📖</div>
 </div>
```


styles.css

```css
.astronaut {
        background-color: #03989E;
        grid-column-start: 1;
        grid-column-end: 3;
        grid-row-start: 2;
        grid-row-end: 3;

        grid-area: 2 / 1 / 3 / 3;
}
```




exercise3.html — Web Development Projects
EXPLORER
exercise3.html
WEB DEVELOPMENT PROJ...
10.2 Grid Placement > exercise3.html > html > head > style > .book
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placement
demo1.html
demo2.html
demo3.html
demo4.html
exercise1.html
exercise2.html
exercise3.html
goal1.png
goal2.png
goal3.png
solution1.html
solution2.html
solution3.html
10.3 Mondrian Proj...
28 align-items: center;
29 justify-content: center;
30
31 }
32
33 .cowboy {
34 background-color: #00B9FF;
35 grid-column: span 2;
36 }
37
38 .astronaut {
39 background-color: #03989E;
40 order: 1;
41 grid-area: 2 / 1 / 3 / 3;
42 }
43
44 .book {
45 background-color: #E58331;
46 /* TODO: Make the book div look like
47 the goal3 image using grid-row. */
48 /* grid-row: span 2; */
49 grid-area: 1 / 3 / -1 / -1;
50 }
Grid Placement
goal3.png
http://127.0.0.1:3000/10.2 Grid Placement/exercis



1
2
3
4
1
2
3

index.html


```html
<div class="container">
  <div class="item cowboy">🤠</div>
  <div class="item astronaut">🧑‍🚀</div>
  <div class="item book">📖</div>
</div>
```

styles.css

```css
.cowboy {
  background-color: #00B9FF;
  grid-area: 1 / 1/ 2 / 3;
}
.astronaut {
  background-color: #03989E;
  grid-area: 2 / 1 / 3 / 3;
}
.book {
  background-color: #E5833180;
  grid-area: 1 / 2 / 3 / 4;
}
```



# https://appbrewery.github.io/gridgarden



# Mondrian Project


Use CSS Grid to Create a Masterpiece!




# Piet Mondrian



# Piet Mondrian




Composition No III, with Red, Blue, Yellow and Black


748px
748px
414px
9px gap
320px
130px
10px border
50px
155px
20px
198px
153px

# Google Image Search: “Mondrian compositions”




ZIP
Mondrian
Project.zip


index.html — Web Development Projects
EXPLORER
index.html
WEB DEVELOPMENT PROJ...
6.1 Font Properties
6.2 Inspecting CSS
6.3 CSS Box Model
6.4 Motivation Me...
7.0 CSS Cascade
7.1 Combining Sele...
7.2 CSS Positioning
7.3 CSS Flag Project
8.0 CSS Display
8.1 CSS Float
8.2 Responsiveness
8.3 Media Query
8.4 Web Design A...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Pricin...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placement
10.3 Mondrian Proj...
dimensions.png
goal.png
index.html
solution.html
10.3 Mondrian Project > index.html > html
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>Mondrian Project</title>
7 <style>
8 /*
9 Write your CSS here
10 Gap Colour: #000
11 White: #F0F1EC
12 Red: #E72F24
13 Black: #232629
14 Blue: #004592
15 Yellow: #F9D01E
16
17 For dimensions, see dimensions.png image.
18 */
19
20 </style>
21 </head>
22 <body>
23 <!-- Write your HTML here -->
24 </body>