The App Brewery

Bootstrap Framework

External Layout Systems









Primary Secondary Success Danger Warning Info Light Dark

.col-md-8		.col-6 .col-md-4
.col-6 .col-md-4	.col-6 .col-md-4	.col-6 .col-md-4
.col-6		.col-6


index.html
<ul class="">

<button class=""
>Home</button>


Home


index.html
<ul class="nav nav-pills">

<button class="nav-link active rounded-5"
>Home</button>

bootstrap.css
.nav {
--bs-nav-link-padding-x: 1rem;
--bs-nav-link-padding-y: 0.5rem;
--bs-nav-link-font-weight: ;
--bs-nav-link-color: var(--bs-link-color);
--bs-nav-link-hover-color: var(--bs-link-hover-color);
--bs-nav-link-disabled-color: var(--bs-secondary-color);
display: flex;
flex-wrap: wrap;
padding-left: 0;
margin-bottom: 0;
list-style: none
}
.nav-pills {…}
.nav-link {…}
.active {…}
.rounded-5 {…}
Home

CSS Frameworks




```scss
.card-body {
  // Enable `flex-grow: 1` for decks and groups so that card blocks take up
  // as much space as possible, ensuring footers are aligned to the bottom.
  flex: 1 1 auto;
  padding: var(--#{$prefix}card-spacer-y) var(--#{$prefix}card-spacer-x);
  color: var(--#{$prefix}card-color);
}

.card-title {
  margin-bottom: var(--#{$prefix}card-title-spacer-y);
  color: var(--#{$prefix}card-title-color);
}

.card-subtitle {
  margin-top: calc(-.5 * var(--#{$prefix}card-title-spacer-y)); // stylelint-disable-line function-disallowed-list
  margin-bottom: 0;
  color: var(--#{$prefix}card-subtitle-color);
}

.card-text:last-child {
  margin-bottom: 0;
}


.card-link {
  &:hover {
    text-decoration: if($link-hover-decoration == underline, none, null);
  }

  + .card-link {
    margin-left: var(--#{$prefix}card-spacer-x);
  }
}
```


CSS Frameworks



CSS Frameworks



Pre-made styling





CSS Frameworks

Free	Pro	Enterprise
$0/mo	**$15**/mo	**$29**/mo
10 users included 2 GB of storage Email support Help center access	20 users included 10 GB of storage Priority email support Help center access	30 users included 15 GB of storage Phone and email support Help center access
Sign up for free	Get started	Contact us

Compare plans


	Free	Pro	Enterprise
Public	✓	✓	✓
Private		✓	✓
Permissions	✓	✓	✓
Sharing		✓	✓
Unlimited members		✓	✓
Extra security			✓

Custom jumbotron

Using a series of utilities, you can create this jumbotron, just like the one in previous versions of Bootstrap. Check out the examples below for how you can remix and restyle it to your liking.



CSS Frameworks





CSS Frameworks

Mobile devices

Generally speaking, Bootstrap supports the latest versions of each major platform's default browsers. Note that proxy browsers (such as Opera Mini, Opera Mobile's Turbo mode, UC Browser Mini, Amazon Silk) are not supported.

	Chrome	Firefox	Safari	Android Browser & WebView	Microsoft Edge
Android	Supported	Supported	N/A	Android v5.0+ supported	Supported
iOS	Supported	Supported	Supported	N/A	Supported
Windows 10 Mobile	N/A	N/A	N/A	N/A	Supported

Desktop browsers

Similarly, the latest versions of most desktop browsers are supported.

	Chrome	Firefox	Internet Explorer	Microsoft Edge	Opera	Safari
Mac	Supported	Supported	N/A	N/A	Supported	Supported
Windows	Supported	Supported	Supported, IE10+	Supported	Supported	Not supported



CSS Frameworks

```
<div class="md:flex">
  <div class="md:flex-shrink-0">
    <img class="rounded-lg md:w-56" src="https://images.un
  </div>
  <div class="mt-4 md:mt-0 md:ml-6">
    <div class="uppercase tracking-wide text-sm text-indig
    <a href="#" class="block mt-1 text-lg leading-tight fo
    <p class="mt-2 text-gray-600">Getting a new business o
  </div>
</div>
```

```
<user-card>
  <header>
    <figure class='avatar'>
      <img src='https://bit.ly/2UC5WQo' alt='$seo-todo'>
    </figure>
  </header>

  <main>
    <h1 class='name'>Person's name</h1>
    <h2 class='position'>Position at reputable.agency</h2>
    <button class='action'>
      <span>Message</span>
    </button>
  </main>
</user-card>
```



CSS Frameworks

Columns with icons

Featured title

Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.

Call to action >

Featured title

Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.

Call to action >

Featured title

Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.

Call to action >

When to / When Not to





How to use Bootstrap?

Content Delivery Network



Include via CDN

When you only need to include Bootstrap's compiled CSS or JS, you can use jsDelivr. See it in action with our simple quick start, or browse the examples to jumpstart your next project. You can also choose to include Popper and our JS separately.


```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alph
```


```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpl
```

Try an Exercise





11.0 Bootstrap
Intro.zip



index.html — Untitled (Workspace)
EXPLORER
UNTITLED (WORKSPACE)
7.0 CSS Cascade
7.1 Combining Sel...
7.2 CSS Positioning
7.3 CSS Flag Proj...
8.0 CSS Display
8.1 CSS Float
8.2 Responsiven...
8.3 Media Query
8.4 Web Design ...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
flower.jpg
goal.png
index.html
solution.html
11.1 Bootstrap La...
11.2 Bootstrap Co...
index.html
Web Development Projects > 11.0 Bootstrap Intro > index.html > html > body > div.flex-container
1 <!doctype html>
2 <html lang="en">
3
4 <head>
5 <meta charset="utf-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1">
7 <title>Bootstrap</title>
8 <!-- TODO 1: Add the Bootstrap link here. -->
9 <style>
10 /* TODO 4: Use flexbox to center the card in the vertical and horizontal center. */
11 </style>
12 </head>
13
14 <body>
15
16 <!-- TODO 2: Add the Bootstrap Prebuilt Card here -->
17 <!-- TODO 3: Change the image src to display the flower.jpg image. -->
18
19 </body>
20
21 </html>



goal.png — Untitled (Workspace)
EXPLORER
index.html
goal.png
Web Development Projects > 11.0 Bootstrap Intro > goal.png
7.0 CSS Cascade
7.1 Combining Sel...
7.2 CSS Positioning
7.3 CSS Flag Proj...
8.0 CSS Display
8.1 CSS Float
8.2 Responsiven...
8.3 Media Query
8.4 Web Design ...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
flower.jpg
goal.png
index.html
solution.html
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
Card title
Some quick example text to build on the card title and make up the bulk of the card's content.
Go somewhere


getbootstrap.com






Cards · Bootstrap v5.3
getbootstrap.com/docs/5.3/components/card/
Docs Examples Icons Themes Blog
Search ⌘K
v5.3
Overview
Form control
Select
Checks & radios
Range
Input group
Floating labels
Layout
Validation
Components
Accordion
Alerts
Badge
Breadcrumb
Buttons
Button group
Card
Carousel
Close button
Collapse
Dropdowns
List group
Modal
Navbar
Navs & tabs
Offcanvas
Pagination
Placeholders
Popovers
Cards
View on GitHub
Bootstrap's cards provide a flexible and extensible content container with multiple variants and options.
Get instant answers to your development questions with WD + ChatGPT.
ads via Carbon
OpenAI
About
A card is a flexible and extensible content container. It includes options for headers and footers, a wide variety of content, contextual background colors, and powerful display options. If you're familiar with Bootstrap 3, cards replace our old panels, wells, and thumbnails. Similar functionality to those components is available as modifier classes for cards.
Example
Cards are built with as little markup and styles as possible, but still manage to deliver a ton of control and customization. Built with flexbox, they offer easy alignment and mix well with other Bootstrap components. They have no margin by default, so use spacing utilities as needed.
Below is an example of a basic card with mixed content and a fixed width. Cards have no fixed width to start, so they'll naturally fill the full width of its parent element. This is easily customized with our various sizing options.
Image cap
On this page
About
Example
Content types
Body
Titles, text, and links
Images
List groups
Kitchen sink
Header and footer
Sizing
Using grid markup
Using utilities
Using custom CSS
Text alignment
Navigation
Images
Image caps
Image overlays
Horizontal
Card styles
Background and color
Border
Mixins utilities
Card layout
Card groups
Grid cards
Masonry
CSS
Variables
Sass variables


Bootstrap · The most popular
getbootstrap.com
Docs Examples Icons Themes Blog
v5.3
Get started any way you want
Jump right into building with Bootstrap—use the CDN, install it via package manager, or download the source code.
Read installation docs →
Install via package manager
Install Bootstrap's source Sass and JavaScript files via npm, RubyGems, Composer, or Meteor. Package managed installs don't include documentation or our full build scripts. You can also use any demo from our Examples repo to quickly jumpstart Bootstrap projects.
$ npm install bootstrap@5.3.0-alpha3
$ gem install bootstrap -v 5.3.0-alpha3
Read our installation docs for more info and additional package managers.
Include via CDN
When you only need to include Bootstrap's compiled CSS or JS, you can use jsDelivr. See it in action with our simple quick start, or browse the examples to jumpstart your next project. You can also choose to include Popper and our JS separately.
Copy to clipboard
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alphi
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpl
Read our getting started guides
Get a jump on including Bootstrap's source files in a new project with our official guides.


EXPLORER
UNTITLED (WORKSPACE)
7.0 CSS Cascade
7.1 Combining Sel...
7.2 CSS Positioning
7.3 CSS Flag Proj...
8.0 CSS Display
8.1 CSS Float
8.2 Responsiven...
8.3 Media Query
8.4 Web Design ...
9.0 Display Flex
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
flower.jpg
goal.png
index.html
solution.html
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
index.html
flower.jpg
Web Development Projects > 11.0 Bootstrap Intro > index.html > html > head > style
1 <!doctype html>
2 <html lang="en">
3
4 <head>
5 <meta charset="utf-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1">
7 <title>Bootstrap</title>
8 <!-- TODO 1: Add the Bootstrap link here. -->
9 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="styleshe
10 integrity="sha384-KK94CHFLLe+nY2dmCWGMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy+dN9+nJOZ" crossorigin="anony
11 <style>
12 /* TODO 4: Use flexbox to center the card in the vertical and horizontal center. */
13 </style>
14 </head>
15
16 <body>
17
18 <!-- TODO 2: Add the Bootstrap Prebuilt Card here -->
19 <!-- TODO 3: Change the image src to display the flower.jpg image. -->
20
21 </body>
22
23 </html>


Bootstrap - The most popular
https://cdn.jsdelivr.net/npm/b
cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css


Docs Examples Icons Themes Blog
Search ⌘K
v5.3
Overview
Form control
Select
Checks & radios
Range
Display
Float
Navs & tabs
Offcanvas
Pagination
Placeholders
Popovers
Progress
Example
Cards are built with as little markup and styles as possible, but still manage to deliver a ton of control and customization. Built with flexbox, they offer easy alignment and mix well with other Bootstrap components. They have no margin by default, so use spacing utilities as needed.
Below is an example of a basic card with mixed content and a fixed width. Cards have no fixed width to start, so they'll naturally fill the full width of its parent element. This is easily customized with our various sizing options.
On this page
About
Example
Content types
Body
CSS
Variables
Sass variables
15
16 <body>
17
18 <!-- TODO 2: Add the Bootstrap Prebuilt Card here -->
19
20 <img src="..." class="card-img-top" alt="...">
21
22 <h5 class="card-title">Card title</h5>
23 Some quick example text to build on the card title and make up the bulk of th
24
25 Go somewhere
26
27
28 <!-- TODO 3: Change the image src to display the flower.jpg image. -->
29
30 </body>
31
32 </html>
<h5 class="card-title">Card title</h5>
Some quick example text to build on the card title and make up
Go somewhere


Bootstrap — Untitled (Workspace)
index.html
goal.png
Web Development Projects > 11.0 Bootstrap Intro > index.html > html > boc
<style>
/* TODO 4: Use flexbox to center the card in
</style>
</head>
<body>

<!-- TODO 2: Add the Bootstrap Prebuilt Card


<img src="..." class="card-img-top" alt="..

<h5 class="card-title">Card title</h5>
Some quick example t
content.

<a href="#" class="btn btn-primary">Go so

<!-- TODO 3: Change the image src to display

</body>
</html>
Bootstrap
http://127.0.0.1:3000/11.0 Bootstrap Intro/index.html
Card title
Some quick example text to build on the card title and make up the bulk of the card's content.
Go somewhere


index.html — Untitled (Workspace)
index.html
goal.png
ment Projects > 11.0 Bootstrap Intro > index.html > html > body > div.flex-container > div.card > div.card-body >
ody>

<!-- TODO 2: Add the Bootstrap Prebuilt Card here -->

<!-- TODO 3: Change the image src to display the flower.jpg image. -->
<img src="./flower.jpg" class="card-img-top" alt="flower image">

<h5 class="card-title">Card title</h5>
Some quick example text to build on the card title
content.

Go somewhere

body>
html>
Bootstrap
http://127.0.0.1:3000/11.
Card title
Some quick example text to build on the card title and make up the bulk of the card's content.
Go somewhere

index.html × solution.html

Web Development Projects > 11.0 Bootstrap Intro > index.html > html > head > style > .flex-container

```
5     <meta charset="utf-8">
6     <meta name="viewport" content="width=device-width, initial-scale=1">
7     <title>Bootstrap</title>
8     <!-- TODO 1: Add the Bootstrap link here. -->
9     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bo
10      integrity="sha384-KK94CHFLLe+nY2dmCWGMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy
11
12    <style>
13      /* TODO 4: Use flexbox to center the card in the vertical and horizontal
14      .flex-container {
15        display: flex;
16        justify-content: center;
17        align-items: center;
18        height: 100vh;
19      }
20    </style>
21  </head>
22
23  <body>
24    <div class="flex-container">
25      <!-- TODO 2: Add the Bootstrap Prebuilt Card here -->
26      <div class="card" style="width: 18rem;">
27        <!-- TODO 3: Change the image src to display the flower.jpg image. -->
28        <img src="./flower.jpg" class="card-img-top" alt="flower image">
```

100vh
100dvh
100lvh
100svh

Bootstrap ×


http://127.0.0.1:3000/11.



Card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Go somewhere



Cards · Bootstrap v5.3
Bootstrap
127.0.0.1:3000/11.0%20Bootstrap%20Intro/index.html
Card title
Some quick example text to build on the card title and make up the bulk of the card's content.
Go somewhere
Elements
Console
Sources
Network
Performance
Memory
Application
Styles
Computed
Layout
Filter
:hov .cls
element.style {
}
.flex-container {
index.html:14
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
}
*, ::after, ::before {
_reboot.scss:19
box-sizing: border-box;
}
div {
user agent stylesheet
display: block;
}
Inherited from body
body {
_reboot.scss:50
font-family: var(--bs-body-font-family);
font-size: var(--bs-body-font-size);
font-weight: var(--bs-body-font-weight);
line-height: var(--bs-body-line-height);
color: var(--bs-body-color);
text-align: var(--bs-body-text-align);
background-color: var(--bs-body-bg);
-webkit-text-size-adjust: 100%;
-webkit-tap-highlight-color: transparent;
}
Inherited from html
:root {
_grid.scss:7
--bs-breakpoint-xs: 0;
--bs-breakpoint-sm: 576px;
--bs-breakpoint-md: 768px;
--bs-breakpoint-lg: 992px;
--bs-breakpoint-xl: 1200px;
--bs-breakpoint-xxl: 1400px;
}
:root, [data-bs-theme=light] {
_root.scss:10
--bs-blue: #0d6efd;
--bs-indigo: #6610f2;
html body div.flex-container
Console
What's New
Highlights from the Chrome 111 update
Automatic in place pretty print


Bootstrap Layout

Understanding the 12 column Bootstrap layout system




12 Column System




index.html

Hello


Auto Fit




Bootstrap Container

	Extra small <576px	Small ≥576px	Medium ≥768px	Large ≥992px	X-Large ≥1200px	XX-Large ≥1400px
`.container`	100%	540px	720px	960px	1140px	1320px
`.container-sm`	100%	540px	720px	960px	1140px	1320px
`.container-md`	100%	100%	720px	960px	1140px	1320px
`.container-lg`	100%	100%	100%	960px	1140px	1320px
`.container-xl`	100%	100%	100%	100%	1140px	1320px
`.container-xxl`	100%	100%	100%	100%	100%	1320px
`.container-fluid`	100%	100%	100%	100%	100%	100%

Sized Columns



Sized Columns



index.html

```
<div class="container">
  <div class="row">
    <div class="col-2">Hello</div>
    <div class="col-4">Hello</div>
    <div class="col-6">Hello</div>
  </div>
</div>
```



Bootstrap Breakpoints


Available breakpoints


Bootstrap includes six default breakpoints, sometimes referred to as *grid tiers*, for building responsively. These breakpoints can be customized if you're using our source Sass files.

Breakpoint	Class infix	Dimensions
Extra small	*None*	<576px
Small	`sm`	≥576px
Medium	`md`	≥768px
Large	`lg`	≥992px
Extra large	`xl`	≥1200px
Extra extra large	`xxl`	≥1400px


mobile
iPad
laptop
desktop
TV

Bootstrap Breakpoints





col-sm-2
col-sm-4
col-sm-6
col-sm
col-sm
col-sm

Multiple Breakpoints





Mix & Match



Exercise


appbrewery.github.io/bootstrap-layout/




Bootstrap Layout Exercises
appbrewery.github.io/bootstrap-layout/
Bootstrap Layout Exercise
Exercise 1
50% desktop, 100% mobile
50% desktop, 100% mobile
50% desktop, 100% mobile
50% desktop, 100% mobile
<!-- Modify the HTML code for the purple boxes below so it behaves like the green ones. -->

50% desktop, 100% mobile
50% desktop, 100% mobile

Apply Changes


Bootstrap Layout Exercises
appbrewery.github.io/bootstrap-layout/
Bootstrap Layout Exercise
Exercise 1
50% desktop, 100% mobile
50% desktop, 100% mobile
50% desktop, 100% mobile
50% desktop, 100% mobile
<!-- Modify the HTML code for the purple boxes below so it behaves like the green ones. -->

50% desktop, 100% mobile
50% desktop, 100% mobile

Apply Changes

Bootstrap Components

Learn to use the pre-built and pre-styled Components



Buttons



HTML

```
<button type="button" class="btn btn-primary">Primary</button>
<button type="button" class="btn btn-secondary">Secondary</button>
<button type="button" class="btn btn-success">Success</button>
<button type="button" class="btn btn-danger">Danger</button>
<button type="button" class="btn btn-warning">Warning</button>
<button type="button" class="btn btn-info">Info</button>
<button type="button" class="btn btn-light">Light</button>
<button type="button" class="btn btn-dark">Dark</button>

<button type="button" class="btn btn-link">Link</button>
```


https://appbrewery.github.io/bootstrap-components/


Exercise

Try an Exercise




11.2 Bootstrap Components.zip


index.html — Untitled (Workspace)
EXPLORER
index.html
Web Development Projects > 11.2 Bootstrap Components > index.html > html
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1.0">
7 <title>Bootstrap Components</title>
8 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha2/dist/css/bootstrap.min.css" rel="stylesh
9 integrity="sha384-aFq/bzH65dt+w6FI2ooMVUpc+21e0SRygnTpmBvdBgSdnuTN7QbdgL+OapgHtvPp" crossorigin="anony
10 <style>
11
12 </style>
13 </head>
14
15 <body>
16
17
18 </body>
19
20 </html>



getbootstrap.com/docs/5.3/components/buttons/
Docs Examples Icons Themes Blog
Search ⌘K
v5.3
Forms
Overview
Form control
Select
Checks & radios
Range
Input group
Floating labels
Layout
Validation
Components
Accordion
Alerts
Badge
Breadcrumb
Buttons
Button group
Card
Carousel
Close button
Collapse
Dropdowns
List group
Modal
Navbar
Navs & tabs
Offcanvas
Pagination
Placeholders
HTML
<button type="button" class="btn">Base class</button>
The .btn class is intended to be used in conjunction with our button variants, or to serve as a basis for your own custom styles.
If you are using the .btn class on its own, remember to at least define some explicit :focus and/or :focus-visible styles.
Variants
Bootstrap includes several button variants, each serving its own semantic purpose, with a few extras thrown in for more control.
Primary Secondary Success Danger Warning Info Light Dark Link
HTML
<button type="button" class="btn btn-primary">Primary</button>
<button type="button" class="btn btn-secondary">Secondary</button>
<button type="button" class="btn btn-success">Success</button>
<button type="button" class="btn btn-danger">Danger</button>
<button type="button" class="btn btn-warning">Warning</button>
<button type="button" class="btn btn-info">Info</button>
<button type="button" class="btn btn-light">Light</button>
<button type="button" class="btn btn-dark">Dark</button>
<button type="button" class="btn btn-link">Link</button>
Accessibility tip: Using color to add meaning only provides a visual indication, which will not be
On this page
Base class
Variants
Disable text wrapping
Button tags
Outline buttons
Sizes
Disabled state
Link functionality caveat
Block buttons
Button plugin
Toggle states
Methods
CSS
Variables
Sass variables
Sass mixins
Sass loops


Navs



HTML

```
<nav class="navbar navbar-expand-lg bg-body-tertiary">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">Navbar</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-targ
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link active" aria-current="page" href="#">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Features</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Pricing</a>
        </li>
        <li class="nav-item">
          <a class="nav-link disabled">Disabled</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
```


Examples - Bootstrap v5.3
Bootstrap Components
getbootstrap.com/docs/5.3/examples/
Docs
Examples
Icons
Themes
Blog
v5.3
Examples
Quickly get a project started with any of our examples ranging from using parts of the framework to custom components and layouts.
Download examples
Download source code
GitLab
The One DevOps platform for software innovation. Eliminate point solution sprawl. 30 day free trial.
ads via Carbon
Starters
Functional examples of using Bootstrap in common JS frameworks like Webpack, Parcel, Vite, and more you can edit in StackBlitz.
CDN starter
Instantly include Bootstrap's compiled CSS and JavaScript via the jsDelivr CDN.
Edit in StackBlitz
Sass & JS
Use npm to import and compile Bootstrap's Sass with Autoprefixer and Stylelint, plus our bundled JavaScript.
Edit in StackBlitz
Sass & ESM JS
Import and compile Bootstrap's Sass with Autoprefixer and Stylelint, and compile our source JavaScript with an ESM shim.
Edit in StackBlitz
Webpack
Import and bundle Bootstrap's source Sass and JavaScript with Webpack.
Edit in StackBlitz
Parcel
Import and bundle Bootstrap's source Sass and JavaScript via Parcel.
Edit in StackBlitz
Vite
Import and bundle Bootstrap's source Sass and JavaScript with Vite.
Edit in StackBlitz
Bootstrap Icons
Import and compile Bootstrap's Sass with Stylelint, PurgeCSS, and the Bootstrap Icons web font.
Edit in StackBlitz


Navbar · Bootstrap v5.3
Bootstrap Components
getbootstrap.com/docs/5.3/components/navbar/
Docs Examples Icons Themes Blog
Search ⌘K
v5.3
Validation
Components
Accordion
Alerts
Badge
Breadcrumb
Buttons
Button group
Card
Carousel
Close button
Collapse
Dropdowns
List group
Modal
Navbar
Navs & tabs
Offcanvas
Pagination
Placeholders
Popovers
Progress
Scrollspy
Spinners
Toasts
Tooltips
Helpers
Clearfix
Color & background
• Flex and spacing utilities for any form controls and actions.
• .navbar-text for adding vertically centered strings of text.
• .collapse.navbar-collapse for grouping and hiding navbar contents by a parent breakpoint.
• Add an optional .navbar-scroll to set a max-height and scroll expanded navbar content.
Here's an example of all the sub-components included in a responsive light-themed navbar that automatically collapses at the lg (large) breakpoint.
Navbar Home Link Dropdown Disabled Search Search
Copied!
HTML
<nav class="navbar navbar-expand-lg bg-body-tertiary">

Navbar
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-targ

</button>


<ul class="navbar-nav me-auto mb-2 mb-lg-0">
<li class="nav-item">
Home

<li class="nav-item">
Link

<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dr
Dropdown

<ul class="dropdown-menu">
Action
Another action
<hr class="dropdown-divider">
Something else here


<li class="nav-item">
On this page
How it works
Supported content
Brand
Text
Image
Image and text
Nav
Forms
Text
Color schemes
Containers
Placement
Scrolling
Responsive behaviors
Toggler
External content
Offcanvas
CSS
Variables
Sass variables
Sass loop



Bootstrap Components — Untitled (Workspace)
EXPLORER
index.html
UNTITLED (WORKSPACE)
Development Projects > 11.2 Bootstrap Components > index.html > html > bod
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
<meta charset="UTF-8">
<meta name="viewport" content="width=device-wi
<title>Bootstrap Components</title>
<link href="https://cdn.jsdelivr.net/npm/boots
integrity="sha384-aFq/bzH65dt+w6FI2ooMVUpc+2
<style>
</style>
</head>
<body>
<nav class="navbar navbar-expand-lg bg-body-tert

Navbar
<button class="navbar-toggler" type="button"
aria-controls="navbarSupportedContent" ari

</button>
<div class="collapse navbar-collapse" id="na
<ul class="navbar-nav me-auto mb-2 mb-lg-0
<li class="nav-item">
<a class="nav-link active" aria-currer

Bootstrap Components
http://127.0.0.1:3000/11.2 Bootstrap Components/index.html
Navbar


Bootstrap · The most popular
Bootstrap Components
getbootstrap.com
Docs Examples Icons Themes Blog
v5.3
Get started any way you want
Jump right into building with Bootstrap—use the CDN, install it via package manager, or download the source code.
Read installation docs →
Install via package manager
Install Bootstrap's source Sass and JavaScript files via npm, RubyGems, Composer, or Meteor. Package managed installs don't include documentation or our full build scripts. You can also use any demo from our Examples repo to quickly jumpstart Bootstrap projects.
$ npm install bootstrap@5.3.0-alpha3
$ gem install bootstrap -v 5.3.0-alpha3
Read our installation docs for more info and additional package managers.
Include via CDN
When you only need to include Bootstrap's compiled CSS or JS, you can use jsDelivr. See it in action with our simple quick start, or browse the examples to jumpstart your next project. You can also choose to include Popper and our JS separately.
WGMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy+dN9+nJOZ" crossorigin="
t src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dis
Read our getting started guides
Get a jump on including Bootstrap's source files in a new project with our official guides.


Bootstrap Components — Untitled (Workspace)
EXPLORER
UNTITLED (WORKSPACE)
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
OUTLINE
index.html
Web Development Projects > 11.2 Bootstrap Components > index.html > html > body

<ul class="dropdown-menu">
Act
And


<hr class="dropdown-divider">

Som

<li class="nav-item">
Disabled

<form class="d-flex" role="search">
<input class="form-control me-2" type="search
<button class="btn btn-outline-success" type=
</form>

</nav>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5
integrity="sha384-ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4j
</body>
Bootstrap Components
http://127.0.0.1:3000/11.2 Bootstrap Components/index.html
Navbar


EXPLORER
index.html
UNTITLED (WORKSPACE)
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
div#navbarSupportedContent.collapse.navbar-collapse
ul.navbar-nav.me-auto.mb-2.mb-lg-0
li.nav-item.dropdown
<li class="nav-item">
Link

<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle
Dropdown


<ul class="dropdown-menu">
Action
Another action


<hr class="dropdown-divider">


Something else here


<li class="nav-item">
Disabled

<form class="d-flex" role="search">
<input class="form-control me-2" type="search" placeholder="Search" aria-la
<button class="btn btn-outline-success" type="submit">Search</button>
</form>
Bootstrap Components
http://127.0.0.1:3000/11.2
Navbar
Home
Link
Dropdown
Disabled
Search
Search


http://127.0.0.1:3000/11.2 Bootstrap Components/index.html
Navbar
Home
Link
Dropdown
Action
Another action
Something else here
Disabled
Search
Search


index.html — Untitled (Workspace)
EXPLORER
index.html
Bootstrap Components
Bootstrap · The most popular
Bootstrap Components
Bootstrap Components
appbrewery.github.io/bootstrap-components/
Move It
Home
About
Services
Postcode
Check
Move With Joy
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
29 <li class="nav-item">
30 About
31
32 <li class="nav-item dropdown">
33 <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-togg
34 Dropdown
35
36 <ul class="dropdown-menu">
37 Action
38 Another action
39
40 <hr class="dropdown-divider">
41
42 Something else here
43


index.html — Untitled (Workspace)
EXPLORER
index.html
UNTITLED (WORKSPACE)
index.html > html > body > nav.navbar.navbar-expand-lg.bg-body-tertiary > div.container-fluid > a.navbar-brand
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
12 </style>
13 </head>
14
15 <body>
16
17 <nav class="navbar navbar-expand-lg bg-body-tertiary">
18
19 Move It
20 <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
21 aria-controls="navbarSupportedContent" aria-expanded="false" aria-la
22
23 </button>
24
25 <ul class="navbar-nav me-auto mb-2 mb-lg-0">
26 <li class="nav-item">
27 Home
28
29 <li class="nav-item">
30 About
31
32 <li class="nav-item dropdown">
33 <a class="nav-link dropdown-toggle" href="#" role="button" data-
Bootstrap Components
http://127.0.0.1:3000/11.2
Move It


index.html
.html > html > body > nav.navbar.navbar-expand-lg.bg-body-tertiary > div.container-fluid > a.navbar-brand > img
12 </style>
13 </head>
14
15 <body>
16
17 <nav class="navbar navbar-expand-lg bg-body-tertiary">
18
19 <a class="navbar-brand" href="#"><img src="./dog.jpg" height="20" alt=
20 <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
21 aria-controls="navbarSupportedContent" aria-expanded="false" aria-la
22
23 </button>
24
25 <ul class="navbar-nav me-auto mb-2 mb-lg-0">
26 <li class="nav-item">
27 Home
28
29 <li class="nav-item">
30 About
31
32 <li class="nav-item dropdown">
33 <a class="nav-link dropdown-toggle" href="#" role="button" data-
Bootstrap Components
http://127.0.0.1:3000/11.2
Move It

Bootstrap · The most popular | Box seam · Bootstrap Icons | Bootstrap Components | Bootstrap Components

icons.getbootstrap.com/icons/box-seam/

Docs Examples Icons Themes Blog

Icons / Box seam

Box seam

Tags: cardboard, package
Category: Real world

Implement Auth0 in any app in just 5 minutes. Start building today.

ads via Carbon



Examples

Heading

Smaller heading

Inline text

Example link text

Button Button Button

Download

Download the SVG to use or edit.

Download SVG

Icon font

Using the web font? Copy, paste, and go.

```
<i class="bi bi-box-seam"></i>
```


Code point

Unicode: U+F1C7
CSS: \F1C7
JS: \uF1C7
HTML: 

Copy HTML

Paste the SVG right into your project's code.

```
<svg xmlns="http://www.w3.org/2000/svg"
  <path d="M8.186 1.113a.5.5 0 0 0-.372
</svg>
```


EXPLORER
index.html
UNTITLED (WORKSPACE)
body > nav.navbar.navbar-expand-lg.bg-body-tertiary > div.container-fluid > a.navbar-brand > svg.bi.bi-box-seam
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
dy>
nav class="navbar navbar-expand-lg bg-body-tertiary">


<svg xmlns="http://www.w3.org/2000/svg"
path d="M8.186 1.113a.5.5 0 0 0-.372 0L1.846 3.5l2.404.961L10.404 2l-2.218-.
vg> Move It
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" da
aria-controls="navbarSupportedContent" aria-expanded="false" aria-label

</button>

<ul class="navbar-nav me-auto mb-2 mb-lg-0">
<li class="nav-item">
Home

<li class="nav-item">
About

<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-
Services
Bootstrap Components
http://127.0.0.1:3000/11
Move It


index.html
.html > html > body > nav.navbar.navbar-expand-lg.bg-body-tertiary > div.container-fluid > a.navbar-brand > img
dy>
nav class="navbar navbar-expand-lg bg-body-tertiary"


<img src="./box-seam.svg" alt="">
<button class="navbar-toggler" type="button" data-bs-toggle="collapse"
aria-controls="navbarSupportedContent" aria-expanded="false"


</button>

<ul class="navbar-nav me-auto mb-2 mb-lg-0">
<li class="nav-item">
Home

<li class="nav-item">
About

<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle" href="#" role="button"
Bootstrap Components
Move It


body > nav.navbar.navbar-expand-lg.bg-body-tertiary > div.container-fluid > a.navbar-brand > img
xpand-lg bg-body-tertiary">
id">
href="#"><img src="./box-seam.svg" alt="moveit brand icon" height="30"> M
oggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSup
SupportedContent" aria-expanded="false" aria-label="Toggle navigation">
oggler-icon">
vbar-collapse" id="navbarSupportedContent">
me-auto mb-2 mb-lg-0">
">
k active" aria-current="page" href="#">Home
">
k" href="#">About
dropdown">
k dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-e
Bootstrap Components
http://127.0.0.1:3000/11.2
Move It


UNTITLED (WORKSPACE)
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html

<ul class="dropdown-menu">
Action
Another action

<hr class="dropdown-divider">

Something else here

ul>
orm class="d-flex" role="search">
<input class="form-control me-2" type="search" placeholder="Search" aria-lab
<button class="btn btn-outline-success" type="submit">Check</button>
form>
v>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.b
ity="sha384-ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7NTKfAdVQSZe
http://127
Move It


Snippets

Common patterns for building sites and apps that build on existing components and utilities with custom CSS and more.



Headers

Display your branding, navigation, search, and more with these header components



Heroes

Set the stage on your homepage with heroes that feature clear calls to action.



Features

Explain the features, benefits, or other details in your marketing content.



Sidebars

Common navigation patterns ideal for offcanvas or multi-column layouts.



Footers

Finish every page strong with an awesome footer, big or small.



Dropdowns

Enhance your dropdowns with filters, icons, custom styles, and more.



List groups

Extend list groups with utilities and custom styles for any content.



Modals


Transform modals to serve any purpose, from feature tours to dialogs.












Chrome File Edit View History Bookmarks Profiles Tab Window Help
Bootstrap Components
Bootstrap Components
Move With Joy
Welcome to our website, where we are on a mission to provide exceptional moving services to customers in the US. As a startup, we believe that moving doesn't have to be stressful or complicated, and we are passionate about making the process as seamless and enjoyable as possible.
Get a Quote
Contact Us
ntered screenshot
onsive mobile-first sites with Bootstrap, the world's most popular front-end open
s and mixins, responsive grid system, extensive prebuilt components, and powerful
JavaScript plugins.
Primary button
Secondary
fast, responsive sites
Bootstrap
Installation


Bootstrap · The most popular
Box seam · Bootstrap Icons
Heroes · Bootstrap v5.3
Bootstrap Components
Bootstrap Components
getbootstrap.com/docs/5.3/examples/heroes/
div.px-4.pt-5.my-5.text-center.border-bottom
1181.11 × 687.54
Centered screenshot
Quickly design and customize responsive mobile-first sites with Bootstrap, the world's most popular front-end open source toolkit, featuring Sass variables and mixins, responsive grid system, extensive prebuilt components, and powerful JavaScript plugins.
Primary button
Secondary
Build fast, responsive sites with Bootstrap
Installation
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath
Styles
Computed
Filter
element.style {
.text-center {
.pt-5 {
.px-4 {
.my-5 {
.border-bottom {
*, ::after, ::before {
div {
Inherited from body
body {
html
body
main
div.px-4.pt-5.my-5.text-center.border-bottom
Console
What's New
Highlights from the Chrome 111 update


index.html — Untitled (Workspace)
EXPLORER
UNTITLED (WORKSPACE)
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
index.html
Web Development Projects > 11.2 Bootstrap Components > index.html > html > body
Another action


<hr class="dropdown-divider">

Something else here

<form class="d-flex" role="search">
<input class="form-control me-2" type="search" placeholder="Postco
<button class="btn btn-outline-success" type="submit">Check</butto
</form>

</nav>
paste
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/b
integrity="sha384-ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7N
crossorigin="anonymous"></script>
</body>
Bootstrap Components
http://127.0.0.
Move It

Change image



Bootstrap · The most popular | Box seam · Bootstrap Icons | Heroes · Bootstrap v5.3 | Bootstrap Components | Bootstrap Components

127.0.0.1:3000/11.2%20Bootstrap%20Components/index.html

Move It Home About Services Postcode Check

Move With Joy

Welcome to our website, where we are on a mission to provide exceptional moving services to customers in the US. As a startup, we believe that moving doesn't have to be stressful or complicated, and we are passionate about making the process as seamless and enjoyable as possible.

Get a Quote Contact Us





Why Move With Us?

Professional

Our team of professional movers are trained to prioritize efficiency, organization, and attention to detail. We understand that your possessions are more than just objects - they are a reflection of your life, memories, and experiences. That's why we take extra care to ensure that everything is packed and transported with the utmost care and attention.

Get a quote >

Countrywide

We offer a range of services to suit your individual needs, whether you're moving locally or across the country. Our team can handle everything from packing and loading to unloading and unpacking, so you can focus on settling into your new home. And with our transparent pricing and no hidden fees, you can trust that you're getting a fair and competitive rate for our services.

Get a quote >


Personal Touch


At our core, we believe that moving should be an exciting and positive experience, not a stressful one. By providing exceptional moving services in the US, we hope to revolutionize the way people think about moving and provide a better, more personalized experience for our customers. Contact us today to learn more about how we can help you with your next move.


Get a quote >




Goto the example of bootstrap




Bootstrap · The most popular
Box seam · Bootstrap Icons
Features · Bootstrap v5.3
Bootstrap Components
Bootstrap Components
getbootstrap.com/docs/5.3/examples/features/
Columns with icons
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Hanging icons
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button


Bootstrap · The most popular
Box seam · Bootstrap Icons
Features · Bootstrap v5.3
Bootstrap Components
Bootstrap Components
getbootstrap.com/docs/5.3/examples/features/
Columns with icons
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
div#featured-3.container.px-4.py-5
960 × 532.86
Hanging icons
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Styles
Computed
Layout
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Copy element
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath
html body main div#featured-3.container.px-4.py-5
Console
What's New
Highlights from the Chrome 111 update
Automatic in place pretty print


index.html — Untitled (Workspace)
EXPLORER
UNTITLED (WORKSPACE)
index.html
website-text.txt
Web Development Projects > 11.2 Bootstrap Components > index.html > html > body
9.1 Flex Direction
9.3 Flex Sizing
9.4 Flexbox Prici...
10.0 Display Grid
10.1 Grid Sizing
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
box-seam.svg
briefcase.svg
bus-front.svg
chat-square-he...
chevron-right.svg
couple.jpg
dog.jpg
family.jpg
index.html
moving-van.jpg
solution.css
solution.html
style.css
website-text.txt
11.3 TinDog Project
the
process as seamless and enjoyable as possible.
</p>

<button type="button" class="btn btn-primary btn-lg px-4 me-sm-3">Ge
<button type="button" class="btn btn-outline-secondary btn-lg px-4">

<img src="./moving-van.jpg" class="img-fluid border rounded-3 shadow
height="500" loading="lazy">

paste
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/b
integrity="sha384-ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7N
crossorigin="anonymous"></script>
</body>
</html>
Bootstrap Componer
http://12
Move It
Move W
Welcome to o
where we are
to provide ex
moving ser
customers in t
startup, we b
moving doesn'
stressful or co
and we are p
about making
as seamless ar
as poss

127.0.0.1:3000/11.2%20Bootstrap%20Components/index.html



Why Move With Us?

Professional

Our team of professional movers are trained to prioritize efficiency, organization, and attention to detail. We understand that your possessions are more than just objects - they are a reflection of your life, memories, and experiences. That's why we take extra care to ensure that everything is packed and transported with the utmost care and attention.

Get a quote

Countrywide

We offer a range of services to suit your individual needs, whether you're moving locally or across the country. Our team can handle everything from packing and loading to unloading and unpacking, so you can focus on settling into your new home. And with our transparent pricing and no hidden fees, you can trust that you're getting a fair and competitive rate for our services.

Get a quote

Personal Touch

At our core, we believe that moving should be an exciting and positive experience, not a stressful one. By providing exceptional moving services in the US, we hope to revolutionize the way people think about moving and provide a better, more personalized experience for our customers. Contact us today to learn more about how we can help you with your next move.

Get a quote



Why Move With Us?

Professional


Our team of professional movers are trained to prioritize efficiency, organization, and attention to detail. We understand that your possessions are more than just objects - they are a reflection of your life, memories, and experiences. That's why we take extra care to ensure that everything is packed and transported with the utmost care and attention.


Countrywide


We offer a range of services to suit your individual needs, whether you're moving locally or across the country. Our team can handle everything from packing and loading to unloading and unpacking, so you can focus on settling into your new home. And with our transparent pricing and no hidden fees, you can trust that you're getting a fair and competitive rate for our

Personal Touch

At our core, we believe that moving should be an exciting and positive experience, not a stressful one. By providing exceptional moving services in the US, we hope to revolutionize the way people think about moving and provide a better, more personalized experience for our customers. Contact us today to learn more about how we can help you with your next move.


Bootstrap · The most popular
Box seam · Bootstrap Icons
Features · Bootstrap v5.3
Bootstrap Components
Bootstrap Components
getbootstrap.com/docs/5.3/examples/features/
Columns with icons
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Call to action
Hanging icons
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Properties
.feature-icon {
width: 4rem;
height: 4rem;
border-radius: 0.75rem;
}
copy
features.css:1
Console
What's New
Highlights from the Chrome 111 update



Web Development Projects > 11.2 Bootstrap Components > index.html > html > head > style
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1.0">
7 <title>Bootstrap Components</title>
8 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha2/dist/css/b
9 integrity="sha384-aFq/bzH65dt+w6FI2ooMVUpc+21e0SRygnTpmBvdBgSdnuTN7QbdgL
10 <style>
11
12 </style>
13 </head>
14
15 <body>
16
17 <nav class="navbar nav
18 <div class="containe
19 <img src="./box-seam.svg" alt="moveit
20 <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
21 aria-controls="navbarSupportedContent" aria-expanded="false" aria-la
paste
<style>
.feature-icon {
width: 4rem;
height: 4rem;
border-radius: 0.75rem;
}
</style>
Move It
Move
Welcom
where we
to prov
movi
custome
startup,
moving d
stressfu
and we
about ma



height="500" loading="lazy">

<h2 class="pb-2 border-bottom">Why Move With Us?</h2>

<div
class="feature-icon d-inline-flex align-items-center justify-conte
<svg class="
<use xlink
</svg>

<h3 class="fs-2">Professional</h3>
Our team of professional movers are trained to prioritize efficie
We
understand that your possessions are more than just objects - they
and
experiences. That's why we take extra care to ensure that everythi
care and
attention.
<img src="./briefcase.svg" alt="briefcase">
Move It
Move Wit
Welcome to ou
where we are or
to provide exc
moving serv
customers in th
startup, we bel
moving doesn't
stressful or con
and we are pa
about making th
as seamless and


98 Get a quote
99 <svg class="bi">
100 <use xlink:href="#chevron-right"></use>
101 </svg>
102
103
104
105 <div
106 class="feature-icon d-inline-flex align-items-center justify-conter
107 <img src="./bus-front.svg" alt="bus-front">
108
109 <h3 class="fs-2">Countrywide</h3>
110 We offer a range of services to suit your individual needs, whethe
111 country. Our
112 team can handle everything from packing and loading to unloading ar
113 into your
114 new home. And with our transparent pricing and no hidden fees, you
115 competitive
116 rate for our services.
117
118 Get a quote
119 <svg class="bi">
Move It
Move With
Welcome to our web
where we are on a m
to provide exceptio
moving services
customers in the US
startup, we believe
moving doesn't have
stressful or complica
and we are passior
about making the pro
as seamless and enjo


19 <svg class="bi">
20 <use xlink:href="#chevron-right"></use>
21 </svg>
22
23
24
25 <div
26 class="feature-icon d-inline-flex align-items-center justify-conte
27 <img src="./chat-square-heart.svg" alt="chat-square-heart">
28
29 <h3 class="fs-2">Personal Touch</h3>
30 At our core, we believe that moving should be an exciting and pos
31 providing
32 exceptional moving services in the US, we hope to revolutionize the
33 a better,
34 more personalized experience for our customers. Contact us today t
35 your next
36 move.
37 <a href="#" class="icon-link">
38 Get a quote
39 <svg class="bi">
40 <use xlink:href="#chevron-right"></use>
Move It
Move W
Welcome to
where we are
to provide
moving s
customers ir
startup, we
moving does
stressful or
and we are
about making
as seamless



Why Move With Us?

Professional

Our team of professional movers are trained to prioritize efficiency, organization, and attention to detail. We understand that your possessions are more than just objects - they are a reflection of your life, memories, and experiences. That's why we take extra care to ensure that everything is packed and transported with the utmost care and attention.

Get a quote

Countrywide


We offer a range of services to suit your individual needs, whether you're moving locally or across the country. Our team can handle everything from packing and loading to unloading and unpacking, so you can focus on settling into your new home. And with our transparent pricing and no hidden fees, you can trust that you're getting a fair and competitive rate for our services.


Personal Touch

At our core, we believe that moving should be an exciting and positive experience, not a stressful one. By providing exceptional moving services in the US, we hope to revolutionize the way people think about moving and provide a better, more personalized experience for our customers. Contact us today to learn more about how we can help you with your next move.

Get a quote

Setting height attribute of the all other




index.html
website-text.txt
div#featured-3.container.px-4.py-5 > div.row.g-4.py-5.row-cols-1.row-cols-lg-3 > div.feature.col > a.icon-link > img
<h3 class="fs-2">Personal Touch</h3>
At our core, we believe that moving should be an exciting and pos
providing
exceptional moving services in the US, we hope to revolutionize th
a better,
more personalized experience for our customers. Contact us today t
your next
move.

Get a quote
<img src="./chevron-right.svg" alt="chevron-right">

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/b
integrity="sha384-ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7N
crossorigin="anonymous"></script>
</body>
Bootstrap Compone
Move It
Move W
Welcome to
where we are
to provide e
moving se
customers in
startup, we b
moving doesn
stressful or c
and we are
about making
as seamless a

Exercise

Checks & radios
Range
Input group
Floating labels
Layout
Validation

Components
Accordion
Alerts
Badge
Breadcrumb
Buttons
Button group
Card
Carousel
Close button
Collapse
Dropdowns
List group
Modal
Navbar
Navs & tabs
Offcanvas
Pagination

Carousel

View on GitHub

A slideshow component for cycling through elements—images or slides of text—like a carousel.



Get infrastructure at software speed, powerful DevOps integrations, and hybrid cloud solutions.

ads via Carbon

How it works


- The carousel is a slideshow for cycling through a series of content, built with CSS 3D transforms and a bit of JavaScript. It works with a series of images, text, or custom markup. It also includes support for previous/next controls and indicators.
- For performance reasons, **carousels must be manually initialized** using the carousel constructor method. Without initialization, some of the event listeners (specifically, the events needed touch/swipe support) will not be registered until a user has explicitly activated a control or indicator.

  The only exception are autoplaying carousels with the `data-bs-ride="carousel"` attribute as these are initialized automatically on page load. If you're using autoplaying carousels with the data attribute, **don't explicitly initialize the same carousels with the constructor method.**
- Nested carousels are not supported. You should also be aware that carousels in general can often cause usability and accessibility challenges.


On this page


How it works
Basic examples
Indicators
Captions
Crossfade
Autoplaying carousels
Individual .carousel-item interval
Autoplaying carousels without controls
Disable touch swiping
Dark variant
Custom transition
CSS
Sass variables
Usage
Via data attributes
Via JavaScript
Options
Methods
Events

appbrewery.github.io/bootstrap-components/



appbrewery.github.io/bootstrap-components/





getbootstrap.com/docs/5.3/components/carousel/
Docs
Examples
Icons
Themes
Blog
Search
v5.3
Form control
Select
Checks & radios
Range
Input group
Floating labels
Layout
Validation
Components
Accordion
Alerts
Badge
Breadcrumb
Buttons
Button group
Card
Carousel
Close button
Collapse
Dropdowns
List group
Modal
Navbar
Navs & tabs
Offcanvas
Pagination
Placeholders
Popovers
Progress
Scrollspy
Spinners
the reduced motion section of our accessibility documentation.
Basic examples
Here is a basic example of a carousel with three slides. Note the previous/next controls. We recommend using <button> elements, but you can also use <a> elements with role="button".
First slide
HTML

<img src="..." class="d-block w-100" alt="...">

<img src="..." class="d-block w-100" alt="...">

<img src="..." class="d-block w-100" alt="...">
On this page
How it works
Basic examples
Indicators
Captions
Crossfade
Autoplaying carousels
Individual .carousel-item interval
Autoplaying carousels without controls
Disable touch swiping
Dark variant
Custom transition
CSS
Sass variables
Usage
Via data attributes
Via JavaScript
Options
Methods
Events



Bootstrap · The most popular
Box seam · Bootstrap Icons
Carousel · Bootstrap v5.3
Carousel Template · Bootstrap
Bootstrap Components
Bootstrap Components
getbootstrap.com/docs/5.3/components/carousel/
Docs Examples Icons Themes Blog
Search ⌘K
v5.3
Select
Checks & radios
Range
Input group
Floating labels
Layout
Validation
Components
Accordion
Alerts
Badge
Breadcrumb
Buttons
Button group
Card
Carousel
Close button
Collapse
Dropdowns
List group
Modal
Navbar
Navs & tabs
Offcanvas
Pagination
Placeholders
Popovers
Progress
Scrollspy
Spinners
Indicators
You can add indicators to the carousel, alongside the previous/next controls. The indicators let users jump directly to a particular slide.
Third slide
HTML
Copied!

<button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to=
<button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to=
<button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to=

<img src="..." class="d-block w-100" alt="...">

<img src="..." class="d-block w-100" alt="...">


On this page
How it works
Basic examples
Indicators
Captions
Crossfade
Autoplaying carousels
Individual .carousel-item interval
Autoplaying carousels without controls
Disable touch swiping
Dark variant
Custom transition
CSS
Sass variables
Usage
Via data attributes
Via JavaScript
Options
Methods
Events


index.html
website-text.txt
b Development Projects > 11.2 Bootstrap Components > index.html > html > body > div#featured-3.container.px-4.py-5
class="feature-icon d-inline-flex align-items-center justify-conte
<img src="./chat-square-heart.svg" alt="chat-square-heart" height=

<h3 class="fs-2">Personal Touch</h3>
At our core, we believe that moving should be an exciting and pos
providing
exceptional moving services in the US, we hope to revolutionize th
a better,
more personalized experience for our customers. Contact us today t
your next
move.

Get a quote
<img src="./chevron-right.svg" alt="chevron-right">

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/b
integrity="sha384-ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7N
crossorigin="anonymous"></script>
</body>
Bootstrap Component
http://127.
Move It
Move Wi
Welcome to ou
where we are o
to provide ex
moving serv
customers in th
startup, we be
moving doesn't
stressful or co
and we are pa
about making t
as seamless an
as possi


website-text.txt
11.2 Bootstrap Components > index.html > html > body > div#carouselExampleIndicators.carousel.slide
<button type="button" data-bs-target="#carouselExampleIndicators" data
aria-label="Slide 3"></button>

<img src="..." class="d-block w-100" alt="...">


<img src="..." class="d-block w-100" alt="...">


<img src="..." class="d-block w-100" alt="...">

<button class="carousel-control-prev" type="button" data-bs-target="#car
data-bs-slide="prev">


Previous
</button>
<button class="carousel-control-next" type="button" data-bs-target="#car
data-bs-slide="next">


Next
</button>
Bootstrap Components
Move It
Move With J
Welcome to our webs
where we are on a mis
to provide exceptior
moving services to
customers in the US.
startup, we believe th
moving doesn't have t
stressful or complicat
and we are passiona
about making the proc
as seamless and enjoy
as possible.



index.html
website-text.txt
body > div#carouselExampleIndicators.carousel.slide > div.carousel-inner > div.carousel-item > img.d-block.w-100
147 <button type="button" data-bs-target="#carouselExampleIndicators" data
148 aria-label="Slide 3"></button>
149
150
151
152 <img src="./couple.jpg" class="d-block w-100" alt="couple">
153
154
155 <img src="./dog.jpg" class="d-block w-100" alt="dog">
156
157
158 <img src="./family.jpg" class="d-block w-100" alt="family">
159
160
161 <button class="carousel-control-prev" type="button" data-bs-target="#car
162 data-bs-slide="prev">
163
164 Previous
165 </button>
166 <button class="carousel-control-next" type="button" data-bs-target="#car
167 data-bs-slide="next">
168
169 Next
170 </button>
Bootstrap Components
http://127.0.0.
Move It
Move With
Welcome to our
where we are on a
to provide exce
moving servic
customers in the
startup, we belie
moving doesn't ha
stressful or comp
and we are pass
about making the
as seamless and e
as possible



Docs Examples Icons Themes Blog
Search ⌘K
v5.3
Getting started
Introduction
Download
Contents
Browsers & devices
JavaScript
Webpack
Parcel
Vite
Accessibility
RFS
RTL
Contribute
Customize
Overview
Sass
Options
Color
Color modes
Components
CSS variables
Optimize
Layout
Breakpoints
Containers
Grid
Columns
Gutters
How they work
Containers are the most basic layout element in Bootstrap and are required when using our default grid system. Containers are used to contain, pad, and (sometimes) center the content within them. While containers can be nested, most layouts do not require a nested container.
Bootstrap comes with three different containers:
.container, which sets a max-width at each responsive breakpoint
.container-{breakpoint}, which is width: 100% until the specified breakpoint
.container-fluid, which is width: 100% at all breakpoints
The table below illustrates how each container's max-width compares to the original .container and .container-fluid across each breakpoint.
See them in action and compare them in our Grid example.
Extra small <576px
Small ≥576px
Medium ≥768px
Large ≥992px
X-Large ≥1200px
XX-Large ≥1400px
.container 100% 540px 720px 960px 1140px 1320px
.container-sm 100% 540px 720px 960px 1140px 1320px
.container-md 100% 100% 720px 960px 1140px 1320px
.container-lg 100% 100% 100% 960px 1140px 1320px
.container-xl 100% 100% 100% 100% 1140px 1320px
.container-xxl 100% 100% 100% 100% 100% 1320px
.container-fluid 100% 100% 100% 100% 100% 100%
Default container
Our default .container class is a responsive, fixed-width container, meaning its max-width changes at each breakpoint.
On this page
How they work
Default container
Responsive containers
Fluid containers
Sass

Insert container into the Carousel




Bootstrap · The most popular
Box seam · Bootstrap Icons
Containers · Bootstrap v5.3
Examples · Bootstrap v5.3
getbootstrap.com/docs/5.3/examples/
Docs
Examples
Icons
Themes
Blog
v5.3
web font.
Edit in StackBlitz
Snippets
Common patterns for building sites and apps that build on existing components and utilities with custom CSS and more.
Headers
Display your branding, navigation, search, and more with these header components
Heroes
Set the stage on your homepage with heroes that feature clear calls to action.
Features
Explain the features, benefits, or other details in your marketing content.
Sidebars
Common navigation patterns ideal for offcanvas or multi-column layouts.
Footers
Finish every page strong with an awesome footer, big or small.
Dropdowns
Enhance your dropdowns with filters, icons, custom styles, and more.
List groups
Extend list groups with utilities and custom styles for any content.
Modals
Transform modals to serve any purpose, from feature tours to dialogs.


Bootstrap · The most popular
Box seam · Bootstrap icons
Containers · Bootstrap v5.3
Footers · Bootstrap v5.3
Bootstrap Components
Bootstrap Components
getbootstrap.com/docs/5.3/examples/footers/
Home Features Pricing FAQs About
© 2023 Company, Inc
div.container 960 × 304.47
Section
Home
Features
Pricing
FAQs
About
© 2023
Subscribe to our newsletter
Monthly digest of what's new and exciting from us.
Email address
Subscribe
Elements Console Sources Network Performance Memory Application Security
Styles Computed Layout Event Listeners DOM Breakpoints Properties
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Services
Copy element
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath
Console
What's New



index.html
website-text.txt
Web Development Projects > 11.2 Bootstrap Components > index.html > html > body

<button class="carousel-control-prev" type="button" data-bs-target="#c
data-bs-slide="prev">

Previous
</button>
<button class="carousel-control-next" type="button" data-bs-target="#c
data-bs-slide="next">

Next
</button>

paste
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/b
integrity="sha384-ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7N
crossorigin="anonymous"></script>
</body>
</html>
Bootstrap Components
http://127.0.0.1:
Move It
Move With
Welcome to our w
where we are on a
to provide excep
moving service
customers in the U
startup, we believ
moving doesn't hav
stressful or compli
and we are passi
about making the p
as seamless and er
as possible.


index.html
website-text.txt
Web Development Projects > 11.2 Bootstrap Components > index.html > html > body > div.container > footer.ro
198
199
200
201 <h5>Section</h5>
202 <ul class="nav flex-column">
203 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
204 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
205 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
206 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
207 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
208
209
210
211
212 <h5>Section</h5>
213 <ul class="nav flex-column">
214 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
215 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
216 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
217 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
218 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
219
220
221 </footer>
Bootstrap Components
http://127.0.0.1:3000/11.2
Move It
Move With Joy
Welcome to our website, where we are on a mission to provide exceptional moving services to customers in the US. As a startup, we believe that moving doesn't have to be stressful or complicated, and we are passionate about making the process as seamless and enjoyable as possible.

Snippets

Snippets

Common patterns for building sites and apps that build on existing components and utilities with custom CSS and more.



Headers

Display your branding, navigation, search, and more with these header components



Heroes

Set the stage on your homepage with heroes that feature clear calls to action.



Features

Explain the features, benefits, or other details in your marketing content.



Sidebars

Common navigation patterns ideal for offcanvas or multi-column layouts.

Spacing

Notation

Spacing utilities that apply to all breakpoints, from `xs` to `xxl`, have no breakpoint abbreviation in them. This is because those classes are applied from `min-width: 0` and up, and thus are not bound by a media query. The remaining breakpoints, however, do include a breakpoint abbreviation.

The classes are named using the format `{property}{sides}-{size}` for `xs` and `{property}{sides}-{breakpoint}-{size}` for `sm`, `md`, `lg`, `xl`, and `xxl`.

Where *property* is one of:


- `m` - for classes that set `margin`
- `p` - for classes that set `padding`

Where *sides* is one of:

- `t` - for classes that set `margin-top` or `padding-top`
- `b` - for classes that set `margin-bottom` or `padding-bottom`
- `s` - (start) for classes that set `margin-left` or `padding-left` in LTR, `margin-right` or `padding-right` in RTL
- `e` - (end) for classes that set `margin-right` or `padding-right` in LTR, `margin-left` or `padding-left` in RTL
- `x` - for classes that set both `*-left` and `*-right`
- `y` - for classes that set both `*-top` and `*-bottom`
- blank - for classes that set a `margin` or `padding` on all 4 sides of the element

Where *size* is one of:

- `0` - for classes that eliminate the `margin` or `padding` by setting it to `0`
- `1` - (by default) for classes that set the `margin` or `padding` to `$spacer * .25`
- `2` - (by default) for classes that set the `margin` or `padding` to `$spacer * .5`
- `3` - (by default) for classes that set the `margin` or `padding` to `$spacer`
- `4` - (by default) for classes that set the `margin` or `padding` to `$spacer * 1.5`
- `5` - (by default) for classes that set the `margin` or `padding` to `$spacer * 3`
- `auto` - for classes that set the `margin` to auto


body > div.container > footer.row.row-cols-1.row-cols-sm-2.row-cols-md-5.py-5.my-5.border-top > div.col.mb-3
198
199
200
201 <h5>Section</h5>
202 <ul class="nav flex-column">
203 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
204 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
205 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
206 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
207 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
208
209
210
211
212 <h5>Section</h5>
213 <ul class="nav flex-column">
214 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
215 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
216 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
217 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
218 <li class="nav-item mb-2"><a href="#" class="nav-link p-0 text-bod
219
220
margin-bottom-size2
http://127.0.0.1:3000/
Move It
Move With Jo
Welcome to our websi
where we are on a miss
to provide exceptiona
moving services to
customers in the US. A
startup, we believe th
moving doesn't have to
stressful or complicate
and we are passionat
about making the proc
as seamless and enjoya

Dark Mode

```
<html lang="en" data-bs-theme="dark">
```

Contents
Browsers & devices
JavaScript
Webpack
Parcel
Vite
Accessibility
RFS
RTL
Contribute

Customize
Overview
Sass
Options
Color
Color modes
Components
CSS variables
Optimize

Layout
Breakpoints
Containers
Grid
Columns
Gutters
Utilities

reasons. First, it's better to have a single place to reset global colors. Second, some Sass variables had to be overridden for background images embedded in our CSS for accordions, form components, and more.

Usage

Enable dark mode

Enable the built in dark color mode across your entire project by adding the `data-bs-theme="dark"` attribute to the `<html>` element. This will apply the dark color mode to all components and elements, other than those with a specific `data-bs-theme` attribute applied. Building on the quick start template:


```
<!doctype html>
<html lang="en" data-bs-theme="dark">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Bootstrap demo</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.
  </head>
  <body>
    <h1>Hello, world!</h1>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.
  </body>
</html>
```


Bootstrap does not yet ship with a built-in color mode picker, but you can use the one from our own documentation if you like. Learn more in the JavaScript section.

Building with Sass


Our new dark mode option is available to use for all users of Bootstrap, but it's controlled via data attributes


How it works
Usage
Enable dark mode
Building with Sass
Custom color modes
JavaScript
CSS
Variables
Sass variables
Sass mixin


index.html
website-text.txt
Web Development Projects > 11.2 Bootstrap Components > index.html > html
1 <!DOCTYPE html>
2 <html lang="en" data-bs-theme="dark">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1.0">
7 <title>Bootstrap Components</title>
8 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha2/dist/css/b
9 integrity="sha384-aFq/bzH65dt+w6FI2ooMVUpc+21e0SRygnTpmBvdBgSdnuTN7QbdgL
10 <style>
11 .feature-icon {
12 width: 4rem;
Bootstrap C
Move
Welcom
where w
to pro


Bootstrap · The most popular
Box seam · Bootstrap Icons
Color modes · Bootstrap v5.3
Footers · Bootstrap v5.3
Bootstrap Components
Bootstrap Components
127.0.0.1:3000/11.2%20Bootstrap%20Components/index.html
ove It
Home
About
Services
Postcode
Move With Joy
Welcome to our website, where we are on a mission to provide exceptional moving services to customers in the US. As a startup, we believe that moving doesn't have to be stressful or complicated, and we are passionate about making the process as seamless and enjoyable as possible.
Get a Quote
Contact Us

www.w3schools.com/bootstrap/bootstrap_templates.asp





Bootstrap · The most popular
Box seam · Bootstrap Icons
Color modes · Bootstrap v5.3
Footers · Bootstrap v5.3
Bootstrap Components
Bootstrap Components
Bootstrap Templates
w3schools.com/bootstrap/bootstrap_templates.asp
HTML CSS JAVASCRIPT SQL PYTHON JAVA PHP BOOTSTRAP HOW TO W3.CSS C C++ C# REACT R JQUERY DJANGO TYPESCRIPT NODEJS MYSQL
BS List Groups
BS Panels
BS Dropdowns
BS Collapse
BS Tabs/Pills
BS Navbar
BS Forms
BS Inputs
BS Inputs 2
BS Input Sizing
BS Media Objects
BS Carousel
BS Modal
BS Tooltip
BS Popover
BS Scrollspy
BS Affix
BS Filters
Bootstrap Grids
BS Grid System
BS Stacked/Horizontal
BS Grid Small
BS Grid Medium
BS Grid Large
BS Grid Examples
Bootstrap Themes
BS Templates
BS Theme "Simply Me"
BS Theme "Company"
BS Theme "Band"
Blog:
3 col
9 col
Footer
Try it Yourself »
Portfolio:
Try it Yourself »
Webpage:
Try it Yourself »
Social:
Try it Yourself »

TinDog Project

A Startup website built with Bootstrap



https://appbrewery.github.io/tindog




Project




TinDog
Project.zip

Index.html


Code File Edit Selection View Go Run Terminal Window Help
index.html — Untitled (Workspace)
EXPLORER
index.html
README.md
Web Development Projects > 11.3 TinDog Project > index.html > html > body
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
tnw.png
index.html
README.md
solution.html
OUTLINE
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1.0">
7 <title>TinDog</title>
8 </head>
9
10 <body>
11
12 <!-- Title -->
13 <section id="title">
14
15 </section>
16 <!-- Features -->
17 <section id="features">
18
19 </section>
20 <!-- Testimonial -->
21 <section id="testimonial">
22
23 </section>
24 <!-- Pricing -->
25 <section id="pricing">
Wed 5 A

section




```
  <!-- Title -->
<section id="title">

</section>
  <!-- Features -->
<section id="features">


</section>
  <!-- Testimonial -->
<section id="testimonial">

</section>
  <!-- Pricing -->
<section id="pricing">


</section>
  <!-- Footer -->
<section id="footer">
```



title-goal


11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
tnw.png
index.html
README.md
gradient-background
Meet new and interesting dogs nearby.
Download
Download
Apple SVG
in Readme md
btn-light
btn-outline-light
iphone.png
No padding at the bottom

README.md


10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
tnw.png
index.html
README.md
solution.html
OUTLINE
5 Apple Logo:
6 <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor"
7 class="bi bi-apple mb-1" viewBox="0 0 16 16">
8 <path
9 d="M11.182.008C11.148-.03 9.923.023 8.857 1.18c-1.066 1.156-.902 2.482-.878 2.516.024.034 1.52.087 2.475-1.258.955-1.345.762-2.391.728-2.43Zm3.314 11.733c-.048-.096-2.325-1.234-2.113-3.422.212-2.189 1.675-2.789 1.698-2.854.023-.065-.597-.79-1.254-1.157a3.692 3.692 0 0 0-1.563-.434c-.108-.003-.483-.095-1.254.116-.508.139-1.653.589-1.968.607-.316.018-1.256-.522-2.267-.665-.647-.125-1.333.131-1.824.328-.49.196-1.422.754-2.074 2.237-.652 1.482-.311 3.83-.067 4.56.244.729.625 1.924 1.273 2.796.576.984 1.34 1.667 1.659 1.899.319.232 1.219.386 1.843.067.502-.308 1.408-.485 1.766-.472.357.013 1.061.154 1.782.539.571.197 1.111.115 1.652-.105.541-.221 1.324-1.059 2.238-2.758.347-.79.505-1.217.473-1.282Z" />
10 <path
11 d="M11.182.008C11.148-.03 9.923.023 8.857 1.18c-1.066 1.156-.902 2.482-.878 2.516.024.034 1.52.087 2.475-1.258.955-1.345.762-2.391.728-2.43Zm3.314 11.733c-.048-.096-2.325-1.234-2.113-3.422.212-2.189 1.675-2.789 1.698-2.854.023-.065-.597-.79-1.254-1.157a3.692 3.692 0 0 0-1.563-.434c-.108-.003-.483-.095-1.254.116-.508.139-1.653.589-1.968.607-.316.018-1.256-.522-2.267-.665-.647-.125-1.333.131-1.824.328-.49.196-1.422.754-2.074 2.237-.652 1.482-.311 3.83-.067 4.56.244.729.625 1.924 1.273 2.796.576.984 1.34 1.667 1.659 1.899.319.232 1.219.386 1.843.067.502-.308 1.408-.485 1.766-.472.357.013 1.061.154 1.782.539.571.197 1.111.115 1.652-.105.541-.221 1.324-1.059 2.238-2.758.347-.79.505-1.217.473-1.282Z" />
12 </svg>
13

TinDog | Examples · Bootstrap v5.3 | Pure CSS Gradient Backgroun

getbootstrap.com/docs/5.3/examples/

Docs Examples Icons Themes Blog v5.3

Webpack

Import and bundle Bootstrap's source Sass and JavaScript with Webpack.

Edit in StackBlitz

Parcel

Import and bundle Bootstrap's source Sass and JavaScript via Parcel.

Edit in StackBlitz

Vite

Import and bundle Bootstrap's source Sass and JavaScript with Vite.

Edit in StackBlitz

Bootstrap Icons

Import and compile Bootstrap's Sass with Stylelint, PurgeCSS, and the Bootstrap Icons web font.

Edit in StackBlitz

Snippets

Common patterns for building sites and apps that build on existing components and utilities with custom CSS and more.



Headers

Display your branding, navigation, search, and more with these header components



Heroes

Set the stage on your homepage with heroes that feature clear calls to action.



Features

Explain the features, benefits, or other details in your marketing content.



Sidebars

Common navigation patterns ideal for offcanvas or multi-column layouts.












https://codepen.io/P1N2O/pen/pyBNzX





Choose template







Copy element from inspector





2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=devi
7 <title>TinDog</title>
8 </head>
9
10 <body>
11
12 <!-- Title -->
13 <section id="title">
14 *paste*
15 </section>
16 <!-- Features -->
17 <section id="features">
18
19 </section>
20 <!-- Testimonial -->
21 <section id="testimonial">
22
23 </section>


Web Development Projects > 11.3 TinDog Project > index.html > html > body > section#title
11
12 <!-- Title -->
13 <section id="title">
14
15
16
17 <img src="bootstrap-themes.png" class="d-block mx-lg-auto img-fluid" alt="Bootstrap T
18 height="500" loading="lazy">
19
20
21 <h1 class="display-5 fw-bold text-body-emphasis lh-1 mb-3">Responsive left-aligned he
22 Quickly design and customize responsive mobile-first sites with Boots
23 popular front-end open source toolkit, featuring Sass variables and mixins, respons
24 prebuilt components, and powerful JavaScript plugins.
25
26 <button type="button" class="btn btn-primary btn-lg px-4 me-md-2">Primary</button>
27 <button type="button" class="btn btn-outline-secondary btn-lg px-4">Default</button
28
29
30
31
32 </section>
33 <!-- Features -->

Copy link


Docs Examples Icons Themes Blog
v5.3
Get started any way you want
Jump right into building with Bootstrap—use the CDN, install it via package manager, or download the source code.
Read installation docs →
Install via package manager
Install Bootstrap's source Sass and JavaScript files via npm, RubyGems, Composer, or Meteor. Package managed installs don't include documentation or our full build scripts. You can also use any demo from our Examples repo to quickly jumpstart Bootstrap projects.
$ npm install bootstrap@5.3.0-alpha3
$ gem install bootstrap -v 5.3.0-alpha3
Read our installation docs for more info and additional package managers.
Include via CDN
When you only need to include Bootstrap's compiled CSS or JS, you can use jsDelivr. See it in action with our simple quick start, or browse the examples to jumpstart your next project. You can also choose to include Popper and our JS separately.
Copied!
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpl


KSPACE)
Web Development Projects > 11.3 TinDog Project > index.html > html > head > link
d Placem...
ndrian Pr...
tstrap Int...
tstrap La...
tstrap Co...
Dog Project
on.css
css
ages
res-goal.j...
r-goal.jpg
g-goal.jpg
onial-go...
goal.jpg
sider.png
mg.jpg
2 <html lang="en">
3
4 <head>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1.0">
7 <title>TinDog</title>
8 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="styleshe
integrity="sha384-KK94CHFLLe+nY2dmCWGMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy+dN9+nJOZ" crossorigin="anony
10 </head>
11
12 <body>
13
14 <!-- Title -->
15 <section id="title">
16
17
18

Change image and size

```
<!-- Title -->
<section id="title">
  <div class="container col-xxl-8 px-4 py-5">
    <div class="row flex-lg-row-reverse align-items-center g-5 py-5">
      <div class="col-10 col-sm-8 col-lg-6">
        <img src="./images/iphone.png" class="d-block mx-lg-auto img-fluid" alt="
          height="500" loading="lazy">
      </div>
      <div class="col-lg-6">
        <h1 class="display-5 fw-bold text-body-emphasis lh-1 mb
        <p class="lead">Quickly design and customize responsive
          popular front-end open source toolkit, featuring Sass
          extensive
          prebuilt components, and powerful JavaScript plugins.
        <div class="d-grid gap-2 d-md-flex justify-content-md-s
          <button type="button" class="btn btn-primary btn-lg p
          <button type="button" class="btn btn-outline-secondar
        </div>
      </div>
    </div>
```

```
-5 py-5">

auto img-fluid" alt="app demo" width="700" height="500"

mb-3">Responsive left-aligned hero with image</h1>
ive mobile-first sites with Bootstrap, the world's most
ass variables and mixins, responsive grid system,

ns.</p>
d-start">
px-4 me-md-2">Primary</button>
```

200


Responsive left-aligned hero with image

Quickly design and customize responsive mobile-first sites with Bootstrap, the world's most popular front-end open source toolkit, featuring Sass variables and mixins, responsive grid system, extensive prebuilt components, and powerful JavaScript plugins.

Primary Default




Copy text


section id="title"

<img src="./images/iphone.png" class="d-block mx-lg-auto img-fluid" alt="app demo" height="200"
loading="lazy">

<h1 class="display-5 fw-bold text-body-emphasis lh-1 mb-3">Meet new and interesting dogs nearby.</h
Quickly design and customize responsive mobile-first sites with Bootstrap, the worl
popular front-end open source toolkit, featuring Sass variables and mixins, responsive grid syste
extensive
prebuilt components, and powerful JavaScript plugins.

<button type="button" class="btn btn-primary btn-lg px-4 me-md-2">Primary</button>
<button type="button" class="btn btn-outline-secondary btn-lg px-4">Default</button>


!-- Title -->
section id="title">

<img src="./images/iphone.png" class="d-block mx-lg-auto img-fluid" alt="app demo" height="200"
loading="lazy">


<h1 class="display-5 fw-bold text-body-emphasis lh-1 mb-3">Meet new and interesting dogs nearby.</h

<button type="button" class="btn btn-primary btn-lg px-4 me-md-2">Download</button>
<button type="button" class="btn btn-outline-secondary btn-lg px-4">Download</button>


abc Download

/section>
!-- Features -->
section id="features">


Copy svg


EXPLORER
index.html
title-goal.jpg
README.md
Web Development Projects > 11.3 TinDog Project > README.md > # TinDog Project > ## SVGs:
UNTITLED (WORKSPACE)
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
tnw.png
index.html
README.md
solution.html
<path
d="M11.182.008C11.148-.03 9.923.023 8.857 1.18c-1.066 1.156-.902 2.482-.878 2.516.024
034 1.52.087 2.475-1.258.955-1.345.762-2.391.728-2.43Zm3.314 11.733c-.048-.096-2.
325-1.234-2.113-3.422.212-2.189 1.675-2.789 1.698-2.854.023-.065-.597-.79-1.254-1.
157a3.692 3.692 0 0 0-1.563-.434c-.108-.003-.483-.095-1.254.116-.508.139-1.653.589-1.
968.607-.316.018-1.256-.522-2.267-.665-.647-.125-1.333.131-1.824.328-.49.196-1.422.
754-2.074 2.237-.652 1.482-.311 3.83-.067 4.56.244.729.625 1.924 1.273 2.796.576.984
1.34 1.667 1.659 1.899.319.232 1.219.386 1.843.067.502-.308 1.408-.485 1.766-.472.357
013 1.061.154 1.782.539.571.197 1.111.115 1.652-.105.541-.221 1.324-1.059 2.238-2.758
347-.79.505-1.217.473-1.282Z" />
</svg>
Google Play Logo:
<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor"

Paste apple logo




Let you creating google play logo yourself






button


21
22
23 <h1 class="display-5 fw-bold text-body-emphasis lh-1 mb-3">Meet new and interesting
24
25
26 <button type="button" class="btn btn-light btn-lg px-4 me-md-2"><svg xmlns="http:/
27 width="16" height="16" fill="currentColor" class="bi bi-apple mb-1" viewBox="0
28 <path
29 d="M11.182.008C11.148-.03 9.923.023 8.857 1.18c-1.066 1.156-.902 2.482-.878
30 <path
31 d="M11.182.008C11.148-.03 9.923.023 8.857 1.18c-1.066 1.156-.902 2.482-.878
32 </svg> Download</button>
33 <button type="button" class="btn btn-outline-light btn-lg px-4"><svg xmlns="http:/
34 width="16" height="16" fill="currentColor" class="bi bi-google-play mb-1" view
35 <path
36 d="M14.222 9.374c1.037-.61 1.037-2.137 0-2.748L11.528 5.04 8.32 8l3.207 2.96
37 </svg> Download</button>


Background


Web Development Projects > 11.3 TinDog Project > index.html > html > body > section#title.gradient-background > div.container.col-xxl-8.px-4.py-5.
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>TinDog</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesh
integrity="sha384-KK94CHFLLe+nY2dmCWGMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy+dN9+nJOZ" crossorigin="anony
<link rel="stylesheet" href="./css/style.css">
</head>
<body>
<!-- Title -->
<section id="title" class="gradient-background">

<img src="./images/iphone.png" class="d-block mx-lg-auto img-fluid" alt="app demo" height="200"
loading="lazy">

<h1 class="display-5 fw-bold text-body-emphasis lh-1 mb-3">Meet new and interesting dogs nearby.


Remove padding




Change padding to top only


```
9       integrity="sha384-KK94CHFLLe+nY2dmCWGMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy+dN9+nJOZ" c
10    <link rel="stylesheet" href="./css/style.css">
11  </head>
12
13  <body>
14
15    <!-- Title -->
16    <section id="title" class="gradient-background">
17      <div class="container col-xxl-8 px-4 pt-5 ">
18        <div class="row flex-lg-row-reverse align-items-center g-5 pt-5">
19          <div class="col-10 col-sm-8 col-lg-6">
20            <img src="./images/iphone.png" class="d-block mx-lg-auto img-fluid" alt="app de
21              loading="lazy">
22          </div>
23          <div class="col-lg-6">
24            <h1 class="display-5 fw-bold text-body-emphasis lh-1 mb-3">Meet new and interes
25
26            <div class="d-grid gap-2 d-md-flex justify-content-md-start">
```


Feature section




Feature template




just keep going until we run out of words.
Call to action
just keep going until we run out of words.
Call to action
just keep going until we run out of words.
Call to action
div.row.g-4.py-5.row-cols-1.row-cols-lg-3
936 × 364.35
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Featured title
Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.
Primary button
Custom cards
Elements
Console
Sources
Network
Performance
Memory
Application
Styles
Computed
Layout
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Copy element
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath
Console
What's New
Highlights from the Chrome 111 update
Automatic in place pretty print
The Sources panel now automatically pretty-prints minified source files in place.


Web Development Projects > 11.3 TinDog Project > index.html > html > body > section#features
<button type="button" class="btn btn-outline-light btn-lg px-4"><sv
width="16" height="16" fill="currentColor" class="bi bi-google-
<path
d="M14.222 9.374c1.037-.61 1.037-2.137 0-2.748L11.528 5.04 8.
</svg> Download</button>

</section>
<!-- Features -->
<section id="features">
paste
</section>
<!-- Testimonial -->
<section id="testimonial">
</section>
<!-- Pricing -->
<section id="pricing">
</section>
<!-- Footer -->
<section id="footer">
</section>



Featured title

Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.

Primary button

Featured title

Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.

Primary button


Featured title

Paragraph of text beneath the heading to explain the heading. We'll add onto it with another sentence and probably just keep going until we run out of words.


Primary button

Insert container to perfect alignment


```
39            </div>
40          </div>
41        </div>
42      </div>
43    </section>
44    <!-- Features -->
45    <section id="features">
46      <div class="container">
47      <div class="row g-4 py-5 row-cols-1 row-cols-lg-3">
48        <div class="col d-flex align-items-start">
49          <div
50            class="icon-square text-body-emphasis bg-body-secondary d-inline-flex
51            <svg class="bi" width="1em" height="1em">
52              <use xlink:href="#toggles2"></use>
53            </svg>
54          </div>
55          <div>
56            <h3 class="fs-2">Featured title</h3>
57            <p>Paragraph of text beneath the heading to explain the heading. We'l
58              probably just keep going until we run out of words.</p>
59            <a href="#" class="btn btn-primary">
```




Change svg image and text




Create the Icon square




Insert .icon-square selector




Icon


Download
Download
Easy to use.
So easy to use, even your dog could do it.
Elite Clientele.
We have all the dogs, the greatest dogs.
Guaranteed to work.
Find the love of your dog's life or your money back.

Class icon-square




d="M14.222 9.374c1.037-.61 1.037-2.137 0-2.748L11.528 5.04 8.
</svg> Download</button>

</section>
<!-- Features -->
<section id="features">

<div
class="icon-square text-body-emphasis bg-body-secondary d-inline-fl
<svg xmlns="http://www.w3.org/2000/svg" height="30" fill="currentCo
viewBox="0 0 16 16">
<path
margin top 5
Easy to use.
So easy to use, even your dog could do it.
Elite Clientele.
We have all the dogs, the greatest dogs.
Guaranteed to work.
Find the love of your dog's life or your money back.
Svg in Readme.md
Custom CSS to make borders rounded
Hint: inspect the original div
No button


Testimonial section

"I no longer have to sniff other dogs for love. I've found the hottest Corgi on TinDog. Woof."



Pebbles, New York

TechCrunch Mashable BUSINESS INSIDER TNW


css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
"I no longer have to sniff other dogs for love. I've found the hottest Corgi on TinDog. Woof."
h2
dog-img.jpg
100px height
circular
margin 5
margin 2
<P>
Pebbles, New York
Check images folder
TechCrunch
Mashable
BUSINESS INSIDER
TNW
col-3 on desktop
Col-12 on mobile

TinDog | Examples · Bootstrap v5.3 | TinDog

getbootstrap.com/docs/5.3/examples/

Docs Examples Icons Themes Blog v5.3



Footers

Finish every page strong with an awesome footer, big or small.



Dropdowns

Enhance your dropdowns with filters, icons, custom styles, and more.



List groups

Extend list groups with utilities and custom styles for any content.



Modals

Transform modals to serve any purpose, from feature tours to dialogs.



Badges

Make badges work with custom inner HTML and new looks.



Breadcrumbs

Integrate custom icons and create stepper components.



Buttons

Create custom buttons for just about any use case with utilities.



Jumbotrons

Create modernized versions of the classic Bootstrap component.

Custom Components


Brand-new components and templates to help folks quickly get started with Bootstrap and demonstrate best practices for adding onto the framework.













TinDog
Jumbotrons · Bootstrap v5.3
TinDog
getbootstrap.com/docs/5.3/examples/jumbotrons/
Full-width jumbotron
This takes the basic jumbotron above and makes its background edge-to-edge with a .container inside to align content. Similar to above, it's been recreated with built-in grid and utility classes.
Basic jumbotron
This is a simple Bootstrap jumbotron that sits within a .container, recreated with built-in utility classes.



TinDog
Jumbotrons · Bootstrap v5.3
TinDog
getbootstrap.com/docs/5.3/examples/jumbotrons/
Call to action
div.my-5 1196 × 353.92
Full-width jumbotron
This takes the basic jumbotron above and makes its background edge-to-edge with a .container inside to align content. Similar to above, it's been recreated with built-in grid and utility classes.
Elements
Console
Sources
Network
Performance
Memory
Application
Styles
Computed
Layout
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath
Console
What's New
Highlights from the Chrome 111 update


EXPLORER
index.html
testimonial-goal.jpg
style.css
README.md
UNTITLED (WORKSPACE)
Web Development Projects > 11.3 TinDog Project > index.html > html > body > section#testimonial > div.my-5
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
tnw.png
101 <!-- Testimonial -->
102 <section id="testimonial">
103
104
105
106 <h1 class="text-body-emphasis">Full-width jumbotron</h1>
107
108 This takes the basic jumbotron above and makes its background edge-to-edge with a <code>.conta
109 inside
110 to align content. Similar to above, it's been recreated with built-in grid and utility classes.
111
112
113
114
115 </section>
116 <!-- Pricing -->
117 <section id="pricing">
118
119 </section>
120 <!-- Footer -->
121 <section id="footer">
Ln 114, Col 12
Spaces: 4
UTF-8
CRLF
HTML
Go Live

Change to h1 heading




Change text



Run Terminal Window Help
Wed 5 Apr 10:39
index.html
index.html
testimonial-goal.jpg
style.css
Project > index.html > html > body > section#testimo
98
99
100 </section>
101 <!-- Testimonial -->
102 <section id="testimonial">
103
104 <div class="p-5 text-center b
105 <div class="container py-5"
106 <h2 class="text-body-emph
107 TinDog. Woof."</h2>
108 <p class="col-lg-8 mx-aut
109 Pebbles, New York
110
111
112
113 </section>
114 <!-- Pricing -->
115 <section id="pricing">
116
117 </section>
118 <!-- Footer -->
119 <section id="footer">
dogs nearby.
Download
Download
Easy to use.
So easy to use, even your dog could do it.
Elite Clientele.
We have all the dogs, the greatest dogs.
Guaranteed to work.
Find the love of your dog's life or your money back.
"I no longer have t ther dogs for love. I've found the hottest Corgi on TinDog. Woof."
Pebbles, New York

Insert the dog image

```
</section>
<!-- Testimonial -->
<section id="testimonial">
  <div class="my-5">
    <div class="p-5 text-center bg-body-tertiary">
      <div class="container py-5">
        <h2 class="text-body-emphasis">"I no longer have to sniff other dogs
          TinDog. Woof."</h2>
          <img src="./images/dog-img.jpg" alt="dog image">
        <p class="col-lg-8 mx-auto lead">
          Pebbles, New York </p>
      </div>
    </div>
  </div>
</section>
<!-- Pricing -->
<section id="pricing">
```

abc images





style.css — Untitled (Workspace)

EXPLORER

index.html | testimonial-goal.jpg | style.css | README.md

UNTITLED (WORKSPACE)

Web Development Projects > 11.3 TinDog Project > css > style.css > .profile-img

- 10.2 Grid Placem...
- 10.3 Mondrian Pr...
- 11.0 Bootstrap Int...
- 11.1 Bootstrap La...
- 11.2 Bootstrap Co...
- 11.3 TinDog Project
  - css
    - solution.css
    - style.css
  - goal images
    - features-goal.j...
    - footer-goal.jpg
    - pricing-goal.jpg
    - testimonial-go...
    - title-goal.jpg
  - images
    - bizinsider.png

```
16    }
17  }
18
19  .icon-square {
20    width: 3rem;
21    height: 3rem;
22    border-radius: 0.75rem;
23  }
24
25  .profile-img {
26    height: 100px;
27    border-radius: 50%;
28  }
29
```

50%

UNTITLED (WORKSPACE) > 11.3 TinDog Project > index.html > html > body > section#testimonial > div.my-5 > div.p-5.t

```
98      </div>
      </div>
    </section>
    <!-- Testimonial -->
    <section id="testimonial">
      <div class="my-5">
        <div class="p-5 text-center bg-body-tertiary">
          <div class="container py-5">
            <h2 class="text-body-emphasis">"I no longer have to
              TinDog. Woof."</h2>
            <img class="profile-img" src="./images/dog-img.jpg"
            <p class="col-lg-8 mx-auto lead">
              Pebbles, New York </p>
          </div>
        </div>
      </div>
    </section>
    <!-- Pricing -->
    <section id="pricing">
```

The dog image in circle



Easy to use.

So easy to use, even your dog could do it.

Elite Clientele.

We have all the dogs, the greatest dogs.

Guaranteed to work.

Find the love of your dog's life or your money back.

"I no longer have to sniff other dogs for love. I've found the hottest Corgi on TinDog. Woof."



Pebbles, New York

Margin setting

```
    </div>
  </section>
  <!-- Testimonial -->
  <section id="testimonial">
    <div class="my-5">
      <div class="p-5 text-center bg-body-tertiary">
        <div class="container py-5">
          <h2 class="text-body-emphasis">"I no longer have to sniff other dogs for love. I'
            TinDog. Woof."</h2>
          <img class="profile-img mt-5" src="./images/dog-img.jpg" alt="dog image">
          <p class="col-lg-8 mx-auto lead mt-2">
            Pebbles, New York </p>
        </div>
      </div>
    </div>
  </section>
  <!-- Pricing -->
  <section id="pricing">
```

```
    <p class="col-lg-8 mx-auto lead mt-2">
      Pebbles, New York </p>
  </div>

  <div class="container">
    <div class="row">
      <div class="col-lg-3 col-sm-12">
        <img src="./images/techcrunch.png" alt="techcrunch" height="30">
      </div>
      <div class="col-lg-3 col-sm-12">
        <img src="./images/mashable.png" alt="mashable" height="30">
      </div>
      <div class="col-lg-3 col-sm-12">
        <img src="./images/bizinsider.png" alt="bizinsider" height="30">
      </div>
      <div class="col-lg-3 col-sm-12">
        <img src="./images/tnw.png" alt="tnw" height="30">
      </div>
    </div>
  </div>
```

"I no longer have to sniff other dogs for love. I've found the hottest Corgi on TinDog. Woof."



Pebbles, New York

TechCrunch Mashable BUSINESS INSIDER TNW THE NEXT WEB

A Plan for Every Dog's Needs

Simple and affordable price plans for you and your dog.

Chihuahua	Labrador	Mastiff
$0/mo	$15/mo	$29/mo
5 Matches Per Day 10 Messages Per Day Unlimited App Usage	Unlimited Matches Unlimited Messages Unlimited App Usage	Pirority Listing Unlimited Matches & Messages Unlimited App Usage
Sign up for free	Get started	Contact us

TinDog | Examples · Bootstrap v5.3 | TinDog

getbootstrap.com/docs/5.3/examples/

Docs Examples Icons Themes Blog v5.3




[Badges]
Make badges work with custom inner HTML and new looks.



[Breadcrumbs]
Integrate custom icons and create stepper components.



[Buttons]
Create custom buttons for just about any use case with utilities.



[Jumbotrons]
Create modernized versions of the classic Bootstrap component.

Custom Components

Brand-new components and templates demonstrate best practices for adding onto the framework.



[Album]
Simple one-page template for photo galleries, portfolios, and more.



[Pricing]
Example pricing page built with Cards and featuring a custom header and footer.



[Checkout]
Custom checkout form showing our form components and their validation features.




[Product]
Lean product-focused marketing page with extensive grid and image work.












TinDog
Pricing example · Bootstrap v5
TinDog
getbootstrap.com/docs/5.3/examples/pricing/
Pricing example
Features
Enterprise
Support
Pricing
Pricing
Quickly build an effective pricing table for your potential customers with this Bootstrap example. It's built with default Bootstrap components and utilities with little customization.
Free
$0/mo
10 users included
2 GB of storage
Email support
Help center access
Sign up for free
Pro
$15/mo
20 users included
10 GB of storage
Priority email support
Help center access
Get started
Enterprise
$29/mo
30 users included
15 GB of storage
Phone and email support
Help center access
Contact us
Compare plans
Free
Pro
Enterprise


TinDog
Pricing example · Bootstrap v5
TinDog
getbootstrap.com/docs/5.3/examples/pricing/
Pricing example
Features Enterprise Support Pricing
Pricing
Quickly build an effective pricing table for your potential customers with this Bootstrap example. It's built with default Bootstrap components and utilities with little customization.
div.row.row-cols-1.row-cols-md-3.mb-3.text-center 960×351.7
Free
$0/mo
10 users included
2 GB of storage
Email support
Help center access
Sign up for free
Pro
$15/mo
20 users included
10 GB of storage
Priority email support
Help center access
Get started
Enterprise
$29/mo
30 users included
15 GB of storage
Phone and email support
Help center access
Contact us
Compare plans
Free
Pro
Enterprise
Elements Console Sources Network Performance Memory Application
Styles Computed Layout
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Copy element
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath

Insert container and paste




"I no longer have to sniff other dogs for love. I've found the hottest Corgi on TinDog. Woof."




Pebbles, New York

TechCrunch Mashable BUSINESS INSIDER TNW

Free	Pro	Enterprise
$0/mo	$15/mo	$29/mo
10 users included 2 GB of storage Email support Help center access	20 users included 10 GB of storage Priority email support Help center access	30 users included 15 GB of storage Phone and email support Help center access
Sign up for free	Get started	Contact us


TinDog
Pricing example · Bootstrap v5
TinDog
getbootstrap.com/docs/5.3/examples/pricing/
Pricing example
Features Enterprise Support Pricing
div.pricing-header.p-3.pb-md-4.mx-auto.text-center
700 × 221.06
Pricing
Quickly build an effective pricing table for your potential customers with this Bootstrap example. It's built with default Bootstrap components and utilities with little customization.
Free
$0/mo
10 users included
2 GB of storage
Email support
Help center access
Sign up for free
Pro
$15/mo
20 users included
10 GB of storage
Priority email support
Help center access
Get started
Enterprise
$29/mo
30 users included
15 GB of storage
Phone and email support
Help center access
Contact us
Compare plans
Free
Pro
Enterprise
Public
Elements
Console
Sources
Network
Performance
Memory
Application
Styles
Computed
Layout
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Copy element
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath
Console
What's New


index.html
solution.html
style.css
README.md
Web Development Projects > 11.3 TinDog Project > index.html > html > body > section#pricing > div.container


</section>
<!-- Pricing -->
<section id="pricing">


paste

<h4 class="my-0 fw-normal">Free</h4>

<h1 class="card-title pricing-card-title">$0<small class="text-body-secondary fw-light"
<ul class="list-unstyled mt-3 mb-4">
10 users included
2 GB of storage
Email support
Help center access


Change all of the text




11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
tnw.png
index.html
README.md
h2
A Plan for Every Dog's Needs
p
Simple and affordable price plans for you and your dog.
dark
Chihuahua
$0/mo
5 Matches Per Day
10 Messages Per Day
Unlimited App Usage
Sign up for free
Labrador
$15/mo
Unlimited Matches
Unlimited Messages
Unlimited App Usage
Get started
Mastiff
$29/mo
Pirority Listing
Unlimited Matches & Messages
Unlimited App Usage
Contact us
dark
outline
dark
dark

Change primary to dark

```
        <ul class="list-unstyled mt-3 mb-4">
          <li>Unlimited Matches</li>
          <li>Unlimited Messages</li>
          <li>Unlimited App Usage</li>
        </ul>
        <button type="button" class="w-100 btn btn-lg btn-primary">Get started</button>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card mb-4 rounded-3 shadow-sm border-primary">
      <div class="card-header py-3 text-bg-primary border-primary">
        <h4 class="my-0 fw-normal">Mastiff</h4>
      </div>
      <div class="card-body">
        <h1 class="card-title pricing-card-title">$29<small class="text-body-secondary fw-light">/m
        <ul class="list-unstyled mt-3 mb-4">
          <li>Pirority Listing</li>
          <li>Unlimited Matches & Messages</li>
          <li>Unlimited App Usage</li>
        </ul>
        <button type="button" class="w-100 btn btn-lg btn-primary">Contact us</button>
```


index.html — Untitled (Workspace)
index.html
pricing-goal.jpg
style.css
README.md
body > section#pricing > div.container > div.row.row-cols-1.row-cols-md-3.mb-3.text-center > div.col > div.card.mb-4.rounded-3.shadow-sm.border-
primary
1 of 3
dark

<h4 class="my-0 fw-normal">Labrador</h4>

<h1 class="card-title pricing-card-title">$15<small class="text-body-secondary fw-light
<ul class="list-unstyled mt-3 mb-4">
Unlimited Matches
Unlimited Messages
Unlimited App Usage

<button type="button" class="w-100 btn btn-lg btn-dark">Get started</button>

<h4 class="my-0 fw-normal">Mastiff</h4>

<h1 class="card-title pricing-card-title">$29<small class="text-body-secondary fw-light

A Plan for Every Dog's Needs

Simple and affordable price plans for you and your dog.

Chihuahua

$0/mo

5 Matches Per Day
10 Messages Per Day
Unlimited App Usage

Sign up for free

Labrador

$15/mo

Unlimited Matches
Unlimited Messages
Unlimited App Usage

Get started


Mastiff

$29/mo


Pirority Listing
Unlimited Matches & Messages
Unlimited App Usage

Contact us

Change h1 to h2



Creating footer



getbootstrap.com/docs/5.3/examples/

Docs Examples Icons Themes Blog v5.3



Headers

Display your branding, navigation, search, and more with these header components



Heroes

Set the stage on your homepage with heroes that feature clear calls to action.



Features

Explain the features, benefits, or other details in your marketing content.



Sidebars

Common navigation patterns ideal for offcanvas or multi-column layouts.



Footers

Finish every page strong with an awesome footer, big or small.



Dropdowns

Enhance your dropdowns with filters, icons, custom styles, and more.



List groups

Extend list groups with utilities and custom styles for any content.



Modals

Transform modals to serve any purpose, from feature tours to dialogs.




Badges




Breadcrumbs



Buttons



Jumbotrons



© 2023 Company, Inc

© 2023

Section
- Home
- Features
- Pricing
- FAQs
- About

Section
- Home
- Features
- Pricing
- FAQs
- About

Section
- Home
- Features
- Pricing
- FAQs
- About

Section
- Home
- Features
- Pricing
- FAQs
- About

Section
- Home
- Features
- Pricing
- FAQs
- About


Section
- Home
- Features
- Pricing
- FAQs
- About


Subscribe to our newsletter


Monthly digest of what's new and exciting from us.

Email address

Subscribe


getbootstrap.com/docs/5.3/examples/footers/
Home Features Pricing FAQs About
© 2023 Company, Inc
div.container 960 × 305
© 2023
Section
Home
Features
Pricing
FAQs
About
Section
Home
Features
Pricing
FAQs
About
Section
Home
Features
Pricing
FAQs
About
Section
Home
Features
Pricing
FAQs
Section
Home
Features
Pricing
FAQs
Section
Home
Features
Pricing
FAQs
Subscribe to our newsletter
Monthly digest of what's new and exciting from us.
Email address
Subscribe
Elements
Console
Sources
Network
Performance
Memory
Application
Styles
Computed
Add attribute
Edit attribute
Edit as HTML
Duplicate element
Delete element
Cut
Copy
Paste
Hide element
Force state
Break on
Expand recursively
Collapse children
Capture node screenshot
Scroll into view
Focus
Badge settings...
Store as global variable
Copy element
Copy outerHTML
Copy selector
Copy JS path
Copy styles
Copy XPath
Copy full XPath
html body div.container
Console
What's New
Highlights from the Chrome 111 update


NTITLED (WORKSPACE)
Dog Project > index.html > html > body > section#pricing > div.container > div.row.row-cols-1.row-cols
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
189
190 </section>
191 <!-- Footer -->
192 <section id="footer">
193
194 </section>
195 </body>
196
197 </html>


index.html — Untitled (Workspace)
EXPLORER
index.html
pricing-goal.jpg
style.css
README.md
UNTITLED (WORKSPACE)
Web Development Projects > 11.3 TinDog Project > index.html > html > body > section#footer > div.container
10.2 Grid Placem...
10.3 Mondrian Pr...
11.0 Bootstrap Int...
11.1 Bootstrap La...
11.2 Bootstrap Co...
11.3 TinDog Project
css
solution.css
style.css
goal images
features-goal.j...
footer-goal.jpg
pricing-goal.jpg
testimonial-go...
title-goal.jpg
images
bizinsider.png
dog-img.jpg
iphone.png
mashable.png
techcrunch.png
tnw.png
index.html
README.md
solution.html
217
218
219
220 <h5>Section</h5>
221 <ul class="nav flex-column">
222 <li class="nav-item mb-2">Home
223 <li class="nav-item mb-2">Features</
224 <li class="nav-item mb-2">Pricing</li
225 <li class="nav-item mb-2">FAQs
226 <li class="nav-item mb-2">About
227
228
229
230
231 <h5>Section</h5>
232 <ul class="nav flex-column">
233 <li class="nav-item mb-2">Home
234 <li class="nav-item mb-2">Features</
235 <li class="nav-item mb-2">Pricing</li
236 <li class="nav-item mb-2">FAQs
237 <li class="nav-item mb-2">About
238
239

$0/mo

5 Matches Per Day
10 Messages Per Day
Unlimited App Usage

Sign up for free

$15/mo

Unlimited Matches
Unlimited Messages
Unlimited App Usage

Get started

$29/mo

Pirority Listing
Unlimited Matches & Messages
Unlimited App Usage

Contact us


© 2023

Remove logo


```
            <button type="button" class="w-100 btn btn-lg btn-dark">Contact us</button>
          </div>
        </div>
      </div>
    </div>
  </section>
  <!-- Footer -->
  <section id="footer">
    <div class="container">
      <footer class="row row-cols-1 row-cols-sm-2 row-cols-md-5 py-5 my-5 border-top">
        <div class="col mb-3">
          <a href="/" class="d-flex align-items-center mb-3 link-body-emphasis text-decoration-none">
            <svg class="bi me-2" width="40" height="32">
              <use xlink:href="#bootstrap"></use>
            </svg>
          </a>
          <p class="text-body-secondary">© 2023</p>
        </div>

        <div class="col mb-3">


        </div>
```



188
189
190 </section>
191 <!-- Footer -->
192 <section id="footer">
193
194 <footer class="row row-cols-1 row-cols-sm-2 row-cols-md-5 py-5 my-5 border-top">
195
196
197 © TinDog
198
199
200
201
202
203
204
205 <h5>Section</h5>
abc TinDog

Remove border-top



To make the gradient background




Dog
Footers · Bootstrap v5.3
TinDog
127.0.0.1:3000/11.3%20TinDog%20Project/index.html
A Plan for Every Dog's Needs
Simple and affordable price plans for you and your dog.
Chihuahua
$0/mo
5 Matches Per Day
10 Messages Per Day
Unlimited App Usage
Sign up for free
Labrador
$15/mo
Unlimited Matches
Unlimited Messages
Unlimited App Usage
Get started
Mastiff
$29/mo
Pirority Listing
Unlimited Matches & Messages
Unlimited App Usage
Contact us
© TinDog
Section
Home
Features
Pricing
FAQs
About
Section
Home
Features
Pricing
FAQs
About
Section
Home
Features
Pricing
FAQs
About