BTC exposure. A clearer way to reduce risk.

An owner-controlled account borrows MUSD against BTC and routes through Mezo Pools. Permissionless guards can reduce risk within the owner's settings.

01
BTC
Post collateral

→

02
MUSD
Borrow and buy BTC

→

03
GUARD
Repay toward safety

ON-SCREEN GUIDE

Start with the product: BTC holders choose exposure; the account holds the trove. This is an illustrative walkthrough, not a new transaction recording.

01 Review, then open.

Choose BTC size and collateral ratio. Review gross MUSD minted, the separate Coil fee, depth, caps and pause state before signing.

01

200% CR

About 2x initial mainnet UI target

→

02

25 bps

Default Coil fee on new mint

→

03

50 bps

Hard Coil fee ceiling

ON-SCREEN GUIDE

The transaction enforces the accepted fee ceiling. A flash open succeeds atomically only when pool liquidity, oracle bounds and opening policy allow it.

02 Fund a guard. Keep ownership.

Set a guard floor and target, park MUSD and fund MEZO tips. Anyone may trigger permitted risk reduction; the caller cannot take BTC or MUSD.

01

RESERVE FIRST

Repay parked MUSD

→

02

BOUNDED SALE

Same oracle bound in callback

→

03

TIP IF SAFER

No improvement means no tip

ON-SCREEN GUIDE

A guard is a best-effort risk tool, not guaranteed liquidation protection. With an empty reserve and unsafe sale, it returns false without a tip.

03 Repay, claim, or close.

Approve MUSD to the account for safe repayment. Claim only recovered surplus. Close with funded MUSD only when Mezo permits the protocol close.

01

REPAY

Safe pure repayment in Recovery Mode

→

02

CLAIM

Recovered collateral to owner

→

03

CLOSE

Protocol-gated; no queued exit

ON-SCREEN GUIDE

Recovery Mode blocks new leverage and can block full close. It does not imply a guaranteed exit. Rescue, repayment, claim and exit carry zero Coil fee.

One bound. Explicit operational limits.

All pool fills use the same PriceMin snapshot before flash and in callback, including owner flash close. No second slippage widening.

01

PAUSED FIRST

Finite nonzero opening caps

→

02

OWNER / GUARDIAN

Owner unpauses; guardian pauses

→

03

RISK REDUCTION

Repay, guard and top-up stay available

ON-SCREEN GUIDE

Public keeper status must show scan freshness and execution mode. A process start, old heartbeat or monitoring-only service is not active transaction protection.

Historical execution is useful evidence.

An October testnet run recorded flash open, a ratio-improving guard with a 1 MEZO tip, and close. Those receipts belong to an older factory.

01
OPEN
0x576e5383...

→

02
GUARD
0xcb90da85...

→

03
CLOSE
0x296bb52c...

ON-SCREEN GUIDE

Historical receipts do not prove the completion release's fees, claim or Recovery Mode flow. Exact links and limitations are in DEPLOYMENTS.md.

A release earns its proof.

The new build still needs funded matsnet feature receipts, full indexed source verification, matching app and keeper metadata, and 3-5 recruited testers.

01

LOCAL / FORK

Behaviour checks, labelled separately

→

02

MATSNET

Actual receipts and real testers

→

03

MAINNET

Depth, finite caps, approval, rollback

ON-SCREEN GUIDE

Existing clones are not upgradeable. Mainnet stays gated, starts paused and requires a separate go-live decision after the release checks pass. The contracts are unaudited.

Build the BTC leverage desk with us.

Prabal Pratap Singh / Nikhil Verma / Neha Singh

01

TRY

Funded matsnet tester recruitment

→

02

REVIEW

Bounded execution and owner actions

→

03

FOLLOW

coil.up.railway.app

ON-SCREEN GUIDE

Explore the public app and repository. This pitch is illustrative release-candidate material; no new deployment, independent audit or recruited-user count is claimed.