

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY 9701/52

Paper 5 Planning, Analysis and Evaluation

October/November 2010
1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

You are advised to show all working in calculations.

Use of Data Booklet is unnecessary.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use			
1			
2			
Total			

This document consists of 9 printed pages and 3 blank pages.



## **BLANK PAGE**

When aqueous sodium chloride, NaCl, is added to aqueous lead nitrate, Pb(NO $_3$ ) $_2$ , a white precipitate of lead chloride, PbC $l_2$ , is produced. A suggested stoichiometric equation is

For Examiner's Use

$$Pb(NO_3)_2(aq) + 2NaCl(aq) \rightarrow PbCl_2(s) + 2NaNO_3(aq)$$

In separate experiments, different volumes of  $0.20\,\text{mol}\,\text{dm}^{-3}$  aqueous sodium chloride are added to a fixed volume of  $0.10\,\text{mol}\,\text{dm}^{-3}$  aqueous lead nitrate. In each case, the precipitate is filtered, washed with distilled water and thoroughly dried. The mass of the precipitate is recorded.

You are to plan an experiment to investigate this reaction in order to confirm or reject the stoichiometry of the equation.


(a) By considering the suggested stoichiometric equation, predict and explain how the number of moles of the precipitate,  $PbCl_2$ , will change as the number of moles of NaCl added increases.

Prediction	 	
Explanation	 	
	 	[2]

**(b)** State a limiting factor that must be taken into account when increasing the volume of the aqueous sodium chloride added.

.....

Sketch the graph which would result if, after some of the experiments, the NaCl is in excess. Start your graph with no NaCl added.



[3]

(c)	In th	e experiment you are about to plan, identify the following.	For		
	(i)	the independent variable	Examiner's Use		
	(')	the independent variable			
	(ii)	the dependent variable			
	(iii)	another variable to be controlled			
		[2]			
(d)	Des	ign a laboratory experiment to test your prediction in (a).			
	You	are provided with 250 cm <sup>3</sup> of 0.20 mol dm <sup>-3</sup> aqueous sodium chloride.			
	(i)	Outline how you would prepare 250 cm <sup>3</sup> of 0.10 mol dm <sup>-3</sup> aqueous lead nitrate.			
		[A <sub>r</sub> : N, 14; O, 16; Pb, 207]			
	(ii)	Give a step by step description of how you would carry out <b>one</b> experiment. You should state  the volumes of each solution to be used,			
		<ul> <li>how the volumes will be measured,</li> </ul>			
		how you would dry the precipitate.			

							[6]	
	out your graph to appropria enter the	pelow oppropriate headings to show additional data you would record when carrying rexperiments and the values you would calculate in order to construct a support or reject your prediction in (a). The headings should include the late units, e volumes from your plan in (d), aitable volumes for four further experiments.						
							[2]	
low Iriec		u ensure th	at at the end	of each expe	riment the pr	ecipitate v	vas thoroughly	

## **BLANK PAGE**

2 The melting point of solid water is 0°C. This is the same as the freezing point of water. This freezing point can be lowered (depressed) by the addition of a solute, such as glucose. The extent of the freezing point depression depends on the **number of particles of solute dissolved** in the solution.

For Examiner's Use

The freezing point depression,  $\Delta T_{\rm f}$ , is proportional to the molal concentration,  $c_{\rm m}$ , of the solution.

$$\Delta T_{\rm f} = K_{\rm f} c_{\rm m}$$

where  $K_{\rm f}$  is the freezing point depression constant.

The molal concentration (molality) of a solution is defined as the number of moles of a solute dissolved in one kilogram of water e.g. a one molal solution has one mole of solute dissolved in one kilogram of water.

An experiment was carried out to investigate the relationship between  $\Delta T_f$  and  $c_m$ .

- A weighed sample of distilled water was placed in a boiling tube.
- A weighed sample of glucose was added.
- The mixture was stirred until a solution was obtained.
- The tube was placed in a freezing apparatus to lower the temperature.
- The freezing point of the solution was measured precisely and the freezing point depression calculated.

(a) Calculate the  $M_r$  of glucose  $C_6H_{12}O_6$ .

For Examiner's Use

[1]

**(b)** The results of the experiment are recorded below.

Α	В	С	D	Е	F
mass of water /g	mass of glucose /g	freezing point depression $\Delta T_{\rm f}$ /°C			
100	10.0	1.03			
100	12.2	1.26			
100	18.0	2.09			
100	23.3	2.40			
100	27.7	2.86			
100	30.9	3.22			
100	33.1	3.31			
100	38.6	3.98			
100	42.3	4.37			


Process the results in the table to calculate the molality of the glucose solution. This will enable you to plot a graph to show how the freezing point depression,  $\Delta T_{\rm f}$ , varies with the molality of the solution.

Record these values to **three significant figures** in the additional columns of the table. You may use some or all of the columns.

Label the columns you use.

For each column you use include units where appropriate and an expression to show how your values are calculated. You may use the column headings A to F for this purpose. [2]

(c) Present the data calculated in (b) in graphical form. Draw the line of best fit.



For Examiner's Use

(d)	For	cle on the graph any point(s) you consider to be anomalous.  any point circled on the graph suggest an error in the conduct of the experiment that ht have led to this anomalous result.
		[3]
(e)	(i)	Determine the value of $\Delta T_{\rm f}/c_{\rm m}$ from your graph. This is the freezing point depression constant $K_{\rm f}$ . Mark clearly on the graph any construction lines and show clearly in your calculation how the intercepts were used in the calculation of the slope.
	(ii)	By considering the data you have processed and the graph you have drawn, decide if the experimental procedure described is suitable for the determination of the freezing point depression constant $K_{\rm f}$ . Explain your reasoning.
		[3]
		[∪]

For Examiner's Use	When the experiment was repeated using sodium chloride instead of glucose as the solute, the freezing point depressions were found to be twice the value obtained in the glucose experiment for each molality.  Using the information given at the start of the question suggest a reason for this.	(†)
	Using your suggestion from (f) predict the effect on the freezing point depression if a weak acid such as ethanoic acid was used instead of glucose or sodium chloride as the solute.	(g)
	[1]	

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.