

# Cucumber Report

27 May, 2023 2:19:51 PM

Start : May 27, 2:19:41.886 PM

End : May 27, 2:19:48.861 PM

Duration : 6.975 s

Features



Scenarios

Steps


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0


PASSED - 4  
FAILED - 3  
SKIPPED - 15



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Limeroad order</u>	6.975 s	3	0	3	0	22	4	3	15





#	Feature Name	T	P	F	S	Duration
1	<u>Limeroad order</u>	3	0	3	0	6.975 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Limeroad order</u>	<u>To search a product for men</u>	8	2	1	5	3.996 s
2	<u>Limeroad order</u>	<u>To order T-Shirt</u>	7	1	1	5	2.537 s
3	<u>Limeroad order</u>	<u>To order Jeans</u>	7	1	1	5	0.048 s

## Limeroad order

<b>FAILED</b>	<b>DURATION - 6.975 s</b>	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 22 Pass - 4 Fail - 3 Skip - 15	
/ 2:19:41.886 PM // 2:19:48.861 PM /					



## To search a product for men

<div>FAILED</div> <div>DURATION - 3.996 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 2:19:41.901 PM // 2:19:45.897 PM /</div>				
<div>Limeroad order</div>				

#	Step / Hook Details	Status	Duration
1	Given Launch the browser "chrome"	PASSED	0.027 s
2	When Launch the url "https://www.limeroad.com"	PASSED	3.601 s
3	And Select Shop Men  io.cucumber.core.exception.CucumberException: Step [Select Shop Men] is defined with 1 parameters at 'com.stepDefination.stepDefinition.Select_Shop_Men(com.Baseclass.BassClass)'. However, the gherkin step has 0 arguments. Step text: Select Shop Men at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:41) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:541) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:763) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:463) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:209)		
4	And Place mouse on Home icon	SKIPPED	0.002 s
5	And Click Bed Covers it navigates to Bed Covers page	SKIPPED	0.002 s
6	And Click By Saral Home with price	SKIPPED	0.001 s
7	And Click ADD TO CART to order the item	SKIPPED	0.002 s
8	And Close browser	SKIPPED	0.014 s

## To order T-Shirt

<div>FAILED</div> <div>DURATION - 2.537 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 2:19:46.228 PM // 2:19:48.765 PM /</div>				
<div>Limeroad order</div>				

#	Step / Hook Details	Status	Duration
1	Given Launch the browser "chrome"	PASSED	0.001 s
2	When Launch the url "https://www.limeroad.com"  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.127) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-7PHTNGS', ip: '192.168.116.159', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_361' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\User\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:50950}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 096f2ea2583db847166d31bdcf28eb4e at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at com.Baseclass.BassClass.urlLaunch(BassClass.java:45) at com.stepDefination.stepDefinition.launch_the_url(stepDefinition.java:23) at ?.Launch the url "https://www.limeroad.com"(file:///C:/Users/User/eclipse-workspace/LimeRoad/src/test/java/com/featurefile/lime.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	2.521 s
3	And click the element to select the T-Shirt	SKIPPED	0.001 s
4	And Click Step Out In Style to navigates to collection of T-shirt	SKIPPED	0.001 s
5	And Click on maroon solid t-shirt to select	SKIPPED	0.000 s
6	And Click ADD TO CART to order the item	SKIPPED	0.001 s
7	And Close browser	SKIPPED	0.001 s

## To order Jeans

<div>FAILED</div> <div>DURATION - 0.048 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 2:19:48.813 PM // 2:19:48.861 PM /				
Limeroad order				

#	Step / Hook Details	Status	Duration
1	Given Launch the browser "chrome"	PASSED	0.002 s
2	When Launch the url "https://www.limeroad.com" <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.127) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-7PHTNGS', ip: '192.168.116.159', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_361' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\User\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:50950}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 096f2ea2583db847166d31bdcf28eb4e at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:837) at com.Baseclass.BassClass.urlLaunch(BassClass.java:44) at com.stepDefination.stepDefinition.launch_the_url(stepDefinition.java:23) at ?.Launch the url "https://www.limeroad.com"(file:///C:/Users/User/eclipse-workspace/LimeRoad/src/test/java/com/featurefile/lime.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.021 s
3	And click the element to select the Jeans pant	SKIPPED	0.001 s
4	And Click on Mid Rice Jeans it navigates to types of Jeans	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
5	And Click on mid rise washed denim jean to select	SKIPPED	0.002 s
6	And Click ADD TO CART to order the item	SKIPPED	0.002 s
7	And Close browser	SKIPPED	0.001 s