

1. Write the HTML code to create a table in which there are 4 columns(ID , Employee Name, Designation, Department) and at least 6 rows. Also do some styling to it.

```
<!DOCTYPE html>
<html>
<head>
  <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
  <meta charset="UTF-8">
  <meta name="viewport"
    content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0,
minimum-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4lH7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"
integrity="sha384-6khuMg9gaYr5AxOqhkVlODVlvm9ynTT5J4V1cfthmT+emCG6yVmEZsRHdxlotUnm"
crossorigin="anonymous"></script>
  <link rel="stylesheet" href="BOOTFORM.css">
<title>Boot Form</title>
</head>
<body>
  <div class="container">
<div class="table-responsive">
  <table class="table table-striped table-bordered table-hover table-sm">
    <thead>
      <tr> <b>
        <th > Employee ID </th>
        <th > Employee Name </th>
        <th > Designation</th>
        <th > Department </th>

      </b> </tr>
    </thead>
    <tr class="table-primary">
      <td> 001 </td>
      <td> Prabhat </td>
      <td> Quality Engineer </td>
      <td> IT </td>
    </tr>
    <tr class="table-danger">
      <td> 002 </td>
      <td> Akshita </td>
      <td> Developer </td>
      <td> IT </td>
    </tr>
```

```

<tr style="background: cornsilk;">
  <td> 003 </td>
  <td> Udit </td>
  <td> Front end Developer </td>
  <td> IT </td>
</tr>
<tr class="table-dark">
  <td> 004 </td>
  <td> Shreya </td>
  <td> JVM </td>
  <td> IT </td>
</tr>
<tr class="table-secondary">
  <td> 005</td>
  <td> Mohit </td>
  <td> Analyst </td>
  <td> IT </td>
</tr>
</table>
</div>
</div>

</body>
</html>

```

OUTPUT:

Employee ID	Employee Name	Designation	Department
001	Prabhat	Quality Engineer	IT
002	Akshita	Developer	IT
003	Udit	Front end Developer	IT
004	Shreya	JVM	IT
005	Mohit	Analyst	IT

2. Create HTML for web-page.jpg (check resources, highest weightage for answers)

HTML FILE WITH BOOTSTRAP:

```
<!DOCTYPE html>

<html>

<head>


<meta charset="UTF-8">

<meta name="keywords" content="Java, Javascript">

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta name="description" content=" This my details for google">

<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>

<link rel="stylesheet" href="BootTTN.css">

<title>To THE NEW</title>

</head>

<body>

  <div id="head" >

    <h1>TO THE NEW</h1>

    <nav class="navbar navbar-inverse">

      <div class="container-fluid">

        <div class="navbar-header">

          <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">

            <span class="icon-bar"></span>

            <span class="icon-bar"></span>

            <span class="icon-bar"></span>

          </button>

        </div>

        <div class="collapse navbar-collapse" id="myNavbar">
```

```

<ul class="nav navbar-nav">

  <li class = "active"><a href="#">Home</a></li>

  <li><a href="#">Work</a></li>

  <li><a href="#">About</a></li>

  <li><a href="#">Contact</a></li>

</ul>

</div>

</div>

</nav>

<div id="body" class="container">

  <div class="row ">

    <div class="col-sm-12" id="para"> <p> THIS IS RANDOM TEXT TO TEST THE FORMATTING AS
    PER THE GIVEN EXERCISE. I HAPPY, IT IS GOING WELL AS IT SHOULD

    I AM JUST WRITING FOR NO REASON AS I HAVE TO FILL ATLEAST TWO LINES. LET'S LOOK AT
    THE BROWSER!</p></div>

  </div>

  <div class=" third_block" class="container">

    <h4>Latest from Gallery </h4>

    <hr/>

    <div id="gallery" >

      <div class="row">

        <div class=" col-md-3 col-sm-12 "><span >
        Img1.jpg </span> <br></div>

        <div class="col-md-3 col-sm-12 "><span
        >Img2.jpg </span><br></div>

        <div class="col-md-3 col-sm-12 "><span>Img3.jpg </span><br></div>

```

```
<div class="col-md-3 col-sm-12"><span>Img4.jpg </span><br></div>

</div>

</div>

<div id="footer" class="row ">

  <span class="left_part">&copy; All Right Reserved 2018-20 - To The New</span>

  <span class="right_part" >By TTN </span>

</div>

</div>

</div>

</body>

</html>
```

CSS FILE :

```
body{

  background-color:#696969;

}

#head{

  margin:auto;

  background-color:grey;

  width:90%;

  height:150px;

  background-color:#808080;

}

/*BODY*/
```

```
#body{  
background-color:white;  
height: auto;  
margin-top:3%;  
width:100%;  
}
```

```
#main_img{  
max-width:100%;  
margin:auto;  
display:block;  
margin-top:2%;  
margin-bottom:2%;  
border: solid;  
  
}
```

```
#para{  
margin-left:8%;  
width:83%;  
padding:5px 2px 5px 2px;  
background-color:#d3d3d3;  
border-radius:5px  
}
```

```
.third_block{  
width:85%;  
height:auto;  
margin:auto;
```

```
}  
#gallery .row div span{  
background-color:grey;  
}  
#gallery .row div span,#gallery .row div img{  
display:block;  
margin:auto;  
width:100%;  
text-align: center;  
border: solid;  
}
```

```
#footer{  
margin-left:-1.5%;  
margin-top:80px;  
height:60px;  
width:103%;  
background-color:black;  
color:#696969;  
}
```

```
#footer .right_part{  
margin-top:10px;  
display:inline-block;  
float:right;  
margin-right:5px;
```


```
}  
.left_part{
```

```
margin-top:10px;  
display:inline-block;  
margin-left:5px;
```

```
}
```

```
hr{  
    display: block;  
    color: black;  
}
```


OUTPUT will Look like



3. Create HTML for form.png (check resources, highest weightage for answers)

HTML FILE WITH BOOTSTRAP:

```
<!DOCTYPE html>

<html>

<head>

    <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css" rel="stylesheet"
    integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
    crossorigin="anonymous">

    <meta charset="UTF-8">

    <meta name="viewport"

        content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0,
    minimum-scale=1.0">

    <meta http-equiv="X-UA-Compatible" content="ie=edge">

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
    integrity="sha384-wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4lH7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
    crossorigin="anonymous"></script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"
    integrity="sha384-6khuMg9gaYr5AxOqhkVlODVlvm9ynTT5J4V1cfthmT+emCG6yVmEZsRHdxlotUnm"
    crossorigin="anonymous"></script>

    <link rel="stylesheet" href="BOOTFORM.css">

<title>Boot Form</title>

</head>

<body>

<div class="container-fluid">

    <div class="row" >

        <div class="col-sm-8">

            <h2>To The New </h2>

        </div>

        <div class="col-sm-4">

            <ui class="nav justify-content-end">

                <li class="nav-item">
```

```
        <a class="nav link-active" href="#">Home </a>

    </li>

    <li class="nav-item">

        <a class="nav link-active" href="#">Quick Help</a>

    </li>

</ui>

</div>

</div>

</div>

<hr/>

<h2 id="bug">

    Bug Report

</h2>

<form>

<div class="form-group">

    <div class="col-sm-12">

        <label for="title"> Title* </label>

        <input type="text" class="form-control" id="title">

    </div>

    <div class="col-sm-12">

        <label for="description"> Description * </label>

        <input type="text" class="form-control" id="description">

    </div>

</div>

</div>

<div class="form-group row">

    <label> Operating System </label>

    <select name="operatingsystem">

        <option class="select" value="windowsxp"> Windows XP </option>

        <option class="select" value="windows7"> Windows 7 </option>
```

```
<option class="select" value="windows10"> Windows 10 </option>
</select>
</div>
<div class="form-group row">
  <label> Products </label>
  <select name="products">
    <option class="select" value="lenova E490"> Lenovo E490 </option>
    <option class="select" value="Dell Vostro"> Dell Vostro </option>
  </select>
</div>
<div class="form-group">
  <div class="col-sm-6">
    <label for="version"> Version * </label>
    <input type="text" class="form-control" id="version" min="1" max="2" rows='5' cols='10'>
  </div>
</div>
<div class="form-group">
  <label> License </label>
  <br/>
  <label class="radio-inline" >
    <input type="radio" name="opt"> Free
  </label>
  <label class="radio-inline">
    <input type="radio" name="opt"> Bussiness
  </label>
</div>
<div class="form-group row">
  <label>Severity</label>
  <select name="Severity">
```

```
<option class="select" value="Critical">Critical</option>

<option class="select" value="Mild">Mild</option>

<option class="select" value="Moderate">Moderate</option>

</select>

</div>

<div class="form-group">

  <label for="attach">Attachments :</label>

  <input type="file" class="form-control" id="attach" accept="file/*" name="No file selected">

</div>

<div class="form-group">

  <div class="divide">

    <button type="button" class="btn btn-success float-right">Send</button>

  </div>

</div>

</form>

</body>

</html>
```

CSS FILE:

```
#bug{

  color:white;

  width:30%;

  padding: 15px 3px 15px 20px;

  margin:auto;

  margin-top:50px;

  background-color: #E7E4E4;

}

h2{

  color:lightseagreen;

}
```

```
form label{
  font-size:14px;
  margin-left:20px;
  margin-top:15px;

}

.form-group{
  border:2px solid #E7E4E4;
  color:black;
  margin:auto;
  width:30%;
  padding-left: 2px;
}

.select,select{
  background-color:#06A061;
  color:white;
  border:none;
  font-weight:500;
}

form input,select,textarea{
  margin-top:20px;
  padding:5px 2px 5px 5px;
  width:95%;
  margin:auto;
  border-radius:5px;
  border:1px solid #E7E4E4;
}

.divide {
```

```
margin-top: 5px;

height: 50px;

border-radius: 5px;

background-color: #E7E4E4;

}
```

OUTPUT :

To The New

[HomeQuick Help](#)

Bug Report

Title*

Description *

Operating System

Windows XP

Products

Lenova E490

Version *

License

☐

Free

☐

Bussiness

Severity

Critical

Attachments :

Browse...

No file selected.

Send