MySQL DDL Project


Screenshots with Explanation

Employee Database – Departments, Locations & Employees

This submission PDF contains the original MySQL screenshots from the uploaded project document, with a short explanation for each section.

1. Employees Table Creation


This screenshot shows the Employees table creation in MySQL. The table includes employee details such as employee_id, employee_name, gender, age, hire_date, department_id and location_id. The required constraints are used to control valid employee data and connect the employee table with the Department and Location tables.



Employees Table creation

2. Location Table Creation


This screenshot shows the Location table creation. The location identifier is designed to be automatically generated using AUTO_INCREMENT, while the location value is required and should not be duplicated.



Location Table Creation

3. Department Table Recreated


This screenshot shows the Department table after the database/table recreation step. The department_id is intended to uniquely identify each department, while department_name is required and protected from duplicate entries.



Department Table recreated

4. Location Table Recreated


This screenshot shows the recreated Location table. The location_id provides the unique identifier and the location field is constrained so that NULL or duplicate location values are not accepted.




Location Table recreated

5. Employee Table Recreated

This screenshot shows the recreated Employee table. It brings together the employee fields and the required restrictions, including unique employee identification, mandatory name, M/F gender values, age validation, default hire date, and references to Department and Location.



Employee Table recreated



6. Employee Table / Final Screenshot

This final screenshot is included from the original uploaded project material. It documents the Employee table portion of the DDL work and serves as evidence of the SQL execution in MySQL.