

Time Series Algorithms— Appendix



Legal Notice

Copyright © 2023, Blue Yonder Group, Inc. All rights reserved. Blue Yonder is a Registered Trademark of Blue Yonder Group, Inc. All other company and product names may be Trademarks, Registered Trademarks or Service Marks of the companies with which they are associated. Blue Yonder reserves the right at any time and without notice to change these materials or any of the functions, features, or specifications of any of the software described herein. Blue Yonder shall have no warranty obligation with respect to these materials or the software described herein, except as approved in Blue Yonder's Software License Agreement with an authorized licensee.

Time Series Algorithms—Appendix

Fourier Algorithm	
Assumption	Business changes at a constant rate
Best Suitable for	Stable products and seasonal patterns that don't vary a great deal from year to year. This model works by fitting cyclical waves to demand history.
Examples	Light bulbs, paper towels, shampoos, and detergents

MLR Algorithm	
Assumption	Extension of Fourier
Best Suitable for	Products that have multiple causal factors. Causal factors are variables that influence the selling pattern of a product, such as advertising cost, product price, weather, holidays, and promotions. One or more causal factors may affect sales or demand.
Examples	Sunscreen lotion. The seasonal sales pattern remains stable and doesn't vary much from year to year. However, if a region experiences a particularly hot or extended summer, the inclusion of weather-related data into the forecasting process for stores in that area could help explain the higher than anticipated sales levels.

Lewandowski Algorithm	
Assumption	Applies to an array of demand patterns
Best Suitable for	Constant sales pattern shifts during a product's life cycle subject to impacts of data-driven events. Also termed as 'Universal algorithm.'
Examples	Electronic products like cell phones exhibit a specific sales pattern shift in their product lifecycle.

Moving Average Algorithm	
Assumption	Requires less data and uses averages of recent sales history
Best Suitable for	Scenarios of short lifecycles or new product introduction (NPI).
Examples	Products such as electronic gadgets and products with a short life cycle such as grocery items

Holt Winters Algorithm	
Assumption	Produces forecasts using moving averages of systematic components
Best Suitable for	Products with all types of demand patterns
Examples	Bakery and vegetables

Croston Algorithm	
Assumption	Randomly distributed demand with many periods of no sale
Best Suitable for	Products with intermittent demand pattern
Examples	Engines and gears for tankers, propellers for turbines, and spare parts

AVS Graves Algorithm	
Assumption	Updates the forecast after several consecutive periods of zero demand and allows demand planners to include seasonality
Best Suitable for	Targets intermittent demand patterns and slow-moving products
Examples	Snowmobiles and umbrellas