

Game
+ players: list
+ n_decks: int
+ bet: float
+ verbose: bool
+ deck: Deck
+ dealer: DealerPlayer
+ __init__(players, n_decks=6, bet=10, verbose=True)
+ log(message)
+ notify(card)
+ deal_card(player, visible=True): Card
+ prepare_round()
+ is_blackjack(hand): bool
+ play_round(): bool
+ play(rounds=50, tracked_player=None): int
1
0..*
dealer
players
1
uses
1
CountingPlayer
+ threshold: int
+ count: int
+ __init__(name, chips=100, threshold=0)
+ observe(card)
+ reset_count()
+ wants_hit(): bool
Deck
+ n_decks : int
+ cards : list
+ needs_shuffle : bool
+ init(n_decks = 6)
+ shuffle()
+ draw() :Card
0..1
0..1
holds
0..*
Card
+ rank : str
+ suit : str
+ init(rank, suit)
+ value() : int
+ str() : str
0..1
0..*
contains
Hand
+ cards: list
+ __init__()
+ add_card(card)
+ total(): int
+ is_bust(): bool
+ clear()
1
has
1
Player
+ name: str
+ chips: float
+ hand: Hand
+ __init__(name, chips=100)
+ wants_hit(): bool
+ observe(card)
+ reset_count()
0..*
HumanPlayer
+ wants_hit(): bool
StandAt16Player
+ wants_hit(): bool
DealerPlayer
+ wants_hit(): bool
1
The plastic marker is represented by None in Deck.cards.
Drawing it sets needs_shuffle; Game rebuilds and shuffles the
shoe before the next round.