

Version: 1.0

Author: Vamsikrishna

1 Overview

The purpose of this document is to explain the changes that need to be made to a customer portal site to enable OKCS.

2 Pre-Requisites

This document describes changes required to update a 16.2 Oracle Service Cloud instance to Oracle Knowledge Cloud Service. This document may be used for future versions but changes may not translate as-is. The following pre-requisites apply:

- 1. You have a provisioned instance of Oracle Service Cloud which is connected to an Oracle Knowledge Cloud Service instance. This is typically done by the provisioning teams as part of a customer order.
- 2. You have enabled MOD_CP_DEVELOPMENT. This is required to ensure that you're able to modify code on customer portal using WebDav.
- 3. You have mapped a drive or path to customer portal using WebDav. All the paths below refer to the customer portal webdav paths
- 4. You have initialized Oracle Knowledge Search by creating content within Oracle Knowledge Authoring and Crawling this content. This will ensure search results are available.
- 5. Ensure that you have set the config parameter OKCS_ENABLED to true.

Notes

It's important to note that OKCS widgets and these changes are applicable to Standard and Mobile views of Customer Portal. These widgets are not supported on the basic view.

3 Description of changes

Connect to your customer portal site and create a backup of your code before making any changes. Follow the steps below to modify your pages to start using Oracle Knowledge Cloud Service (OKCS) widgets.

3.1 Changes related to standard and mobile templates.

Changes to /cp/customer/development/views/templates/standard.php
In the div rn_Navigation we need to dynamically set the NavigationTab widget after checking for config OKCS_ENABLED.

Code changes to do the same can be found here.

Changes to /cp/customer/development/views/templates/mobile.php

Code changes to mobile.php can be found here.

3.2 Changes to related to the standard and mobile pages

3.2.1 Changes to /cp/customer/development/views/pages/home.php

Changes need to be done to the home.php file to modify the base CP search to OKCS specific search.

The code changes to modify the home page to display the OKCS version can be found here.

Other changes to mobile home page /cp/customer/development/views/pages/mobile/home.php can be found <a href="https://example.com/hereinfold/her

3.2.2 Add a new page /cp/customer/development/views/pages/browse.php

Code for browse.php can be found here.
Code for Mobile browse.php can be found here.

3.2.3 Add a new page /cp/customer/development/views/pages/answers/answer_view.php

Code for answer view.php can be found here.

Code for Mobile answer_view.php can be found here. (Mobile page path below) /cp/customer/development/views/pages/mobile/answers/answer_view.php

3.2.4 Changes to /cp/customer/development/views/pages/ask.php

To view the OKCS version of the smart assistant, we need to change the widget path input/SmartAssistantDialog to okcs/OkcsSmartAssistant as shown here.

Code changes to the the mobile OKCS version of the 'ask' page /cp/customer/development/views/pages/mobile/ask.php can be found here.

3.2.5 Changes to cp/customer/development/views/pages/search.php

Code for search.php can be found here.
Code for mobile search.php can be found <a href="https://example.com/here.com

3.2.6 Add the below pages under the below mentioned path cp/customer/development/views/admin

Code for answer_php can be found here.
Code for okcs_answer_full_preview.php can be found here.

3.2.7 Changes to /cp/customer/development/views/pages/account/overview.php Code changes to the overview.php can be found here.

3.2.8 Changes to /cp/customer/development/views/pages/account/notif/list.php Code changes to the list.php can be found here.

3.2.9 Changes to /cp/customer/development/views/pages/chat/chat_landing.php Code changes to the chat_landing.php can be found here.">here.

3.3 Code Changes

3.3.1 Note: All the pages related to OKCS are below.

Color information:

RED	Previous lines of code that have been changed
GREEN	Newly Added or Modified Line of code
BLUE	Existing code to help find the location of the changes in the file
ORANGE	Newly added changes as a part of 16.2 releases.

3.3.2 Template changes

3.3.2.1 Changes related to /cp/customer/development/views/templates/standard.php

Modification 1:

Existing code:

<rn:theme path="/euf/assets/themes/standard" css="site.css"/>

Modified code:

<rn:theme path="/euf/assets/themes/standard" css="site.css, okcs.css"/>

Modification 2:

Existing code:

<rn:widget path="search/SimpleSearch" report_page_url="/app/results"/>

Modified code:

<rn:widget path="okcs/OkcsSimpleSearch" report page url="/app/search"/>

Modification 3:

Existing code:

<rn:widget path="navigation/NavigationTab"</pre>

label_tab="#rn:msg:SUPPORT_HOME_TAB_HDG#" link="/app/#rn:config:CP_HOME_URL#" pages="home"/>

Modified code:

Add the below condition after the home page list index

<rn:condition config check="OKCS ENABLED == true">

<rn:widget path="navigation/NavigationTab"</pre>

label_tab="#rn:msg:ANSWERS_HDG#" link="/app/browse" pages="browse, answers/list, answers/detail, answers/intent, answers/answer view, search"/>

<rn:condition else>

<rn:widget path="navigation/NavigationTab"</pre>

label_tab="#rn:msg:ANSWERS_HDG#" link="/app/search" pages="answers/list, answers/detail, answers/intent, answers/answer_view, search"/>
</rr>
</rn:condition>

```
Modification 4:
```

Existing code:

sub:input Contact.NewPassword:label input="#rn:msg:PASSWORD LBL#"

Modified code:

Add the below code after the existing code

sub:login:create_account_fields="Contact.Emails.PRIMARY.Address;Contact.Login;Contact. NewPassword;Contact.FullName"

3.3.2.2 Changes related to /cp/customer/development/views/templates/mobile.php

Modification 1:

Existing code:

<rn:theme path="/euf/assets/themes/mobile" css="site.css"/>

Modified code:

<rn:theme path="/euf/assets/themes/mobile" css="site.css, okcs.css"/>

Modification 2:

Existing code:

<rn:widget path="search/SimpleSearch" report_page_url="/app/results"/>

Modified code:

<rn:widget path="okcs/OkcsSimpleSearch" report page url="/app/search"/>

Modification 3:

Existing code:

<rn:widget path="navigation/NavigationTab"</pre>

label_tab="#rn:msg:SUPPORT_HOME_TAB_HDG#" link="/app/#rn:config:CP_HOME_URL#" pages="home"/>

Modified code:

Add the below condition after the home page list index

<rn:condition config_check="OKCS_ENABLED == true">

<rn:widget path="navigation/NavigationTab"</pre>

label_tab="#rn:msg:ANSWERS_HDG#" link="/app/browse" pages="browse, answers/list, answers/detail, answers/intent, answers/answer_view, search"/>

<rn:condition else>

<rn:widget path="navigation/NavigationTab"</pre>

label_tab="#rn:msg:ANSWERS_HDG#" link="/app/search" pages="answers/list, answers/detail, answers/intent, answers/answer_view, search"/>
</rr>
</rn:condition>

Modification 4:

Existing code:

sub:input Contact.NewPassword:label input="#rn:msg:PASSWORD LBL#"

Modified code:

Add the below code after the existing code

sub:login:create_account_fields="Contact.Emails.PRIMARY.Address;Contact.Login;Contact. NewPassword;Contact.FullName"

3.3.3 Page changes

```
3.3.3.1 Changes related to /cp/customer/development/views/pages/home.php
       Remove the existing code entirely and add the below code
       <rn:meta title="#rn:msg:SHP_TITLE_HDG#" template="standard.php"</pre>
       clickstream="home"/>
       <div class="rn Hero">
         <div class="rn_HeroInner">
            <div class="rn HeroCopy">
              <h1>#rn:msg:WERE HERE TO HELP LBL#</h1>
            </div>
            <div class="rn SearchControls">
              <h1 class="rn ScreenReaderOnly">#rn:msg:SEARCH CMD#</h1>
              <form method="get" action="/app/search">
                <rn:container source id="OKCSSearch">
                  <div class="rn SearchInput">
                    <rn:widget path="searchsource/SourceSearchField" initial focus="true"</pre>
       label placeholder="#rn:msg:ASK A QUESTION ELLIPSIS MSG#"/>
                  </div>
                  <rn:widget path="okcs/RecentSearches"/>
                  <rn:widget path="searchsource/SourceSearchButton" initial focus="true"</pre>
       search results url="/app/search"/>
                </rn:container>
              </form>
            </div>
         </div>
       </div>
       <div class="rn_PageContent rn_Home">
         <div class="rn PopularKB">
            <div class="rn Container">
              <rn:widget path="okcs/AnswerList" type="popular" target="_self" view_type="list"/>
            </div>
         </div>
         <div class="rn PopularKB rn RecentKB">
            <div class="rn Container">
              <rn:widget path="okcs/AnswerList" type="recent" target=" self" view type="list"/>
            </div>
         </div>
       </div>
3.3.3.2 Changes related to /cp/customer/development/views/pages/mobile/home.php
```

<rn:meta title="#rn:msg:SHP TITLE HDG#" template="mobile.php" clickstream="home"/>

Remove the existing code entirely and add the below code

```
<div class="rn Hero">
  <div class="rn HeroInner">
    <div class="rn HeroCopy">
      <h1>#rn:msg:WERE HERE TO HELP LBL#</h1>
    </div>
    <div class="rn SearchControls">
      <h1 class="rn ScreenReaderOnly">#rn:msg:SEARCH CMD#</h1>
      <form method="get" action="/app/search">
        <rn:container source id="KFSearch">
          <div class="rn SearchInput">
            <rn:widget path="searchsource/SourceSearchField" initial focus="true"</p>
label placeholder="#rn:msg:ASK A QUESTION ELLIPSIS MSG#"/>
          </div>
          <rn:widget path="okcs/RecentSearches" display tooltip="true"/>
          <rn:widget path="searchsource/SourceSearchButton" initial focus="true"</pre>
history source id="OKCSSearch"/>
        </rn:container>
      </form>
    </div>
  </div>
</div>
<div class="rn PageContent rn Home">
  <div class="rn Container">
    <div class="rn PopularKB">
     <rn:widget path="navigation/Accordion" toggle="rn_AccordTriggerPopular"/>
      <h2 id="rn AccordTriggerPopular"
class="rn Expanded">#rn:msg:MOST POPULAR ANSWERS LBL#<span
class="rn Expand"></span></h2>
      <div class="rn Report">
        <rn:widget path="okcs/AnswerList" type="popular" show headers="false"</p>
per_page="5" target="_self" view type="list"/>
      </div>
    </div>
    <div class="rn PopularKB">
     <rn:widget path="navigation/Accordion" toggle="rn AccordTriggerRecent"/>
      <h2 id="rn AccordTriggerRecent"
class="rn_Expanded">#rn:msg:MOST_RECENT_ANSWERS_LBL#<span
class="rn Expand"></span></h2>
      <div class="rn Report">
        <rn:widget path="okcs/AnswerList" type="recent" show headers="false"</pre>
per page="5" target=" self" view type="list"/>
      </div>
    </div>
  </div>
</div>
```

3.3.3.3 Changes related to /cp/customer/development/views/pages/browse.php

Note: Check if browse.php is already available, if so remove the existing code entirely and add the below changes .If it is not available, create a new file (browse.php) and add the below changes.

```
<rn:meta title="#rn:msg:FIND ANS HDG#" template="standard.php"</pre>
clickstream="answer list"/>
<rn:condition config check="OKCS ENABLED == true">
  <div class="rn Container">
    <div id="rn PageTitle" class="rn ScreenReaderOnly">
      <h1>#rn:msg:BROWSE1 AB HDG#</h1>
    </div>
    <rn:container source id="OKCSBrowse">
      <div id="rn PageContentChannel" class="rn Browse rn PageContentChannel">
        <div class="rn PageContentChannelInner">
          <rn:widget path="okcs/ContentType"/>
        </div>
      </div>
      <div id="rn LoadingIndicator" class="rn Browse">
        <rn:widget path="okcs/LoadingIndicator"/>
      </div>
      <div id="rn PageContentArticles" class="rn AnswerList">
        <div class="rn ResultPadding">
          <div>
            <div id="rn OkcsLeftContainer" class="rn OkcsLeftContainer">
              <rn:widget path="okcs/OkcsProductCategorySearchFilter"</pre>
filter type="products" view type="explorer"/>
               <rn:widget path="okcs/OkcsProductCategorySearchFilter"</pre>
filter type="categories" view type="explorer"/>
            </div>
            <div id="rn OkcsRightContainer" class="rn OkcsRightContainer">
               <div id="rn Browse Loading"></div>
               <div id="rn OkcsAnswerList">
                 <rn:widget path="okcs/AnswerList" target="_self"/>
                 <div class="rn FloatRight">
                   <rn:widget path="okcs/OkcsPagination"/>
                 </div>
               </div>
            </div>
          </div>
        </div>
      </div>
    </rn:container>
  </div>
</rn:condition>
```

3.3.3.4 Changes related to /cp/customer/development/views/pages/mobile/browse.php

Note: Check if browse.php is already available, if so remove the existing code entirely and add the below changes .If it is not available, create a new file (browse.php) and add the below changes.

```
<rn:meta title="#rn:msg:BROWSE1 AB HDG#" template="mobile.php"</pre>
clickstream="answer list"/>
<rn:condition config check="OKCS ENABLED == true">
<div id="rn PageTitle" class="rn Home">
  <div class="rn Hero">
    <div class="rn HeroInner">
      <div class="rn OkcsMobileBrowseHeader">
        <h1 class="rn ScreenReaderOnly"><rn:page title/></h1>
        <rn:container source id="OKCSBrowse">
        <h2 id="rn AccordTriggerContentType" class="rn Collapsed"><a
        href="javascript:void(0);">#rn:msg:CONTENT TYPE LBL#<span</pre>
        class="rn ButtonOff" role="button"></span></a></h2>
                   <h2 id="rn AccordTriggerProduct" class="rn Collapsed"><a
        href="javascript:void(0);" role="button">#rn:msg:PRODUCT_LBL#<span</pre>
        class="rn ButtonOff"></span></a></h2>
                   <h2 id="rn AccordTriggerCategory" class="rn Collapsed"><a
        href="javascript:void(0);" role="button">#rn:msg:CATEGORY LBL#<span</pre>
        class="rn ButtonOff"></span></a></h2>
            <div class="rn ClearBoth">
            <div id="rn ContainerContentType" class="rn Hidden">
               <rn:widget path="okcs/ContentType" list_display="vertical"</pre>
toggle selection="true" toggle="rn AccordTriggerContentType"
item to toggle="rn ContainerContentType"/>
            </div>
            <div id="rn ContainerProduct" class="rn Hidden">
               <rn:widget path="okcs/OkcsProductCategorySearchFilter"</pre>
filter type="products" toggle selection="true" toggle="rn AccordTriggerProduct"
item to toggle="rn ContainerProduct" view type="explorer"/>
            </div>
            <div id="rn ContainerCategory" class="rn Hidden">
               <rn:widget path="okcs/OkcsProductCategorySearchFilter"</pre>
filter type="categories" toggle selection="true" toggle="rn AccordTriggerCategory"
item to toggle="rn ContainerCategory" view type="explorer"/>
            </div>
          </div>
        </div>
      </div>
  </div>
</div>
<div class="rn Container">
<section id="rn PageContent" class="rn Home">
    <div id="rn LoadingIndicator" class="rn Browse">
      <rn:widget path="okcs/LoadingIndicator"/>
```

```
</div>
            <div id="rn PageContentArticles">
              <div class="rn ResultPadding">
                 <div id="rn Browse Loading"></div>
                 <div id="rn OkcsAnswerList">
                   <div class="rn Report">
                     <rn:widget path="okcs/AnswerList" view type="list" show headers="false"</pre>
        per_page="5" target="_self"/>
                   </div>
                   <div class="rn FloatRight">
                     <rn:widget path="okcs/OkcsPagination"/>
                   </div>
                </div>
              </div>
            </div>
          </rn:container>
        </section>
        </div>
       </rn:condition>
3.3.3.5 Changes related to /cp/customer/development/views/pages/answers/answer view.php
        Note: Check if answer view.php is already available, if so remove the existing code entirely and add
       the below changes .If it is not available, create a new file (answer_view.php) and add the below
        changes.
        <div class="rn Container">
          <rn:condition config check="OKCS ENABLED == true">
            <rn:meta title="#rn:php:\RightNow\Libraries\SEO::getDynamicTitle('answer',</pre>
       \RightNow\Utils\Url::getParameter('a_id'))#" template="standard.php"
        clickstream="answer view"/>
            <rn:widget path="okcs/SubscriptionButton"/>
            <div class="rn AnswerView">
              <rn:widget path="okcs/AnswerTitle">
              <rn:widget path="okcs/AnswerStatus">
              <div class="rn SectionTitle"></div>
              <rn:widget path="okcs/AnswerContent">
            </div>
            <rn:widget path="okcs/DocumentRating"/>
          </rn:condition>
        </div>
3.3.3.6 Changes related to
        /cp/customer/development/views/pages/mobile/answers/answer view.php
        Note: Check if answer_view.php is already available, if so remove the existing code entirely and add
       the below changes .If it is not available, create a new file (answer view.php) and add the below
        changes.
        <div class="rn Container">
```

<rn:condition config check="OKCS ENABLED == true">

<rn:meta title="#rn:php:\RightNow\Libraries\SEO::getDynamicTitle('answer',</pre>

```
\RightNow\Utils\Url::getParameter('a id'))#" template="mobile.php"
        clickstream="answer view"/>
            <rn:widget path="okcs/SubscriptionButton"/>
            <section id="rn PageContent" class="rn AnswerDetail">
              <div id="rn_AnswerText">
                <rn:widget path="okcs/AnswerTitle">
                <rn:widget path="okcs/AnswerStatus">
                <div class="rn SectionTitle"></div>
                <rn:widget path="okcs/AnswerContent">
              </div>
              <rn:widget path="okcs/DocumentRating"/>
            </section>
          </rn:condition>
        </div>
3.3.3.7 Changes related to /cp/customer/development/views/pages/ask.php
       Modification 1:
       Existing code:
        Remove the entire code below and add the modified code as mentioned
           <rn:condition content viewed="2" searches done="1">
        <rn:condition else/>
        <rn:widget path="input/SmartAssistantDialog"/>
        </rn:condition>
        Modified code:
        <rn:widget path="okcs/OkcsSmartAssistant" view type="explorer"/>
3.3.3.8 Changes related to /cp/customer/development/views/pages/mobile/ask.php
        Modification 1:
        Existing code:
        Remove the entire code below and add the modified code as mentioned
        <rn:condition content viewed="2" searches done="1">
        <rn:condition else/>
        <rn:widget path="input/SmartAssistantDialog"/>
        </rn:condition>
        Modified code:
        <rn:widget path="okcs/OkcsSmartAssistant" view type="inline"/>
3.3.3.9 Changes related to /cp/customer/development/views/pages/search.php
        Note: Check if search.php is already available, if so remove the existing code entirely and add the
        below changes . If it is not available, create a new file (search.php) and add the below changes.
        <rn:meta title="#rn:msg:FIND ANS HDG#" template="standard.php"</pre>
        clickstream="answer list"/>
        <rn:container source id="OKCSSearch">
          <div id="rn LoadingIndicator" class="rn Browse rn Container">
           <rn:widget path="okcs/LoadingIndicator"/>
          </div>
          <div id="rn PageTitle" class="rn Search">
            <div class="rn Hero">
              <div class="rn HeroInner">
```

```
<div class="rn SearchControls">
          <h1 class="rn ScreenReaderOnly">#rn:msg:SEARCH CMD#</h1>
          <form>
            <div class="rn SearchInput">
               <rn:widget path="searchsource/SourceSearchField" initial focus="true"</pre>
label placeholder="#rn:msg:ASK A QUESTION ELLIPSIS MSG#" filter label="Keyword"
filter type="query"/>
             </div>
            <rn:widget path="okcs/RecentSearches"/>
             <rn:widget path="searchsource/SourceSearchButton" initial focus="true"</pre>
history_source id="OKCSSearch"/>
            <rn:widget path="okcs/OkcsInteractiveSpellChecker"/>
            <div class="rn StartOver">
               <a href="/app/home" >#rn:msg:START OVER LBL#</a>
            </div>
          </form>
        </div>
      </div>
    </div>
  <div id="rn PageContent" class="rn Container">
    <div class="rn ResultList">
      <div id="rn_OkcsLeftContainer" class="rn_OkcsLeftContainer rn_ResultPadding">
        <rn:widget path="okcs/Facet"/>
      </div>
      <div id="rn OkcsRightContainer" class="rn OkcsRightContainer">
        <rn:widget path="okcs/SearchResult" hide when no results="false"/>
        <div class="rn FloatRight">
          <rn:widget path="okcs/OkcsPagination"/>
        </div>
      </div>
    </div>
    <aside class="rn SideRail" role="complementary"><rn:widget path="utils/ContactUs"</pre>
/></aside>
  </div>
</rn:container>
```

3.3.3.10 Changes related to /cp/customer/development/views/pages/mobile/search.php

Note: Check if answer_view.php is already available, if so remove the existing code entirely and add the below changes .If it is not available, create a new file (search.php) and add the below changes.

```
<div class="rn SearchControls">
                  <h1 class="rn ScreenReaderOnly">#rn:msg:SEARCH CMD#</h1>
                  <form method="get" action="/app/search">
                    <rn:container source id="OKCSSearch">
                      <div class="rn SearchInput">
                         <rn:widget path="searchsource/SourceSearchField" initial focus="true"</pre>
         label placeholder="#rn:msg:ASK A QUESTION ELLIPSIS MSG#"/>
                      </div>
                      <rn:widget path="okcs/RecentSearches" display tooltip="true"/>
                      <rn:widget path="searchsource/SourceSearchButton" initial focus="true"</pre>
         search results url="/app/search"/>
                      <rn:widget path="okcs/OkcsInteractiveSpellChecker"/>
                    </rn:container>
                    <div class="rn StartOver">
                      <a href="/app/home" >#rn:msg:START_OVER_LBL#</a>
                    </div>
                  </form>
                </div>
              </div>
            </div>
         </div>
         </rn:container>
         <div class="rn Container">
            <section id="rn PageContent" class="rn Container">
              <rn:container source id="OKCSSearch" truncate size="200">
                <div class="rn Module">
                  <rn:widget path="okcs/Facet" toggle title="true"/>
                </div>
                <div id="rn OkcsRightContainer" class="rn Padding">
                  <rn:widget path="okcs/SearchResult" hide when no results="false"/>
                  <div class="rn FloatRight rn Padding">
                    <rn:widget path="okcs/OkcsPagination"/>
                  </div>
                </div>
              </rn:container>
            </section>
         </div>
3.3.3.11 Changes related to /cp/customer/development/views/admin/answer.php
        Note: Check if answer.php is already available, if so remove the existing code entirely and add the
        below changes .If it is not available, create a new file (answer.php) and add the below changes.
         <!DOCTYPE html>
         <html>
            <head>
              <meta charset="utf-8"/>
              <style type='text/css'>
                .ok-highlight-title {background-color: #FF0;font-weight: bold;}
```

.ok-highlight-sentence {background-color: #EBEFF5;}

```
iframe {min-width: 100%; border-top-width: 0; border-left-width: 0; border-style:
ridge; width: 100%; height: 100%;}
      .mainDiv {width: 100%;height: 100%;overflow: hidden;}
      .headerDiv {width: 100%;height: 5%;position: fixed;background-color:
#40526b;top: 0px;min-height: 50px;color: white;font-size: 1em;line-height: 1.5em;font-
weight: bold;padding: 10px 0 0px 15px;min-height: 50px;text-align: left;overflow: hidden;}
      .containerDiv {width: 100%;height: 90%;margin-top: 75px;overflow:
hidden; position: fixed;}
      .childDiv {width: 100%;height: 100%;overflow: auto;}
      .iframeDiv {height: 95%;}
      .leftAnchor {padding: 0 10px;color: white;}
      .rightAnchor {padding-left: 10px;color: white; margin-right: 15px;}
    </style>
    <link type="text/css" rel="stylesheet" href="/euf/core/thirdParty/css/font-</pre>
awesome.min.css"/>
  </head>
  <body style="margin: 0px;">
    <? if($error === null) : ?>
      <div class="mainDiv">
         <div class="headerDiv">
           <? $CI = get instance(); ?>
           <? if(($type === 'PDF' && ($CI->agent->browser() === 'Internet Explorer')) | |
$type !== 'PDF'): ?>
             <span style="margin-left:30%;text-align: center;"><?=</pre>
$highlightMsg;?></span>
             <span style="margin-right:5px;margin-top:5px;">
               <? if($type === 'PDF' && ($CI->agent->browser() === 'Internet Explorer')):
?>
                  <i class="icon-info-sign rightAnchor" onclick="alert('Install dt-search</pre>
plugin to view the highlighted version of the PDF')"></i>
               <? endif; ?>
             </span>
             <span style="float:right;margin-right:5px;">
             <a class="leftAnchor" href="javascript:void(0);"</pre>
onclick="window.prompt('<?= $copyClipboardMsg?>', '<?= $url;?>')"><?=
$copyLinkLable;?></a>|<a class="rightAnchor" href="javascript:void(0);"
onclick="window.open('<?= $url;?>');"><?= $viewLabel;?></a>
             </span>
           <? elseif($type === 'PDF'): ?>
             <span style="float:right;margin-right:5px;margin-top:5px;">
               <a class="rightAnchor" href="javascript:void(0);"</pre>
onclick="window.prompt('<?= $copyClipboardMsg?>', '<?= $url;?>')"><?=
$copyLinkLable;?></a>
             </span>
           <? endif; ?>
         </div>
```

```
<div class="containerDiv">
                       <div class="childDiv">
                       <? if($type !== null) : ?>
                          <div class="iframeDiv"><iframe src='<?= $file;?>'/></div>
                       <? elseif($html !== null): ?>
                          <div><frame><div><?= $html;?></div></frame></div>
                       <? endif: ?>
                       </div>
                     </div>
                   </div>
                 <? else: ?>
                   <?= $error;?>
                 <? endif; ?>
               </body>
            </html>
3.3.3.12 Changes related to /cp/customer/development/views /admin/
          okcs answer full preview.php
          Note: Check if okcs answer full preview.php is already available, if so remove the existing code
          entirely and add the below changes . If it is not available, create a new file
          (okcs_answer_full_preview.php) and add the below changes.
          <!DOCTYPE html>
          <html>
          <head>
            <meta charset="utf-8"/>
            <title><?=\RightNow\Utils\Config::getMessage(ANSWER PRINT PAGE LBL);?></title>
            <style type='text/css'>
              .rn ScreenReaderOnly{position:absolute; height:1px; left:-10000px; overflow:hidden;
         top:auto; width:1px;}
              .rn Hidden{display:none;}
              .rn AnswerInfo {color:#666;margin:6px 0 20px;}
              .rn Info {width: 30%;display: inline-block;margin-top: 10px;}
              .rn SchemaAttribute {margin-bottom: 5px;font-weight: bold;}
              .rn SchemaAttributeValue {margin-bottom: 10px;}
              .rn Indent {margin-left: 20px;}
              .rn SectionTitle {border-top: 1px solid #DDD;clear: both;padding: 10px 0;text-align:
          right;}
              .rn AnswerHeader section {display: inline-block;padding: 3px;width: 40%;word-wrap:
          break-word;}
              .rn AnswerHeader h1 {font-size: 1.7em;margin: 15px 0;}
              .rn AnswerView {margin: 0 10px;}
            </style>
            k href="/euf/assets/themes/standard/site.css" rel="stylesheet" type="text/css"
          media="all" />
          </head>
```

<body>

```
<div id="rn Container">
  <div id="rn Header"></div>
  <div id="rn Navigation"></div>
  <div id="rn Body">
    <div id="rn MainColumn">
      <div class="rn AnswerView">
        <div class="rn AnswerDetail rn AnswerHeader">
          <h1 id="rn Summary"><?=$data['title']?></h1>
          <div class="rn AnswerInfo">
             <span id="docIdHeader">
               <section>
                 <span class="rn Info rn Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(DOCUMENT ID LBL);?></span>
                 <span><?= $data['docID']?></span>
               </section>
             </span>
            <span id="versionHeader">
               <section>
                 <span class="rn_Info rn_Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(VERSION LBL);?></span>
                 <span><?= $data['version']?></span>
               </section>
             </span>
            <span id="statusHeader">
               <section>
                 <span class="rn_Info rn_Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(STATUS LBL);?></span>
                 <span><?= $data['published']?></span>
               </section>
             </span>
             <span id="publishedDateHeader">
               <section>
                 <span class="rn_Info rn_Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(PUBLISHED_DATE_LBL);?></span>
                 <span><?= $data['publishedDate']?></span>
               </section>
            </span>
          </div>
        </div>
        <div class="rn SectionTitle"></div>
        <div id="content">
        <? $previousDepth = 1; ?>
        <? $currentIndex = 1; ?>
        <? foreach ($data['data'] as $data): ?>
          <? if ($data['type'] === 'META'): ?>
             <div class="rn SectionTitle"></div>
          <? endif; ?>
```

```
<? foreach ($data['contentSchema'] as $schemaPath): ?>
             <? $schemaXpath = str replace('//', ", $schemaPath); ?>
             <? $attribute = $data['content'][$schemaXpath]; ?>
             <? if ($attribute['depth'] > 0) : ?>
               <? $value = $attribute['value']; ?>
               <? if($attribute['depth'] > $previousDepth ) : ?>
                  <div class="rn Indent">
               <? endif; ?>
               <? if($attribute['depth'] < $previousDepth) : ?>
                  <? $diff = $previousDepth - $attribute['depth']; ?>
                  <? for($i = $diff; $i > 0; $i--) : ?>
                    </div>
                  <? endfor; ?>
               <? endif; ?>
               <? if($attribute['xPath'] !== ") : ?>
                  <?$className = ucwords(strtolower($attribute['xPath']));?>
                  <?$index = 0;?>
                  <? foreach(array('_', '/') as $delimiter) : ?>
                    <? if(strpos($className, $delimiter)) : ?>
                      <?$className = implode(' ', array map('ucfirst', explode($delimiter,
$className)));?>
                    <? endif; ?>
                    <? $index++;?>
                  <? endforeach: ?>
                  <? $className = 'rn AnswerField ' . $className; ?>
               <? endif; ?>
               <div class="<?= $className?>">
                  <div class='rn SchemaAttribute'>
                    <? if ($type === 'CHECKBOX') : ?>
                      <? $checkboxID = $className . $index;
                        $checked = $value === 'Y' ? 'checked' : ";
                      ?>
                      <label for="<?= $checkboxID ?>"
class="rn AttributeCheckboxLabel"><?= $attribute['name'] ?></label>
                      <input id="<?= $checkboxID ?>" type="checkbox" disabled <?=</pre>
$checked ?> class="rn AttributeCheckbox"/>
                    <? else: ?>
                      <?= $attribute['name'] ?>
                    <? endif; ?>
                  </div>
                  <? if($this->data['attrs']['type'] !== 'NODE') : ?>
                    <div class='rn SchemaAttributeValue'>
                      <? if ($type === 'FILE') : ?>
                        <a target=' blank'
href="/ci/okcsFattach/get/<?=$attribute['encryptedPath'];?>"><?=$attribute['value'];?></a>
```

```
<? elseif ($type !== 'CHECKBOX') : ?>
                                 <?= $value ?>
                              <? endif; ?>
                            </div>
                          <? endif; ?>
                        </div>
                        <? if (count($data['contentSchema']) === $currentIndex) : ?>
                          <? for($i = $attribute['depth']; $i > 1; $i--) : ?>
                            </div>
                          <? endfor; ?>
                        <? endif; ?>
                        <? $previousDepth = $attribute['depth']; ?>
                      <? endif; ?>
                      <? $currentIndex++; ?>
                    <? endforeach: ?>
                  <? endforeach; ?>
                </div>
             </div>
           </div>
         </div>
         </body>
         </html>
3.3.3.13 Changes related to /cp/customer/development/views/pages/chat/chat landing.php
         Modification 1:
         Existing code:
         Remove the entire code below and add the modified code as mentioned
         <rn:widget path="chat/ChatQueueSearch" popup window="true" />
         Modified code:
         <rn:condition config check="OKCS ENABLED == true">
         <rn:widget path="chat/ChatQueueSearch" report page url="/app/search"</pre>
              popup window="true" />
         <rn:condition else>
         <rn:widget path="chat/ChatQueueSearch" popup window="true" />
         </rn:condition>
3.3.3.14 Changes related to /cp/customer/development/views/pages/account/notif/list.php
         Modification 1:
         Existing code:
         Remove the entire code below and add the modified code as mentioned
         <rn:widget path="notifications/AnswerNotificationManager" />
         <h2>#rn:msg:PRODUCTCATEGORY ANSWER NOTIFICATIONS LBL#</h2>
         <rn:widget path="notifications/ProdCatNotificationManager"</pre>
         report page url="/app/#rn:config:CP PRODUCTS DETAIL URL#" />
         <rn:condition is social user="true">
           <h2>#rn:msg:DISCUSSION NOTIFICATIONS LBL#</h2>
           <rn:container report id="15104">
             <rn:widget path="reports/ResultInfo" static filter="User=#rn:profile:socialUserID#"/>
```

```
static filter="User=#rn:profile:socialUserID#"/>
           </rn:container>
           <h2>#rn:msg:PRODUCT_DISCUSSION NOTIFICATIONS LBL#</h2>
           <rn:container report id="15105">
             <rn:widget path="reports/ResultInfo" static filter="User=#rn:profile:socialUserID#"/>
             <rn:widget path="notifications/DiscussionSubscriptionManager"</pre>
         static filter="User=#rn:profile:socialUserID#" subscription type="Product"
         label no notification="#rn:msg:CURRENTLY DONT ANY DISC NOTIF MSG#"/>
           </rn:container>
         </rn:condition>
         Modified code:
         <rn:widget path="okcs/OkcsAnswerNotificationManager" view type="list"/>
3.3.3.15 Changes to /cp/customer/development/views/pages/account/overview.php
          Remove the existing code entirely and add the below code
         <rn:meta title="#rn:msg:ACCOUNT OVERVIEW LBL#" template="standard.php"</pre>
         login required="true" force https="true" />
         <div class="rn Hero">
           <div class="rn Container">
             <h1>#rn:msg:ACCOUNT OVERVIEW_LBL#</h1>
           </div>
         </div>
         <div class="rn PageContent rn AccountOverview rn Container">
           <h2><a class="rn Questions"
         href="/app/account/questions/list#rn:session#">#rn:msg:QUESTIONS HDG#</a></h2>
           <div class="rn Questions">
             <rn:widget path="reports/Grid" report id="196" per page="4" label caption="<span</pre>
         class='rn ScreenReaderOnly'>#rn:msg:YOUR RECENTLY SUBMITTED QUESTIONS LBL#</sp
         an>"/>
             <a
         href="/app/account/questions/list#rn:session#">#rn:msg:SEE ALL QUESTIONS LBL#</a>
           </div>
           <h2><a class="rn">rn Profile"
         href="/app/account/profile#rn:session#">#rn:msg:SETTINGS LBL#</a></h2>
           <div class="rn Profile">
         href="/app/account/profile#rn:session#">#rn:msg:UPDATE YOUR ACCOUNT SETTINGS CM
         D#</a><br/>
             <rn:condition external login used="false">
               <rn:condition config check="EU CUST PASSWD ENABLED == true">
         href="/app/#rn:config:CP CHANGE PASSWORD URL##rn:session#">#rn:msg:CHANGE YOU
```

<rn:widget path="notifications/DiscussionSubscriptionManager"</pre>

```
</rn:condition>
             </rn:condition>
           </div>
           <h2><a class="rn" Notifs"
         href="/app/account/notif/list#rn:session#">#rn:msg:NOTIFICATIONS HDG#</a></h2>
           <div class="rn Notifs">
             <rn:widget path="okcs/OkcsAnswerNotificationManager" view type="table"</pre>
         label caption="<span
         class='rn ScreenReaderOnly'>#rn:msg:ANSWER NOTIFICATIONS SLASH SPAN LBL#</span>
         "/>
         href="/app/account/notif/list#rn:session#">#rn:msg:SEE ALL NOTIFICATIONS LBL#</a>
           </div>
         </div>
3.3.3.16 Changes to /cp/customer/development/views/pages/account/profile.php
          Remove the existing code entirely and add the below code
          <rn:meta title="#rn:msg:ACCOUNT_SETTINGS_LBL#" template="standard.php"</pre>
          login required="true" force https="true" />
          <div class="rn Hero">
            <div class="rn Container">
              <h1>#rn:msg:ACCOUNT SETTINGS LBL#</h1>
            </div>
          </div>
          <div class="rn PageContent rn Profile rn Container">
            <rn:condition flashdata value for="info">
              <div class="rn MessageBox rn InfoMessage">
                #rn:flashdata:info#
              </div>
            </rn:condition>
            <rn:condition url parameter check="msg!= null">
              <div class="rn MessageBox rn InfoMessage">#rn:url param value:msg#</div>
            </rn:condition>
            <form id="rn CreateAccount" onsubmit="return false;">
              <div id="rn ErrorLocation"></div>
              <h2>#rn:msg:ACCT HDG#</h2>
              <rn:condition external login used="true">
              <rn:container read only="true">
              </rn:condition>
              <fieldset>
                <legend>#rn:msg:ACCT HDG#</legend>
```

R PASSWORD CMD#

```
<rn:widget path="input/FormInput" name="Contact.Emails.PRIMARY.Address"</pre>
required="true" validate on blur="true" initial focus="true"
label input="#rn:msg:EMAIL ADDR LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Login" required="true"</pre>
validate on blur="true" label input="#rn:msg:USERNAME LBL#"
hint="#rn:msg:TH PRIVATE S LOG IN SITE JUST WANT MSG#"/>
    <rn:condition external login used="false">
      <rn:condition config check="EU CUST PASSWD ENABLED == true">
        <br>
        <a
href="/app/#rn:config:CP CHANGE PASSWORD URL##rn:session#">#rn:msg:CHANGE YOU
R PASSWORD CMD#</a>
      </rn:condition>
    </rn:condition>
    </fieldset>
    <h2>#rn:msg:CONTACT_INFO_LBL#</h2>
    <fieldset>
      <legend>#rn:msg:CONTACT INFO LBL#</legend>
    <rn:condition config check="intl nameorder == 1">
      <rn:widget path="input/FormInput" name="Contact.Name.Last"</pre>
label input="#rn:msg:LAST_NAME_LBL#" required="true"/>
      <rn:widget path="input/FormInput" name="Contact.Name.First"</pre>
label input="#rn:msg:FIRST NAME LBL#" required="true"/>
    <rn:condition else/>
      <rn:widget path="input/FormInput" name="Contact.Name.First"</pre>
label input="#rn:msg:FIRST NAME LBL#" required="true"/>
      <rn:widget path="input/FormInput" name="Contact.Name.Last"</pre>
label input="#rn:msg:LAST NAME LBL#" required="true"/>
    </rn:condition>
    <rn:condition language in="ja-JP,ko-KR,zh-CN,zh-HK,zh-TW">
      <rn:widget path="input/FormInput" name="Contact.Address.PostalCode"</pre>
label input="#rn:msg:POSTAL CODE LBL#" />
      <rn:widget path="input/FormInput" name="Contact.Address.Country"</pre>
label input="#rn:msg:COUNTRY LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.StateOrProvince"</pre>
label input="#rn:msg:STATE PROV LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.City"</pre>
label input="#rn:msg:CITY LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.Street"</pre>
label input="#rn:msg:STREET LBL#"/>
    <rn:condition else/>
      <rn:widget path="input/FormInput" name="Contact.Address.Street"</pre>
label input="#rn:msg:STREET LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.City"</pre>
label input="#rn:msg:CITY LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.Country"</pre>
```

```
label input="#rn:msg:COUNTRY LBL#"/>
                <rn:widget path="input/FormInput" name="Contact.Address.StateOrProvince"</pre>
          label input="#rn:msg:STATE PROV LBL#"/>
                <rn:widget path="input/FormInput" name="Contact.Address.PostalCode"</pre>
          label input="#rn:msg:POSTAL CODE LBL#" />
              </rn:condition>
                <rn:widget path="input/FormInput" name="Contact.Phones.HOME.Number"</pre>
          label input="#rn:msg:HOME PHONE LBL#"/>
              </fieldset>
              <rn:condition external login used="true">
              </rn:container>
              </rn:condition>
              <rn:condition external login used="false" is social user="false"</pre>
          is active social user="true">
                <rn:widget path="input/FormSubmit" label_button="#rn:msg:SAVE_CHANGE_CMD#"</pre>
          on success url="none"
          label on success banner="#rn:msg:PROFILE UPDATED SUCCESSFULLY LBL#"
          error location="rn ErrorLocation"/>
              </rn:condition>
            </form>
          </div>
3.3.3.17 Changes to /cp/customer/development/views/pages/mobile/account/profile.php
          Remove the existing code entirely and add the below code
          <rn:meta title="#rn:msg:ACCOUNT_SETTINGS_LBL#" template="mobile.php"</pre>
          login required="true" force https="true" />
          <div class="rn Hero">
            <div class="rn Container">
              <h1>#rn:msg:ACCOUNT SETTINGS LBL#</h1>
            </div>
          </div>
          <div class="rn PageContent rn Profile rn_Container">
            <rn:condition flashdata value for="info">
              <div class="rn MessageBox rn InfoMessage">
                #rn:flashdata:info#
              </div>
            </rn:condition>
            <rn:condition url parameter check="msg!= null">
              <div class="rn MessageBox rn InfoMessage">#rn:url param value:msg#</div>
            </rn:condition>
```

```
<form id="rn CreateAccount" onsubmit="return false;">
    <div id="rn ErrorLocation"></div>
    <h2>#rn:msg:ACCT HDG#</h2>
    <rn:condition external login used="true">
    <rn:container read only="true">
    </rn:condition>
    <fieldset>
      <legend>#rn:msg:ACCT HDG#</legend>
      <rn:widget path="input/FormInput" name="Contact.Emails.PRIMARY.Address"</pre>
required="true" validate on blur="true" initial focus="true"
label input="#rn:msg:EMAIL ADDR LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Login" required="true"</pre>
validate on blur="true" label input="#rn:msg:USERNAME LBL#"
hint="#rn:msg:TH PRIVATE S LOG IN SITE JUST WANT MSG#"/>
    <rn:condition external login used="false">
      <rn:condition config check="EU CUST PASSWD ENABLED == true">
        <a
href="/app/#rn:config:CP CHANGE_PASSWORD_URL##rn:session#">#rn:msg:CHANGE_YOU
R PASSWORD CMD#</a>
      </rn:condition>
    </rn:condition>
    </fieldset>
    <h2>#rn:msg:CONTACT_INFO_LBL#</h2>
    <fieldset>
      <legend>#rn:msg:CONTACT INFO LBL#</legend>
    <rn:condition config check="intl nameorder == 1">
      <rn:widget path="input/FormInput" name="Contact.Name.Last"</pre>
label input="#rn:msg:LAST_NAME_LBL#" required="true"/>
      <rn:widget path="input/FormInput" name="Contact.Name.First"</pre>
label_input="#rn:msg:FIRST_NAME_LBL#" required="true"/>
    <rn:condition else/>
      <rn:widget path="input/FormInput" name="Contact.Name.First"</pre>
label input="#rn:msg:FIRST NAME LBL#" required="true"/>
      <rn:widget path="input/FormInput" name="Contact.Name.Last"</pre>
label input="#rn:msg:LAST NAME LBL#" required="true"/>
    </rn:condition>
    <rn:condition language in="ja-JP,ko-KR,zh-CN,zh-HK,zh-TW">
      <rn:widget path="input/FormInput" name="Contact.Address.PostalCode"</pre>
label input="#rn:msg:POSTAL CODE LBL#" />
      <rn:widget path="input/FormInput" name="Contact.Address.Country"</pre>
label input="#rn:msg:COUNTRY LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.StateOrProvince"</pre>
label input="#rn:msg:STATE PROV LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.City"</pre>
```

```
label input="#rn:msg:CITY LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.Street"</pre>
label input="#rn:msg:STREET LBL#"/>
    <rn:condition else/>
      <rn:widget path="input/FormInput" name="Contact.Address.Street"</pre>
label input="#rn:msg:STREET LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.City"</pre>
label input="#rn:msg:CITY LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.Country"</pre>
label input="#rn:msg:COUNTRY LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.StateOrProvince"</pre>
label input="#rn:msg:STATE PROV LBL#"/>
      <rn:widget path="input/FormInput" name="Contact.Address.PostalCode"</pre>
label input="#rn:msg:POSTAL CODE LBL#" />
    </rn:condition>
      <rn:widget path="input/FormInput" name="Contact.Phones.HOME.Number"</pre>
label input="#rn:msg:HOME PHONE LBL#"/>
    </fieldset>
    <rn:condition external login used="true">
    </rn:container>
    </rn:condition>
    <rn:condition external login used="false" is social user="false"</pre>
is active social user="true">
      <rn:widget path="input/FormSubmit" label button="#rn:msg:SAVE CHANGE CMD#"</pre>
on success url="none"
label on success banner="#rn:msg:PROFILE UPDATED SUCCESSFULLY LBL#"
error location="rn ErrorLocation"/>
    </rn:condition>
  </form>
</div>
```

3.3.4 Note:

Configuration setting CP_ANSWERS_DETAIL_URL config is set by the provisioning team on connect. Configuration values are applicable across all CP environments, so this will be applicable in production mode as well.

4 Upgrading site from 15.11 to 16.2

The default view_type of the AnswerList widget has been changed to table in 16.2. Due to this change after the upgrade to 16.2 the most popular and the most recent widgets on the home page are displayed in a tabular view. To revert the AnswerList widgets (MostPopular and MostRecent) back to list view the following changes need to be done.

Changes to /cp/customer/development/views/pages/home.php from 15.11 to 16.2 Existing code:

```
<rn:widget path="okcs/AnswerList" type="popular" target="_self"/>
Modified Code:
<rn:widget path="okcs/AnswerList" type="popular" target="_self" view_type="list"/>

Existing code:
<rn:widget path="okcs/AnswerList" type="recent" target="_self"/>
Modified Code:
<rn:widget path="okcs/AnswerList" type="recent" target=" self" view type="list"/>
```