Enabling OKCS on Customer Portal with SOCS Styles

Version: 1.0

Author: Vamsikrishna

Overview

The purpose of this document is to explain the changes that need to be made to a customer portal site to enable OKCS.

Pre-Requisities

This document describes changes required to update a 15.8 Oracle Service Cloud instance to Oracle Knowledge Cloud Service with new styling called as SOCS. This document may be used for future versions but changes may not translate as-is. The following pre-requisites apply:

- a. You have a provisioned instance of Oracle Service Cloud which is connected to an Oracle Knowledge Cloud Service instance. This is typically done by the provisioning teams as part of a customer order.
- b. You have enabled MOD_CP_DEVELOPMENT. This is required to ensure that you're able to modify code on customer portal using WebDav.
- c. You have mapped a drive or path to customer portal using WebDav. All the paths below refer to the customer portal webdav paths
- d. You have initialized Oracle Knowledge Search by creating content within Oracle Knowledge Authoring and Crawling this content. This will ensure search results are available.

Notes

It's important to note that OKCS widgets and these changes are applicable to Standard and Mobile views of Customer Portal. These widgets are not supported on the basic view.

Description of Changes

Connect to your customer portal site and create a back of your code before making any changes. Follow the steps below to modify your pages to start using Oracle Knowledge Cloud Service (OKCS) widgets:

Changes to /cp/customer/development/views/templates/standard.php
 In the div rn_Navigation we need to dynamically set the NavigationTab widget after checking for config
 OKCS_ENABLED. Code changes to do the same can be found here.
 Changes to /cp/customer/development/views/templates/mobile.php

Other code changes to mobile.php can be found here.

Changes to /cp/customer/development/views/pages/ask.php
 To view the OKCS version of the smart assistant, we need to change the widget path input/SmartAssistantDialog to okcs/OkcsSmartAssistant as shown here.

To view the mobile OKCS version of the 'ask' page, code changes to the /cp/customer/development/views/pages/mobile/ask.php can be found here.

Changes to /cp/customer/development/views/pages/home.php
 Changes need to be done to the home.php file to modify the base CP search to OKCS specific search. Code changes to show the OKCS version of the search box can be found here.

The code changes to modify the home page to display the OKCS version of most recent and most popular answers can be found here.

Other changes to mobile home page /cp/customer/development/views/pages/mobile/home.php can be found here.

 Add /cp/customer/development/views/pages/browse.php Code for browse.php can be found here.
 Code for Mobile browse.php can be found here.

Note:

The product category filter from OKCS cannot be used on the Smart assistant because of its incompatibility with SA.

- Add /cp/customer/development/views/pages/answers/answer_view.php Code for answer_view.php can be found here.
 Code for Mobile answer_view.php can be found here. (/cp/customer/development/views/pages/mobile/answers/answer_view.php)
- 6. Changes to /cp/customer/development/views/pages/answers/list.php Code changes to the list.php can be found here.
- 7. Changes to /cp/customer/development/views/pages/chat/chat_landing.php Code changes to the chat_landing.php can be found here.
- Add cp/customer/development/views/pages/search.php
 Code for search.php can be found here.
 Code for mobile search.php can be found <a href=here.
 (/cp/customer/development/views/pages/mobile/search.php
- Add cp/customer/development/views/admin/search.php Code for answer.php can be found <u>here</u>. Code for okcs_answer_full_preview.php can be found <u>here</u>.

Code Changes

Note: All the pages related to socs are new.

Black – existing code to help find the location of the changes in the

file Red — previous lines of code that have been changed

Green – modified version of the code.

Please find the red lines of code in your files and change it to the code in green.

 /cp/customer/development/views/templates/standard.php <title><rn:page_title/></title> <rn:theme path="/euf/assets/themes/mobile" css="site.css"/>

```
css="site.css,okcs.css
   {CORE_ASSETS}/thirdParty/css/font-awesome.min.css"/>
   <rn:head content/>
   <div class="rn SearchBar">
               <rn:widget path="search/SimpleSearch" icon_path="" report_page_url="/app/search"/>
             </div>
   <div class="rn_SearchBar">
                <rn:widget path="okcs/OkcsSimpleSearch" icon_path="" report_page_url="/app/search"/>
2. /cp/customer/development/views/templates/mobile.php
   <title><rn:page title/></title>
   <rn:theme path="/euf/assets/themes/mobile" css="site.css"/>
   <rn:theme path="/euf/assets/themes/mobile" css="site.css,okcs.css"
   {CORE ASSETS}/thirdParty/css/font-awesome.min.css"/>
   <rn:head_content/>
   <div class="rn SearchBar">
               <rn:widget path="search/SimpleSearch" icon_path="" report_page_url="/app/search"/>
             </div>
   <div class="rn SearchBar">
               <rn:widget path="okcs/OkcsSimpleSearch" icon_path="" report_page_url="/app/search"/>
             </div>
3. /cp/customer/development/views/pages/ask.php
   <rn:widget path="input/SmartAssistantDialog"/>
   <rn:widget path="okcs/OkcsSmartAssistant" view type="explorer"/>
   <rn:widget path="input/ProductCategoryInput" name="Incident.Category"/>
   <rn:widget path="input/ProductCategoryInput" name="Incident.Category"</pre>
   data_type="Category"/>
4. /cp/customer/development/views/pages/mobile/ask.php
           </rn:condition>
            <rn:widget path="input/FormInput" name="Incident.Threads" required="true"</pre>
   label_input="#rn:msg:ADD_ADDITIONAL_DETAILS_CMD#"/>
             <rn:widget path="input/FileAttachmentUpload"/>
   <rn:widget path="input/MobileProductCategoryInput" />
   <rn:widget path="input/MobileProductCategoryInput" data_type="Category"/>
   <rn:widget path="input/CustomAllInput" table="Incident"/>
                    <rn:widget path="input/MobileProductCategoryInput" name="Incident.Product"/>
   +
                    <rn:widget path="input/MobileProductCategoryInput" name="Incident.Category"</pre>
   data_type="Category"/>
```

<rn:theme path="/euf/assets/themes/mobile"</pre>

```
<!--<rn:widget path="input/CustomAllInput" table="Incident"/>-->
   <br/><br/><br/>
            <rn:widget path="input/FormSubmit" label_button="#rn:msg:CONTINUE_ELLIPSIS_CMD#"</pre>
   on_success_url="/app/ask_confirm" error_location="rn_ErrorLocation"/>
   <rn:condition answers_viewed="2" searches_done="1">
   <rn:condition_else/>
                          <rn:widget path="input/SmartAssistantDialog"</pre>
   accesskeys enabled="false" display button as link=""/>
                          <rn:widget path="okcs/OkcsSmartAssistant"</pre>
   accesskeys_enabled="false" display_button_as_link="" view_type="inline"/>
   </rn:condition>
                  </fieldset>
   </form>
5. New changes /cp/customer/development/views/pages/home.php (Replace the entire
   page as the layout got changed due to new socs styles) -
   <rn:meta title="#rn:msg:SHP_TITLE_HDG#" template="standard.php" clickstream="home"/>
   <div class="rn_Hero">
     <div class="rn HeroInner">
       <div class="rn HeroCopy">
         <h1>#rn:astr:We're here to help#</h1>
       </div>
       <div class="rn_SearchControls">
         <h1 class="rn ScreenReaderOnly">#rn:msg:SEARCH CMD#</h1>
         <form method="get" action="/app/search">
            <rn:container source id="OKCSSearch">
              <div class="rn SearchInput">
                <rn:widget path="searchsource/SourceSearchField" initial focus="true"</pre>
   label_placeholder="#rn:astr:Ask a question...#"/>
              </div>
              <rn:widget path="searchsource/SourceSearchButton" initial focus="true"</pre>
   search results url="/app/search"/>
            </rn:container>
         </form>
       </div>
     </div>
   </div>
   <div class="rn_PageContent rn_Home">
     <div class="rn PopularKB">
       <div class="rn_Container">
         <rn:widget path="okcs/AnswerList" type="popular" target="_self"/>
       </div>
     </div>
```

6. New changes cp/customer/development/views/pages/mobile/home.php (Replace the entire page as the layout got changed due to new socs styles)

```
<rn:meta title="#rn:msg:SHP_TITLE_HDG#" template="mobile.php" clickstream="home"/>
<div class="rn Hero">
  <div class="rn_HeroInner">
    <div class="rn HeroCopy">
      <h1>#rn:astr:We're here to help#</h1>
    </div>
    <div class="rn_SearchControls">
      <h1 class="rn ScreenReaderOnly">#rn:msg:SEARCH CMD#</h1>
      <form method="get" action="/app/search">
        <rn:container source id="KFSearch">
          <div class="rn_SearchInput">
            <rn:widget path="searchsource/SourceSearchField" initial focus="true"</pre>
label_placeholder="#rn:astr:Ask a question...#"/>
          </div>
          <rn:widget path="searchsource/SourceSearchButton" initial_focus="true"</pre>
search results url="/app/search"/>
        </rn:container>
      </form>
    </div>
  </div>
</div>
<div class="rn_PageContent rn_Home">
  <div class="rn Container">
    <div class="rn PopularKB">
     <rn:widget path="navigation/Accordion" toggle="rn AccordTriggerPopular"/>
      <h2 id="rn_AccordTriggerPopular"
```

```
class="rn_Expanded">#rn:msg:MOST_POPULAR_ANSWERS_LBL#<span class="rn_Expand"></span></h2>
      <div class="rn Report">
        <rn:widget path="okcs/AnswerList" type="popular" show headers="false" per page="5"</pre>
target=" self"/>
      </div>
   </div>
   <div class="rn_PopularKB">
     <rn:widget path="navigation/Accordion" toggle="rn_AccordTriggerRecent"/>
      <h2 id="rn AccordTriggerRecent" class="rn Collapsed">#rn:astr:Most Recent Answers#<span
class="rn Expand"></span></h2>
      <div class="rn_Report rn_Home_Hidden">
        <rn:widget path="okcs/AnswerList" type="recent" show_headers="false" per_page="5"</pre>
target="_self"/>
      </div>
   </div>
  </div>
</div>
```

7. Adding /cp/customer/development/views/pages/browse.php (Replace the entire page as the layout got changed due to new socs styles) – <rn:meta title="#rn:msg:FIND ANS HDG#" template="standard.php" clickstream="answer list"/> <rn:condition config_check="OKCS_ENABLED == true"> <div class="rn Container"> <div id="rn PageTitle" class="rn ScreenReaderOnly"> <h1>#rn:msg:BROWSE1 AB HDG#</h1> </div> <rn:container source id="OKCSBrowse"> <div id="rn PageContentChannel" class="rn Browse"> <rn:widget path="okcs/ContentType"/> </div> <div id="rn LoadingIndicator" class="rn Browse"> <rn:widget path="okcs/LoadingIndicator"/> </div> <div id="rn_PageContentArticles" class="rn_AnswerList"> <div class="rn ResultPadding"> <div> <div id="rn_OkcsLeftContainer" class="rn_OkcsLeftContainer"> <rn:widget path="okcs/OkcsProductCategorySearchFilter" filter_type="products"/> <rn:widget path="okcs/OkcsProductCategorySearchFilter" filter_type="categories"/> </div> <div id="rn_OkcsRightContainer" class="rn_OkcsRightContainer"> <div id="rn Browse Loading"></div> <div id="rn_OkcsAnswerList">

```
<rn:widget path="okcs/AnswerList" target="_self"/>
                    <div class="rn_FloatRight">
                      <rn:widget path="okcs/OkcsPagination"/>
                    </div>
                  </div>
                </div>
             </div>
           </div>
         </div>
       </rn:container>
     </div>
   </rn:condition>
8. Adding /cp/customer/development/views/pages/mobile/browse.php (Replace the entire
   page as the layout got changed due to new socs styles) –
   <rn:meta title="#rn:msg:BROWSE1_AB_HDG#" template="mobile.php" clickstream="answer_list"/>
   <rn:condition config_check="OKCS_ENABLED == true">
   <div id="rn_PageTitle" class="rn_Home">
     <div class="rn Hero">
       <div class="rn HeroInner">
         <div class="rn OkcsMobileBrowseHeader">
           <h1 class="rn ScreenReaderOnly"><rn:page title/></h1>
           <rn:container source id="OKCSBrowse">
             <h2 id="rn AccordTriggerContentType"
   class="rn Collapsed">#rn:msg:CONTENT TYPE LBL#<span class="rn ButtonOff"></span></h2>
              <h2 id="rn_AccordTriggerProduct" class="rn_Collapsed">#rn:msg:PRODUCT_LBL#<span
   class="rn_ButtonOff"></span></h2>
             <h2 id="rn_AccordTriggerCategory" class="rn_Collapsed">#rn:msg:CATEGORY_LBL#<span
   class="rn_ButtonOff"></span></h2>
               <div class="rn ClearBoth">
                <div id="rn ContainerContentType" class="rn Hidden">
                  <rn:widget path="okcs/ContentType" list_display="vertical" toggle selection="true"</pre>
   toggle="rn AccordTriggerContentType" item to toggle="rn ContainerContentType"/>
                </div>
                <div id="rn ContainerProduct" class="rn Hidden">
                  <rn:widget path="okcs/OkcsProductCategorySearchFilter" filter type="products"</pre>
   toggle_selection="true" toggle="rn_AccordTriggerProduct" item_to_toggle="rn_ContainerProduct"/>
                <div id="rn_ContainerCategory" class="rn_Hidden">
                  <rn:widget path="okcs/OkcsProductCategorySearchFilter" filter_type="categories"</pre>
   toggle_selection="true" toggle="rn_AccordTriggerCategory" item_to_toggle="rn_ContainerCategory"/>
                </div>
             </div>
           </div>
         </div>
     </div>
```

</div>

```
<div class="rn_Container">
<section id="rn_PageContent" class="rn_Home">
    <div id="rn LoadingIndicator" class="rn Browse">
     <rn:widget path="okcs/LoadingIndicator"/>
    </div>
    <div id="rn PageContentArticles">
      <div class="rn ResultPadding">
        <div id="rn_Browse_Loading"></div>
        <div id="rn OkcsAnswerList">
          <div class="rn Report">
            <rn:widget path="okcs/AnswerList" view_type="list" show_headers="false" per_page="5"</pre>
target="_self"/>
          </div>
          <div class="rn FloatRight">
            <rn:widget path="okcs/OkcsPagination"/>
          </div>
        </div>
      </div>
    </div>
  </rn:container>
</section>
</div>
</rn:condition>
9.
       Adding
/cp/Customer/development/views/pages/answers/answer view.php(Replace the entire
page as the layout got changed due to new socs styles) –
<div class="rn Container">
  <rn:condition config_check="OKCS_ENABLED == true">
    <rn:meta title="#rn:php:\RightNow\Libraries\SEO::getDynamicTitle('answer',</pre>
\RightNow\Utils\Url::getParameter('a_id'))#" template="standard.php" clickstream="answer_view"/>
    <div class="rn AnswerView">
      <rn:widget path="okcs/AnswerTitle">
      <rn:widget path="okcs/AnswerStatus">
      <div class="rn_SectionTitle"></div>
      <rn:widget path="okcs/AnswerContent">
    </div>
    <rn:widget path="okcs/DocumentRating"/>
  </rn:condition>
</div>
10.
       Adding
/cp/customer/development/views/pages/mobile/answers/answer view.php (Replace the
entire page as the layout got changed due to new socs styles) –
<div class="rn_Container">
```

11. Adding /cp/customer/development/views/pages/search.php(Replace the entire page as the layout got changed due to new socs styles)

```
<rn:meta title="#rn:msg:FIND ANS HDG#" template="standard.php" clickstream="answer list"/>
<rn:container source_id="OKCSSearch">
  <div id="rn LoadingIndicator" class="rn Browse rn Container">
   <rn:widget path="okcs/LoadingIndicator"/>
  </div>
  <div id="rn_PageTitle" class="rn_Search">
    <div class="rn Hero">
      <div class="rn HeroInner">
        <div class="rn_SearchControls">
          <h1 class="rn_ScreenReaderOnly">#rn:msg:SEARCH_CMD#</h1>
          <form>
            <div class="rn SearchInput">
               <rn:widget path="searchsource/SourceSearchField" initial_focus="true"</pre>
label_placeholder="#rn:astr:Ask a question...#" filter_label="Keyword" filter_type="query"/>
            </div>
            <rn:widget path="searchsource/SourceSearchButton" initial focus="true"</pre>
history_source_id="OKCSSearch"/>
            <div class="rn StartOver">
              <a href="/app/home" >#rn:msg:START_OVER_LBL#</a>
            </div>
          </form>
        </div>
      </div>
    </div>
  </div>
  <div id="rn PageContent" class="rn AnswerList">
    <div class="rn ResultPadding rn Group">
      <div id="rn OkcsLeftContainer" class="rn OkcsLeftContainer">
```

```
<rn:widget path="okcs/Facet"/>
            <rn:widget path="okcs/SearchRating"/>
          </div>
          <div id="rn OkcsRightContainer" class="rn OkcsRightContainer">
            <rn:widget path="okcs/SearchResult"/>
            <div class="rn FloatRight">
              <rn:widget path="okcs/OkcsPagination"/>
            </div>
          </div>
       </div>
     </div>
   </rn:container>
12. Adding /cp/customer/development/views/pages/mobile/search.php(Replace the entire page as
   the layout got changed due to new socs styles)
   <rn:meta title="#rn:msg:FIND_ANS_HDG#" template="mobile.php" clickstream="answer_list"/>
   <rn:container source id="OKCSSearch">
   <div id="rn PageTitle" class="rn Search">
     <div class="rn Hero">
       <div class="rn HeroInner">
          <div class="rn SearchControls">
            <h1 class="rn_ScreenReaderOnly">#rn:msg:SEARCH_CMD#</h1>
            <form method="get" action="/app/search">
              <rn:container source id="OKCSSearch">
                <div class="rn_SearchInput">
                  <rn:widget path="searchsource/SourceSearchField" initial focus="true"</pre>
   label_placeholder="#rn:astr:Ask a question...#"/>
                </div>
                <rn:widget path="searchsource/SourceSearchButton" initial focus="true"</pre>
   search_results_url="/app/search"/>
              </rn:container>
              <div class="rn_StartOver">
                <a href="/app/home" >#rn:msg:START OVER LBL#</a>
              </div>
            </form>
         </div>
       </div>
     </div>
   </div>
   </rn:container>
   <div class="rn_Container">
     <section id="rn PageContent" class="rn AnswerList">
       <rn:container source_id="OKCSSearch" truncate_size="200">
          <div class="rn Module">
            <rn:widget path="okcs/Facet" toggle title="true"/>
```

```
</div>
</div>
</divid="rn_OkcsRightContainer" class="rn_Padding">
<rn:widget path="okcs/SearchResult"/>
<div class="rn_FloatRight rn_Padding">
<rn:widget path="okcs/OkcsPagination"/>
</div>
</div>
</div>
<div class="rn_Module">
<div class="rn_Padding">
<rn:widget path="okcs/SearchRating" toggle_title="true" />
</div>
</div>
</div>
</div>
</rr:container>
</section>
</div>
```

13. cp/customer/development/views/admin/answer.php (Replace the entire page as the layout got changed due to new socs styles) <html> <head> <meta charset="utf-8"/> <style type='text/css'> .ok-highlight-title {background-color: #FF0;font-weight: bold;} .ok-highlight-sentence {background-color: #EBEFF5;} iframe {min-width: 100%; border-top-width:0; border-left-width:0; border-style:ridge; width:100%} .headerDiv {width:100%;min-height:50px;color:white;background-color:#40526b;z-index:999;lineheight: 1.5em; text-align: left;font-size: 100%; height: 25px; padding: 10px 0 0px 15px; position: fixed;} #headerDiv {line-height: 1.5em; text-align: left;font-size: 95%; height: 25px;fontweight:bold;background-color:#40526b;z-index:999;} #frameDiv {min-width: 100%;border-width: 0;border:1;} #main {padding-top:70px} .leftAnchor {padding: 0 10px;color:white;} .rightAnchor {padding-left: 10px;color:white; margin-right: 15px;} </style> </head> <body style="margin: 0px;"> <? if(\$error === null) : ?> <div id="headerDiv" class="headerDiv"> <?= \$highlightMsg;?> <a class="leftAnchor" href="javascript:void(0);" onclick="window.prompt('<?=

\$copyClipboardMsg?>', '<?= \$url;?>')"><?= \$copyLinkLable;?>|<a class="rightAnchor" href="javascript:void(0);" onclick="window.open('<?= \$url;?>');"><?= \$viewLabel;?>

```
</span>
          </div>
          <div id="main">
          <? if($type !== null) : ?>
            <iframe src='<?= $file;?>' style="height: 94%;"/>
         <? elseif($html !== null): ?>
            <frame><div id="frameDiv"><?= $html;?><div></frame>
         <? endif; ?>
       <? else: ?>
         <?= $error;?>
       <? endif; ?>
       </div>
       </div>
       </div>
     </body>
   </html>
14. cp/customer/development/views/admin/okcs answer full preview.php(Replace the
   entire page as the layout got changed due to new socs styles)
   <!DOCTYPE html>
   <html>
   <head>
      <meta charset="utf-8"/>
      <title><?=\RightNow\Utils\Config::getMessage(ANSWER_PRINT_PAGE_LBL);?></title>
      <style type='text/css'>
       .rn_ScreenReaderOnly{position:absolute; height:1px; left:-10000px; overflow:hidden; top:auto;
   width:1px;}
       .rn Hidden{display:none;}
       .rn AnswerInfo {color:#666;margin:6px 0 20px;}
       .rn Info {width: 30%;display: inline-block;margin-top: 10px;}
       .rn SchemaAttribute {margin-bottom: 5px;font-weight: bold;}
       .rn_SchemaAttributeValue {margin-bottom: 10px;}
       .rn Indent {margin-left: 20px;}
       .rn_SectionTitle {border-top: 1px solid #DDD;clear: both;padding: 10px 0;text-align: right;}
       .rn AnswerHeader section {display: inline-block;padding: 3px;width: 40%;word-wrap: break-word;}
       .rn_AnswerHeader h1 {font-size: 1.7em;margin: 15px 0;}
       .rn_AnswerView {margin: 0 10px;}
      </style>
     k ref="/euf/assets/themes/standard/site.css" rel="stylesheet" type="text/css" media="all" />
   </head>
   <body>
   <div id="rn_Container">
     <div id="rn Header"></div>
     <div id="rn Navigation"></div>
```

<div id="rn Body">

```
<div id="rn_MainColumn">
      <div class="rn AnswerView">
        <div class="rn_AnswerDetail rn_AnswerHeader">
          <h1 id="rn Summary"><?=$data['title']?></h1>
          <div class="rn AnswerInfo">
             <span id="docIdHeader">
               <section>
                 <span class="rn Info rn Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(DOCUMENT_ID_LBL);?></span>
                 <span><?= $data['docID']?></span>
               </section>
             </span>
             <span id="versionHeader">
               <section>
                 <span class="rn Info rn Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(VERSION LBL);?></span>
                 <span><?= $data['version']?></span>
               </section>
             </span>
             <span id="statusHeader">
               <section>
                 <span class="rn Info rn Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(STATUS_LBL);?></span>
                 <span><?= $data['published']?></span>
               </section>
             </span>
             <span id="publishedDateHeader">
               <section>
                 <span class="rn_Info rn_Bold"><?=</pre>
\RightNow\Utils\Config::getMessage(PUBLISHED_DATE_LBL);?></span>
                 <span><?= $data['publishedDate']?></span>
               </section>
             </span>
          </div>
        </div>
        <div class="rn SectionTitle"></div>
        <div id="content">
        <? $previousDepth = 1; ?>
        <? $currentIndex = 1; ?>
        <? foreach ($data['data'] as $data): ?>
          <? if ($data['type'] === 'META'): ?>
             <div class="rn SectionTitle"></div>
          <? endif; ?>
          <? foreach ($data['contentSchema'] as $schemaPath): ?>
             <? $schemaXpath = str_replace('//', '', $schemaPath); ?>
             <? $attribute = $data['content'][$schemaXpath]; ?>
             <? if ($attribute['depth'] > 0) : ?>
```

```
<? $value = $attribute['value']; ?>
               <? if($attribute['depth'] > $previousDepth ) : ?>
                 <div class="rn_Indent">
               <? endif; ?>
               <? if($attribute['depth'] < $previousDepth) : ?>
                 <? $diff = $previousDepth - $attribute['depth']; ?>
                 <? for($i = $diff; $i > 0; $i--) : ?>
                    </div>
                 <? endfor; ?>
               <? endif; ?>
               <? if($attribute['xPath'] !== ") : ?>
                  <?$className = ucwords(strtolower($attribute['xPath']));?>
                  <?$index = 0;?>
                 <? foreach(array('_', '/') as $delimiter) : ?>
                    <? if(strpos($className, $delimiter)) : ?>
                      <?$className = implode('_', array_map('ucfirst', explode($delimiter,
$className)));?>
                    <? endif; ?>
                    <? $index++;?>
                 <? endforeach; ?>
                 <? $className = 'rn_AnswerField_' . $className; ?>
               <? endif; ?>
               <div class="<?= $className?>">
                 <div class='rn SchemaAttribute'>
                    <? if ($type === 'CHECKBOX') : ?>
                      <? $checkboxID = $className . $index;
                        $checked = $value === 'Y' ? 'checked' : ";
                      ?>
                      <label for="<?= $checkboxID ?>" class="rn_AttributeCheckboxLabel"><?=</pre>
$attribute['name'] ?></label>
                      <input id="<?= $checkboxID ?>" type="checkbox" disabled <?= $checked ?>
class="rn_AttributeCheckbox"/>
                    <? else: ?>
                      <?= $attribute['name'] ?>
                    <? endif; ?>
                  </div>
                 <? if($this->data['attrs']['type'] !== 'NODE') : ?>
                    <div class='rn_SchemaAttributeValue'>
                      <? if ($type === 'FILE') : ?>
                        <a target=' blank'
href="/ci/okcsFattach/get/<?=$attribute['encryptedPath'];?>"><?=$attribute['value'];?></a>
                      <? else if ($type !== 'CHECKBOX') : ?>
                        <?= $value ?>
                      <? endif; ?>
                    </div>
```

```
<? endif; ?>
                  </div>
                  <? if (count($data['contentSchema']) === $currentIndex) : ?>
                    <? for($i = $attribute['depth']; $i > 1; $i--) : ?>
                      </div>
                    <? endfor; ?>
                  <? endif; ?>
                  <? $previousDepth = $attribute['depth']; ?>
                <? endif; ?>
                <? $currentIndex++; ?>
              <? endforeach; ?>
            <? endforeach; ?>
          </div>
       </div>
     </div>
   </div>
   </body>
   </html>
15. Changes to /cp/customer/development/views/pages/chat/chat landing.php
   <rn:widget path="chat/ChatTranscript"/>
                   </div>
   <divid="rn ChatQueueSearchContainer">
                           <rn:widget path="chat/ChatQueueSearch" popup window="true"/>
                           <rn:condition config check="OKCS ENABLED == true">
   +
                             <rn:widget path="chat/ChatQueueSearch"report page url="/app/search"</pre>
   popup_window="true"/>
                           <rn:condition else>
                             <rn:widget path="chat/ChatQueueSearch" popup window="true"/>
   +
                           </rn:condition>
                   </div>
   </div>
                 <div id="rn PreChatButtonContainer">
16. Changes to /cp/customer/development/views/pages/answers/list.php
    <rn:meta title="#rn:msg:FIND_ANS_HDG#" template="standard.php"</pre>
   clickstream="answer list"/>
   -<rn:widget path="knowledgebase/RssIcon"/>
   -<rn:container report_id="176">
   -<div id="rn PageTitle" class="rn AnswerList">
   +<h1><i class='icon-lightbulb'></i> Knowledge Base Results</h1>
   +<rn:container source_id="KFSearch" per_page="10" history_source_id="KFSearch">
   +<div id="rn PageTitle" class="">
         <div id="rn_SearchControls">
```

```
<h1 class="rn ScreenReaderOnly">#rn:msg:SEARCH CMD#</h1>
<form onsubmit="return false;">
<div class="rn_SearchInput">
<rn:widget path="search/AdvancedSearchDialog"/>
                 <rn:widget path="search/KeywordText"</pre>
label_text="#rn:msg:FIND_THE_ANSWER_TO_YOUR_QUESTION_CMD#" initial_focus="true"/>
</div>
<rn:widget path="search/SearchButton"/>
             <form class="rn Group">
               <rn:widget path="searchsource/SourceSearchField"initial focus="true"</pre>
filter label="Keyword" filter type="query"/>
               <rn:widget path="searchsource/SourceSearchButton"</pre>
report page url="/app/answers/list"/>
</form>
             <rn:widget path="search/DisplaySearchFilters"/>
      </div>
   <br>
  <form class="rn_Group">
             <div class="rn FloatRight rn Padding">
               <!-- Commented as this widget is not available in okcs branch -->
               <!--<rn:widget path="searchsource/SourceSortFilter"filter type="direction"
source id="KFSearch" labels="Ascending, Descending" label input="#rn:astr:Sort order#"
search on select="true"/>-->
             </div>
+
             <div class="rn FloatRight rn Padding">
+
               <!-- Commented as this widget is not available in okcs branch -->
               <!--<rn:widget path="searchsource/SourceSortFilter"filter type="sort"
source id="KFSearch" label default="Default" labels="Created,Updated"
label input="#rn:astr:Sort by#" search on select="true"/>-->
             </div>
+ </form>
</div>
<div id="rn PageContent" class="rn AnswerList">
<div class="rn Padding">
<h2 class="rn ScreenReaderOnly">#rn:msg:SEARCH RESULTS CMD#</h2>
<rn:widget path="reports/ResultInfo"/>
<rn:widget path="knowledgebase/TopicWords"/>
<rn:widget path="reports/Multiline"/>
<rn:widget path="reports/Paginator"/>
+ <div class="rn Padding rn Group">
             <div class="rn FloatRight">
               <rn:widget path="searchsource/SourceResultDetails"/>
             </div>
             <rn:widget path="searchsource/SourceResultListing"hide when no results="true"</pre>
more link url=""/>
```