Observability Platform API Gateway

1.0.0 OAS 3.1

/openapi.json

Single public entry point. Authenticates users (JWT), enforces roles and routes to internal services.

Roles: viewer < operator < admin. Responses use the envelope `{data, meta, warnings, error}`; `error.source` is `gateway` for gateway-originated failures and `downstream` (with `error.service`) otherwise.

Authorize

health

- GET `/health` Liveness probe
- GET `/ready` Readiness probe (dependencies)

auth

- POST `/api/v1/auth/login` Sign in and receive a JWT
- GET `/api/v1/auth/me` Current user

console

- GET `/api/v1/overview` Dashboard overview (requires viewer)

traces

- GET `/api/v1/traces` Search traces (requires viewer)
- GET `/api/v1/traces/{trace_id}` Trace detail with logs and diagnostic (requires viewer)

logs

- GET `/api/v1/logs` Search logs (requires operator)
- GET `/api/v1/logs/patterns` Repeated error patterns (requires operator)

logs

- GET `/api/v1/logs` Search logs (requires operator)
- GET `/api/v1/logs/patterns` Repeated error patterns (requires operator)

dependencies

- GET `/api/v1/dependencies` Dependency graph (requires viewer)
- GET `/api/v1/dependencies/{service_name}` One service's dependencies (requires viewer)

metrics

- GET `/api/v1/metrics/summary` Metrics summary (requires viewer)
- GET `/api/v1/metrics/services` Per-service metrics (requires viewer)
- GET `/api/v1/metrics/timeseries` Time series (requires viewer)
- GET `/api/v1/metrics/latency` Latency percentiles (requires viewer)

alerts

- GET `/api/v1/alerts` Alerts (requires viewer)
- GET `/api/v1/alerts/rules` Alert rules (requires viewer)
- PUT `/api/v1/alerts/rules` Create/update an alert rule (requires admin)
- GET `/api/v1/alerts/{alert_id}` One alert (requires viewer)
- PATCH `/api/v1/alerts/{alert_id}` Acknowledge / resolve an alert (requires operator)

diagnostics

- GET `/api/v1/diagnostics` Root-cause reports (requires viewer)
- GET `/api/v1/diagnostics/{report_id}` Root-cause report with evidence (requires viewer)

alerts

GET	`/api/v1/alerts`	Alerts (requires viewer)
GET	`/api/v1/alerts/rules`	Alert rules (requires viewer)
PUT	`/api/v1/alerts/rules`	Create/update an alert rule (requires admin)
GET	`/api/v1/alerts/{alert_id}`	One alert (requires viewer)
PATCH	`/api/v1/alerts/{alert_id}`	Acknowledge / resolve an alert (requires operator)

diagnostics

GET	`/api/v1/diagnostics`	Root-cause reports (requires viewer)
GET	`/api/v1/diagnostics/{report_id}`	Root-cause report with evidence (requires viewer)
POST	`/api/v1/diagnostics/analyze/{trace_id}`	Run root-cause analysis for a trace (requires operator)

sample

GET	`/api/v1/sample/orders/{order_id}`	Read a sample order (requires operator)
GET	`/api/v1/sample/orders`	List sample orders (requires operator)
POST	`/api/v1/sample/orders`	Create a sample order (supports X-Scenario) (requires operator)
GET	`/api/v1/sample/scenarios`	List failure scenarios (requires operator)

system

GET	`/api/v1/system/health`	Health of every platform service
GET	`/api/v1/system/requests`	Recent gateway requests (admin)

Schemas

auth

POST `/api/v1/auth/login` Sign in and receive a JWT

Parameters | Cancel | Reset

No parameters

Request body required — application/json

Edit Value | Schema

```
{
  "username": "admin",
  "password": "Admin#2026-change-me"
}
```

Execute | Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/api/v1/auth/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "username": "admin",
  "password": "Admin#2026-change-me"
}'
```


Request URL

```
http://127.0.0.1:8000/api/v1/auth/login
```

Server response

Code	Details
200	Response body

```
{
  "data": {
```


Observability Platform API Gatewa
Observability Console
RabbitMQ Management
127.0.0.1:8000/docs#/auth/login_api_v1_auth_login_post
Chat
Observability Platform API Gateway
1.0.0
OAS 3.1
/openapi.json
Single public entry point. Authenticates users (JWT), enforces roles and routes to internal services.
Roles: viewer < operator < admin. Responses use the envelope {data, meta, warnings, error}; error.source is gateway for gateway-originated failures and downstream (with error.service) otherwise.
Authorize
health
GET /health Liveness probe
GET /ready Readiness probe (dependencies)
auth
POST /api/v1/auth/login Sign in and receive
Available authorizations
HTTPBearer (http, Bearer)
Authorized
JWT obtained from POST /api/v1/auth/login
Value: ******
Logout
Close
Parameters
Cancel
Reset
No parameters
Request body required
application/json
Edit Value | Schema
{
"username": "admin",
"password": "Admin#2026-change-me"
}

auth

POST `/api/v1/auth/login` Sign in and receive a JWT

GET `/api/v1/auth/me` Current user

Parameters | Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/api/v1/auth/me' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG1pbiIsInJvbGUiOiJhZG1pbiIsImlhdCI6MTc5MzE5MzgyNCwiZXhwIjoxNzkzMTk3NDI0fQ.pXSRCY0Bg2bQK3wggGy-7y6-I0ET_ZtjcIVdnzRj_d4'
```

Request URL

```
http://127.0.0.1:8000/api/v1/auth/me
```

Server response

Code	Details
200	Response body

```
{
  "data": {
    "username": "admin",
    "role": "admin"
  },
  "meta": {
    "correlation_id": "e9f29735e68a43088a1b460ffb8d483c"
  },
  "warnings": [],
  "error": null
}
```

Download

Response headers

```
cache-control: no-store
content-length: 132
content-type: application/json
date: Wed,28 Oct 2026 13:24:42 GMT
referrer-policy: no-referrer
x-content-type-options: nosniff
x-correlation-id: e9f29735e68a43088a1b460ffb8d483c
```

Responses

Code	Description	Links
200	Successful Response Media type	*No links*

console

GET `/api/v1/overview` Dashboard overview (requires viewer)

Parameters | Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/api/v1/overview' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG1pbiIsInJvbGUiOiJhZG1pbiIsImlhdCI6MTc5MzE5MzgyNCwiZXhwIjoxNzkzMTk3NDI0fQ.pXSRCY0Bg2bQK3wggGy-7y6-I0ET_ZtjcIVdnzRj_d4'
```

Request URL

```
http://127.0.0.1:8000/api/v1/overview
```

Server response

Code	Details
200	Response body


```
{
  "data": {
    "window": {
      "start": "2026-10-28T12:25:47.522303Z",
      "end": "2026-10-28T13:25:47.522303Z"
    },
    "metrics": {
      "window": {
        "start": "2026-10-28T12:25:47.522303Z",
        "end": "2026-10-28T13:25:47.522303Z"
      },
      "request_count": 0,
      "error_count": 0,
      "error_rate": null,
      "avg_latency_ms": null,
      "min_latency_ms": null,
      "max_latency_ms": null,
      "p50_latency_ms": null,
      "p90_latency_ms": null,
      "p95_latency_ms": null,
      "p99_latency_ms": null,
      "throughput_rps": 0,
      "services_observed": 0,
      "services_with_errors": [],
      "active_alerts": 0,
      "critical_alerts": 0,
      "percentile_method": "nearest-rank"
    },
    "services": [],
    "alerts": []
```


Download

Response headers

```
cache-control: no-store
content-length: 729
content-type: application/json
```

console

GET /api/v1/overview Dashboard overview (requires viewer)

traces

GET /api/v1/traces Search traces (requires viewer)

Parameters Cancel

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/api/v1/traces' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG1pbiIsInJvbGUiOiJhZG1pbiIsImlhdCI6MTc5MzE5MzgyNCwiZXhwIjoxNzkzMTk3NDI0fQ.pXSRCY0Bg2bQK3wggGy-7y6-I0ET_ZtjcIVdnzRj_d4'
```

Request URL

```
http://127.0.0.1:8000/api/v1/traces
```

Server response

Code	Details
200	Response body

```
{
  "data": [],
  "meta": {
    "page": 1,
    "page_size": 25,
    "total": 0,
    "total_pages": 0,
    "correlation_id": "9aebd5dbc19943d3ad7f11afdafb3dbb"
  },
  "warnings": [],
  "error": null
}
```

Download

Response headers

```
cache-control: no-store
content-length: 149
content-type: application/json
date: Wed,28 Oct 2026 13:26:09 GMT
referrer-policy: no-referrer
x-content-type-options: nosniff
x-correlation-id: 9aebd5dbc19943d3ad7f11afdafb3dbb
```

Responses

Code	Description	Links

Observability Platform API Gatewa | Observability Console | RabbitMQ Management

127.0.0.1:8000/docs#/traces/handler_api_v1_traces__trace_id__get

traces

GET /api/v1/traces Search traces (requires viewer)

GET /api/v1/traces/{trace_id} Trace detail with logs and diagnostic (requires viewer)

Parameters | Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/api/v1/traces/{trace_id}' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG1pbiIsInJvbGUiOiJhZG1pbiIsImlhdCI6MTc5MzE5MzgyNCwiZXhwIjoxNzkzMTk3NDI0fQ.pXSRCY0Bg2bQK3wggGy-7y6-I0ET_ZtjcIVdnzRj_d4'
```

Request URL

```
http://127.0.0.1:8000/api/v1/traces/{trace_id}
```

Server response

Code	Details
422 *Undocumented*	Error: Unprocessable Entity

Response body


```
{
  "data": null,
  "meta": {
    "correlation_id": "899fdf77bf0a4633942bf3ea311f9d66"
  },
  "warnings": [],
  "error": {
    "code": "validation_error",
    "message": "Request validation failed",
    "details": [
      {
        "field": "path.trace_id",
        "message": "String should match pattern '^[0-9a-fA-F]{32}$'"
      }
    ],
    "source": "downstream",
    "service": "query-service"
  }
}
```


Download

Response headers

```
cache-control: no-store
content-length: 308
content-type: application/json
date: Wed,28 Oct 2026 13:26:26 GMT
referrer-policy: no-referrer
```

GET /api/v1/traces/{trace_id} Trace detail with logs and diagnostic (requires viewer)

logs

GET /api/v1/logs Search logs (requires operator)

Parameters | Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/api/v1/logs' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG1pbiIsInJvbGUiOiJhZG1pbiIsImlhdCI6MTc5MzE5MzgyNCwiZXhwIjoxNzkzMTk3NDI0fQ.pXSRCY0Bg2bQK3wggGy-7y6-I0ET_ZtjcIVdnzRj_d4'
```

Request URL

```
http://127.0.0.1:8000/api/v1/logs
```

Server response

Code	Details
200	Response body

```
{
  "data": [],
  "meta": {
    "page": 1,
    "page_size": 25,
    "total": 0,
    "total_pages": 0,
    "correlation_id": "ab941695deef4ea7af23c3c0e8e346c0"
  },
  "warnings": [],
  "error": null
}
```

Download

Response headers

```
cache-control: no-store
content-length: 149
content-type: application/json
date: Wed,28 Oct 2026 13:26:48 GMT
referrer-policy: no-referrer
x-content-type-options: nosniff
x-correlation-id: ab941695deef4ea7af23c3c0e8e346c0
```

Responses

Code	Description	Links
200	Successful Response Media type	*No links*

GET /api/v1/traces/{trace_id} Trace detail with logs and diagnostic (requires viewer)

logs

GET /api/v1/logs Search logs (requires operator)

GET /api/v1/logs/patterns Repeated error patterns (requires operator)

Parameters | Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/api/v1/logs/patterns' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG1pbiIsInJvbGUiOiJhZG1pbiIsImlhdCI6MTc5MzE5MzgyNCwiZXhwIjoxNzkzMTk3NDI0fQ.pXSRCY0Bg2bQK3wggGy-7y6-I0ET_ZtjcIVdnzRj_d4'
```

Request URL

```
http://127.0.0.1:8000/api/v1/logs/patterns
```

Server response

Code	Details
200	Response body

```
{
  "data": [],
  "meta": {
    "page": 1,
    "page_size": 25,
    "total": 0,
    "total_pages": 0,
    "correlation_id": "cb0b546fb7f349b88358a8a87bb356f7"
  },
  "warnings": [],
  "error": null
}
```

Download

Response headers

```
cache-control: no-store
content-length: 149
content-type: application/json
date: Wed,28 Oct 2026 13:27:11 GMT
referrer-policy: no-referrer
x-content-type-options: nosniff
x-correlation-id: cb0b546fb7f349b88358a8a87bb356f7
```

Responses

Code	Description	Links

dependencies

GET `/api/v1/dependencies` Dependency graph (requires viewer)

Parameters | Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/api/v1/dependencies' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG1pbiIsInJvbGUiOiJhZG1pbiIsImlhdCI6MTc5MzE5MzgyNCwiZXhwIjoxNzkzMTk3NDI0fQ.pXSRCY0Bg2bQK3wggGy-7y6-I0ET_ZtjcIVdnzRj_d4'
```

Request URL

```
http://127.0.0.1:8000/api/v1/dependencies
```

Server response

Code	Details
200	Response body

```
{
  "data": {
    "window": {
      "start": "2026-10-28T12:27:35.469984Z",
      "end": "2026-10-28T13:27:35.469984Z"
    },
    "nodes": [],
    "edges": []
  },
  "meta": {
    "correlation_id": "c21ad7d0f6a740909f7cc672f09a2ed6"
  },
  "warnings": [],
  "error": null
}
```


Download

Response headers

```
cache-control: no-store
content-length: 205
content-type: application/json
date: Wed,28 Oct 2026 13:27:34 GMT
referrer-policy: no-referrer
x-content-type-options: nosniff
x-correlation-id: c21ad7d0f6a740909f7cc672f09a2ed6
```

Responses

Code	Description	Links
200	Successful Response	*No links*


Observability Platform API Gatewa
Observability Console
RabbitMQ Management
localhost:5173/login
Chat
NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE
OBSERVABILITY PLATFORM
Understand every request. Find the signal.
Follow distributed traces, correlate logs and metrics, and investigate service failures from one clear operational workspace.
End-to-end distributed trace visibility
Evidence-led root-cause analysis
Service health, metrics and alert context
OBSERVE · CORRELATE · DIAGNOSE
Welcome back
Sign in to access your observability workspace and investigate system health.
Username *
testuser@example.com
Password *
Sign in to workspace
Secure access · Observability Console

NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE

WORKSPACE

- Overview
- Trace Explorer
- Dependency Map
- Log Explorer
- Metrics
- Root-Cause
- Alert Center
- Scenario Lab

PLATFORM HEALTH • LIVE CONSOLE

Last 15 minutes | Auto | admin | admin

Overview

Live health of the platform and the sample application: traffic, errors, latency, recent failures and what the root-cause engine found.

REQUESTS	ERROR RATE	P95 LATENCY	ACTIVE ALERTS
2	0.0%	206 ms	0
2 services observed	0 failed requests	avg 164 ms · p99 206 ms	0 critical

Services

Service	Requests	Errors	Avg	p95	Status
api-gateway	1	0.0%	206 ms	206 ms	Healthy
order-service	1	0.0%	123 ms	123 ms	Healthy

Platform components

Up

- api-gateway
- ingestion-service
- trace-service
- log-service
- metrics-service
- rca-service
- query-service
- order-service
- payment-service
- notification-service

8.8 ms

Latest root-cause findings

All reports

No failures analysed yet

Failed or slow traces are analysed automatically once they complete.

Active alerts

Alert Center

No active alerts

Thresholds are healthy for the observed services.

Recent failed traces

Trace Explorer

Slow traces (≥ 1 s)

Trace Explorer

Observability Platform API Gatewa | Observability Console | RabbitMQ Management

localhost:5173/traces

NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE

PLATFORM HEALTH • LIVE CONSOLE

Last 15 minutes | Auto | admin | admin

WORKSPACE

- Overview
- Trace Explorer
- Dependency Map
- Log Explorer
- Metrics
- Root-Cause
- Alert Center
- Scenario Lab

Trace Explorer

Find a request by status, service, duration or trace id, then open it to see the span waterfall, correlated logs and the root-cause diagnosis.

Trace id (or prefix) | Service | Status | Completion | Min duration (ms) | Search

Trace id	Root service	Started	Duration	Spans	Errors	Status	State
5bea2f2e204b	api-gateway	28 Oct 19:05:44	210 ms	3	0	OK	Complete

Observability Platform API Gatewa | Observability Console | RabbitMQ Management

localhost:5173/dependencies

Chat

NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE

PLATFORM HEALTH • LIVE CONSOLE

Last 15 minutes | Auto | admin | admin

WORKSPACE

- Overview
- Trace Explorer
- Dependency Map
- Log Explorer
- Metrics
- Root-Cause
- Alert Center
- Scenario Lab

Dependency Map

Derived entirely from observed spans: who calls whom, how often, how slowly and how often it fails. Dashed edges are calls whose callee never reported a span (timeouts, unreachable services).



NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE

WORKSPACE

Overview
Trace Explorer
Dependency Map
Log Explorer
Metrics
Root-Cause
Alert Center
Scenario Lab

Log Explorer

Structured logs from every service, correlated by trace id. Secrets are redacted before storage. Requires the operator role.

Logs | Repeated error patterns

INFO | WARNING | ERROR | CRITICAL | Service | Search message | Trace id | Order: Newest first | Search | Clear

	Time	Severity	Service	Message	Trace
⌄	28 Oct 19:05:44	INFO	api-gateway	sample request finished	5bea2f2e
⌄	28 Oct 19:05:44	INFO	api-gateway	sample request	5bea2f2e

NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE

WORKSPACE

- Overview
- Trace Explorer
- Dependency Map
- Log Explorer
- Metrics
- Root-Cause
- Alert Center
- Scenario Lab


Metrics

Request volume, error rate and latency percentiles per service. Percentiles use the nearest-rank method on raw samples; intervals without data are shown as gaps, never as zero.

Service


REQUESTS	ERROR RATE	AVG LATENCY	P95 / P99
2	0.0%	164 ms	206 ms / 206 ms
0.0022 req/s	0 errors	min 123 ms · max 206 ms	nearest-rank

Latency over time




90 interval(s) had no samples and are shown as gaps.

Throughput and error rate



Latency distribution



Per-service latency percentiles

Service	Count	Avg	p50	p90	p95	p99	Max
api-gateway	1	206 ms	206 ms	206 ms	206 ms	206 ms	206 ms
order-service	1	123 ms	123 ms	123 ms	123 ms	123 ms	123 ms

Service	Requests	Error rate	Throughput	Status
api-gateway	1	0.0%	0.0011 rps	Healthy
order-service	1	0.0%	0.0011 rps	Healthy

Observability Platform API Gatewa | Observability Console | RabbitMQ Management

localhost:5173/root-cause

NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE

PLATFORM HEALTH • LIVE CONSOLE

Last hour | Auto | admin | admin

WORKSPACE

- Overview
- Trace Explorer
- Dependency Map
- Log Explorer
- Metrics
- Root-Cause
- Alert Center
- Scenario Lab

Root-Cause Analysis

Deterministic, rule-based diagnoses. A confirmed failure needs an error recorded inside the service itself; when only a caller observed the problem, the service is reported as a potential cause. Every conclusion lists its evidence.

Analyse a trace (32-character id) | Analyse

Failed and slow traces are analysed automatically.

Classification | Severity | Affected service

No diagnostic reports match

Run a failing scenario in the Scenario Lab; once its trace completes the report appears here automatically.

Open Scenario Lab

NEXUS OBSERVE
DISTRIBUTED INTELLIGENCE

WORKSPACE

Overview
Trace Explorer
Dependency Map
Log Explorer
Metrics
Root-Cause
Alert Center
Scenario Lab

Alert Center

Threshold alerts on error rate, latency and traffic. There is at most one active alert per service and type; repeated breaches raise its occurrence count instead of creating duplicates.

Active | Resolved | Rules

Service | Severity

No active alerts

All monitored services are within their thresholds.

Trigger a failure in the Scenario Lab

WORKSPACE

- Overview
- Trace Explorer
- Dependency Map
- Log Explorer
- Metrics
- Root-Cause
- Alert Center
- Scenario Lab

Scenario Lab

Drive the sample Order → Payment → Notification application through its failure scenarios and watch the platform detect, trace and explain each one.

Normal selected
Everything succeeds quickly.
Expected diagnosis: healthy

Slow payment
Payment service answers slowly but successfully.
Expected diagnosis: latency_bottleneck in payment-service

Payment failure
Payment service fails with an internal error; the order fails.
Expected diagnosis: confirmed_failure in payment-service

Payment timeout
Payment service takes longer than the order service is willing to wait.
Expected diagnosis: potential_cause payment-service (caller observed timeout)

Notification timeout
Notification service exceeds its timeout; the order still completes.
Expected diagnosis: potential_cause notification-service

Invalid downstream response
Payment service answers 200 with a malformed body.
Expected diagnosis: confirmed_failure in order-service (invalid payment response)

Intermittent unavailability
Payment service answers 503 on every other call; the order service retries with the same idempotency key.
Expected diagnosis: confirmed_failure in payment-service (recovered by retry)

Scenario
Normal
Everything succeeds quickly.

Orders to submit: 1


▶ Run scenario


Failed and slow traces are finalised after a short quiet period (default 10 s) and then analysed automatically. Open the Root-Cause screen a few seconds after running.

Results

Nothing run yet

Pick a scenario and press "Run scenario".


docker desktop
PERSONAL
Search
Ctrl+K
Sign in
Gordon
Containers
Images
Logs
Volumes
Kubernetes
Builds
Models
Docker Hub
MCP Toolkit
BETA
Extensions
observability-platform
C:\Users\asus\Desktop\Distributed-Observability-Platform
View configurations
rabbitmq
rabbitmq:3.13-ma
15672:15672
mysql
mysql:8.0
3307:3306
ingestion-se...
obs/ingestion-ser
8101:8000
trace-service
obs/trace-service
8102:8000
metrics-serv...
obs/metrics-servi
8104:8000
query-service
obs/query-service
8106:8000
log-service
obs/log-service:la
8103:8000
rca-service
obs/rca-service:la
8105:8000
notification-...
obs/notification-s
8203:8000
"f0f74815dc374b7299bf325a6ae3eb9d"}
{"timestamp": "2026-10-28T13:37:54.367+00:00", "level": "INFO", "service": "api-gateway", "logger": "httpx",
"message": "HTTP Request: GET http://order-service:8000/ready \"HTTP/1.1 200 OK\"", "correlation_id":
"f0f74815dc374b7299bf325a6ae3eb9d"}
query-service
{"timestamp": "2026-10-28T13:37:54.367+00:00", "level": "INFO", "service": "query-service", "logger": "httpx",
"message": "HTTP Request: GET http://rca-service:8000/api/v1/diagnostics?page_size=5 \"HTTP/1.1 200 OK\""}
api-gateway
{"timestamp": "2026-10-28T13:37:54.368+00:00", "level": "INFO", "service": "api-gateway", "logger": "httpx",
"message": "HTTP Request: GET http://ingestion-service:8000/ready \"HTTP/1.1 200 OK\"", "correlation_id":
"f0f74815dc374b7299bf325a6ae3eb9d"}
query-service
{"timestamp": "2026-10-28T13:37:54.370+00:00", "level": "INFO", "service": "query-service", "logger": "httpx",
"message": "HTTP Request: GET http://trace-service:8000/api/v1/traces?
min_duration_ms=1000&page_size=5&start=2026-10-28T13%3A22%3A54.356694Z&end=2026-10-28T13%3A37%3A54.356694Z
\"HTTP/1.1 200 OK\""}
{"timestamp": "2026-10-28T13:37:54.370+00:00", "level": "INFO", "service": "query-service", "logger": "httpx",
"message": "HTTP Request: GET http://trace-service:8000/api/v1/traces?status=ERROR&page_size=5&start=2026-10-
28T13%3A22%3A54.356694Z&end=2026-10-28T13%3A37%3A54.356694Z \"HTTP/1.1 200 OK\""}
{"timestamp": "2026-10-28T13:37:54.372+00:00", "level": "INFO", "service": "query-service", "logger": "httpx",
"message": "HTTP Request: GET http://metrics-service:8000/api/v1/metrics/services?start=2026-10-
28T13%3A22%3A54.356694Z&end=2026-10-28T13%3A37%3A54.356694Z \"HTTP/1.1 200 OK\""}
{"timestamp": "2026-10-28T13:37:54.373+00:00", "level": "INFO", "service": "query-service", "logger": "httpx",
"message": "HTTP Request: GET http://metrics-service:8000/api/v1/alerts?status=active&page_size=5 \"HTTP/1.1
200 OK\""}
{"timestamp": "2026-10-28T13:37:54.374+00:00", "level": "INFO", "service": "query-service", "logger": "httpx",
"message": "HTTP Request: GET http://metrics-service:8000/api/v1/metrics/summary?start=2026-10-
28T13%3A22%3A54.356694Z&end=2026-10-28T13%3A37%3A54.356694Z \"HTTP/1.1 200 OK\""}
api-gateway
{"timestamp": "2026-10-28T13:37:54.375+00:00", "level": "INFO", "service": "api-gateway", "logger": "httpx",
"message": "HTTP Request: GET http://query-service:8000/api/v1/query/overview?window_minutes=15 \"HTTP/1.1
200 OK\"", "correlation_id": "78d2462285b644eda3b703ef845fa126"}
rabbitmq
2026-10-28 13:39:12.147805+00:00 [error] <0.4131.0> closing AMQP connection <0.4131.0> (172.28.0.5:52546 ->
172.28.0.4:5672):
2026-10-28 13:39:12.147805+00:00 [error] <0.4131.0> missed heartbeats from client, timeout: 30s
Engine running
RAM 5.40 GB CPU 0.75% Disk: 20.29 GB used (limit 1006.85 GB)
Terminal
Update version


docker desktop
PERSONAL
Search
Ctrl+K
3
Sign in
Gordon
Containers
Images
Logs
Volumes
Kubernetes
Builds
Models
Docker Hub
MCP Toolkit
BETA
Extensions
Compose file viewer
BETA
Give feedback
observability-platform:C:\Users\asus\Desktop\Distributed-Observability-Platform
Open in IDE
Convert and deploy to Kubernetes
Name
Distributed-Observability-Platform
docker-compose.yml
Distributed-Observability-Platform\docker-compose.yml
1 # Observability platform - local stack. cp .env.example .env && docker compose up --build
2 name: observability-platform
3
4 x-service-env: &service-env
5 ENVIRONMENT: ${ENVIRONMENT:-dev}
6 LOG_LEVEL: ${LOG_LEVEL:-INFO}
7 ENABLE_DOCS: ${ENABLE_DOCS:-true}
8 INTERNAL_API_TOKEN: ${INTERNAL_API_TOKEN:?set INTERNAL_API_TOKEN in .env}
9
10 x-broker: &broker amqp://${RABBITMQ_USER:?}:${RABBITMQ_PASSWORD:?}@rabbitmq:5672/%2F
11
12 x-hardening: &hardening
13 restart: unless-stopped
14 security_opt: ["no-new-privileges:true"]
15 cap_drop: [ALL]
16 read_only: true
17 tmpfs: ["/tmp"]
18
19
20 services:
21 mysql:
22 image: mysql:8.0
23 restart: unless-stopped
24 ports:
25 - "127.0.0.1:3307:3306"
26 environment:
27 MYSQL_ROOT_PASSWORD: ${MYSQL_ROOT_PASSWORD:?}
28 INGESTION_DB_PASSWORD: ${INGESTION_DB_PASSWORD:?}
29 TRACE_DB_PASSWORD: ${TRACE_DB_PASSWORD:?}
30 LOG_DB_PASSWORD: ${LOG_DB_PASSWORD:?}
31 METRICS_DB_PASSWORD: ${METRICS_DB_PASSWORD:?}
32 RCA_DB_PASSWORD: ${RCA_DB_PASSWORD:?}
33 GATEWAY_DB_PASSWORD: ${GATEWAY_DB_PASSWORD:?}
34 ORDER_DB_PASSWORD: ${ORDER_DB_PASSWORD:?}
Engine running
RAM 5.44 GB CPU 1.25% Disk: 20.29 GB used (limit 1006.85 GB)
Terminal
Update version

Gordon
Containers
Images
Logs
Volumes
Kubernetes
Builds
Models
Docker Hub
MCP Toolkit BETA
Extensions

observability-platform-rabbitmq-1

7904238995a8 rabbitmq:3.13-management-alpine
15672:15672

STATUS
Running (10 hours ago)

Logs | Inspect | Bind mounts | Exec | Files | Stats

```
2026-10-28 04:12:50.961692+00:00 [info] <0.1882.0> connection <0.1882.0> (172.28.0.13:60516 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:33:45.222288+00:00 [info] <0.3963.0> accepting AMQP connection <0.3963.0> (172.28.0.5:60366 -> 172.28.0.4:5672)
2026-10-28 13:33:45.257827+00:00 [info] <0.3963.0> connection <0.3963.0> (172.28.0.5:60366 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:33:45.261215+00:00 [info] <0.3963.0> closing AMQP connection <0.3963.0> (172.28.0.5:60366 -> 172.28.0.4:5672, vhost: '/', user: 'obs')
2026-10-28 13:33:54.389394+00:00 [info] <0.3975.0> accepting AMQP connection <0.3975.0> (172.28.0.5:34962 -> 172.28.0.4:5672)
2026-10-28 13:33:54.394281+00:00 [info] <0.3975.0> connection <0.3975.0> (172.28.0.5:34962 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:33:54.395167+00:00 [info] <0.3975.0> closing AMQP connection <0.3975.0> (172.28.0.5:34962 -> 172.28.0.4:5672, vhost: '/', user: 'obs')
2026-10-28 13:35:44.302521+00:00 [info] <0.4032.0> accepting AMQP connection <0.4032.0> (172.28.0.5:55174 -> 172.28.0.4:5672)
2026-10-28 13:35:44.305584+00:00 [info] <0.4032.0> connection <0.4032.0> (172.28.0.5:55174 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:36:05.731634+00:00 [info] <0.4057.0> accepting AMQP connection <0.4057.0> (172.28.0.5:52078 -> 172.28.0.4:5672)
2026-10-28 13:36:05.734639+00:00 [info] <0.4057.0> connection <0.4057.0> (172.28.0.5:52078 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:36:05.735468+00:00 [info] <0.4057.0> closing AMQP connection <0.4057.0> (172.28.0.5:52078 -> 172.28.0.4:5672, vhost: '/', user: 'obs')
2026-10-28 13:36:09.350652+00:00 [info] <0.4067.0> accepting AMQP connection <0.4067.0> (172.28.0.5:52084 -> 172.28.0.4:5672)
2026-10-28 13:36:09.352961+00:00 [info] <0.4067.0> connection <0.4067.0> (172.28.0.5:52084 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:36:09.353443+00:00 [info] <0.4067.0> closing AMQP connection <0.4067.0> (172.28.0.5:52084 -> 172.28.0.4:5672, vhost: '/', user: 'obs')
2026-10-28 13:36:24.381093+00:00 [info] <0.4083.0> accepting AMQP connection <0.4083.0> (172.28.0.5:41604 -> 172.28.0.4:5672)
2026-10-28 13:36:24.383226+00:00 [info] <0.4083.0> connection <0.4083.0> (172.28.0.5:41604 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:36:24.383776+00:00 [info] <0.4083.0> closing AMQP connection <0.4083.0> (172.28.0.5:41604 -> 172.28.0.4:5672, vhost: '/', user: 'obs')
2026-10-28 13:37:14.304850+00:00 [error] <0.4032.0> closing AMQP connection <0.4032.0> (172.28.0.5:55174 -> 172.28.0.4:5672):
2026-10-28 13:37:14.304850+00:00 [error] <0.4032.0> missed heartbeats from client, timeout: 30s
2026-10-28 13:37:42.146278+00:00 [info] <0.4131.0> accepting AMQP connection <0.4131.0> (172.28.0.5:52546 -> 172.28.0.4:5672)
2026-10-28 13:37:42.148274+00:00 [info] <0.4131.0> connection <0.4131.0> (172.28.0.5:52546 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:37:44.076296+00:00 [info] <0.4148.0> accepting AMQP connection <0.4148.0> (172.28.0.5:52558 -> 172.28.0.4:5672)
2026-10-28 13:37:44.078647+00:00 [info] <0.4148.0> connection <0.4148.0> (172.28.0.5:52558 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:37:44.079137+00:00 [info] <0.4148.0> closing AMQP connection <0.4148.0> (172.28.0.5:52558 -> 172.28.0.4:5672, vhost: '/', user: 'obs')
2026-10-28 13:37:54.361615+00:00 [info] <0.4162.0> accepting AMQP connection <0.4162.0> (172.28.0.5:58656 -> 172.28.0.4:5672)
2026-10-28 13:37:54.363952+00:00 [info] <0.4162.0> connection <0.4162.0> (172.28.0.5:58656 -> 172.28.0.4:5672): user 'obs' authenticated and granted access to vhost '/'
2026-10-28 13:37:54.364458+00:00 [info] <0.4162.0> closing AMQP connection <0.4162.0> (172.28.0.5:58656 -> 172.28.0.4:5672, vhost: '/', user: 'obs')
2026-10-28 13:39:12.147805+00:00 [error] <0.4131.0> closing AMQP connection <0.4131.0> (172.28.0.5:52546 -> 172.28.0.4:5672):
2026-10-28 13:39:12.147805+00:00 [error] <0.4131.0> missed heartbeats from client, timeout: 30s
```