

Export Documentation Guide

ForgeCore Industries — Logistics Department

International Shipments — Required Documentation

ForgeCore ships to over 40 countries. This guide documents the standard export paperwork included with every international order. Customers are responsible for any import duties, taxes, and country-specific clearance requirements in the destination country.

1. Standard Document Set

Document	Description	Included
Commercial Invoice	Value, terms, parties	Always
Packing List	Item-level detail, weights, dimensions	Always
Certificate of Origin	Country of manufacture attestation	Always
Bill of Lading / Airway Bill	Carrier transport document	Always
Certificate of Analysis (COA)	Per-lot test results	Always
MSDS / SDS	Material safety data	On request
Fumigation Certificate	ISPM-15 compliance	Wooden crate shipments
Insurance Certificate	Cargo insurance coverage	On request

2. Incoterms

ForgeCore supports the following Incoterms 2020:

- EXW (Ex Works) — Customer takes responsibility at our dock
- FCA (Free Carrier) — ForgeCore delivers to named carrier
- FOB (Free On Board) — ForgeCore delivers to vessel at named port
- CIF (Cost, Insurance, Freight) — ForgeCore arranges shipping to named port
- DDP (Delivered Duty Paid) — ForgeCore handles all import clearance

3. Restricted Destinations

Due to export control regulations (US EAR, EU Dual-Use), ForgeCore cannot ship to certain destinations without prior approval. Contact our export compliance team at export@forgecore.example.com before

placing orders for:

Countries under US sanctions (Cuba, Iran, North Korea, Syria, Crimea region)

Customers requiring end-use in nuclear, missile, or chemical-weapon applications

Military end-use without US State Department approval

4. HazMat Classification

FC-series crucibles are classified as non-hazardous for transport per IATA, IMDG, and ADR regulations. No dangerous goods surcharge applies. However, FC-50 graphite crucibles may be subject to special provisions if shipped by air in large quantities (over 100 kg per package) due to dust inhalation risk during handling.

5. Packaging Standards

Standard export packaging:

Wooden crate, ISPM-15 compliant, heat-treated and stamped

Closed-cell foam cushioning (minimum 50 mm on all sides)

Silica gel desiccant packs (200g per cubic foot of crate volume)

Vapour barrier polyethylene liner

Waterproof document pouch attached to crate exterior

Crate dimensions optimised for 20' and 40' container loading. A standard 40' container holds approximately 1,200 small crucibles or 300 large crucibles.

6. Typical Transit Times

Region	Sea (days)	Air (days)
North America	5-10	2-3
Europe	18-25	3-4
South America	20-30	4-5
Middle East	25-35	4-5
Asia-Pacific	28-40	5-7
Africa	30-45	5-8