Date : 12/03/2026
Submitted By : Prachi Verma

Assignment: Linux & Shell

Assignment 1: Linux Basic commands

Section A: Navigation(Practical)

1. To Create a directory:
   Command : mkdir <directory name> , Ex: mkdir linux_practice
2. Go inside that directory:
   Command : cd <directory name>, Ex : cd linux_practice
3. Another directory test_folder:
   Command: mkdir <directory name> Ex: mkdir test_folder
4. To move back to parent directory:
   Command : cd ..
5. To list current working directory:
   Command: pwd
6. List all files and directory:
   Command: ls -l
7. Find help of the ls command:
   Command : ls –help

Output:

```
2026-03-13 18:20.33 /home mkdir linux_practice

2026-03-13 18:21.25 /home cd linux_practice

2026-03-13 18:21.47 /home/linux_practice mkdir test_folder

2026-03-13 18:22.01 /home/linux_practice cd ..

2026-03-13 18:22.11 /home pwd
/home

2026-03-13 18:22.33 /home ls -l
total 4
lrwxrwxrwx 1 Prachi Verma  None 15 2026-03-13 17:55 Prachi\ Verma -> /home/mobaxterm
drwxr-xr-x 1 Prachi Verma  None  0 2026-03-13 18:06 PrachiVerma
drwxr-xr-x 1 Prachi Verma  None  0 2026-03-13 18:22 linux_practice
drwxr-xr-x 1 Prachi Verma  None  0 2026-03-13 18:06 mobaxterm
drwxr-xr-x 1 Prachi Verma  None  0 2026-03-13 18:01 test

2026-03-13 18:22.45 /home ls --help
Toybox 0.8.10 multicall binary (see toybox --help)

usage: ls [-1ACFHLNRSUXZabcdfghilmnopqrstuwx] [--color[=auto]] [FILE...]

List files

what to show:
-A  all files except . and ..      -a  all files including .hidden
-b  escape nongraphic chars        -d  directory, not contents
-F  append /dir *exe @sym |FIFO    -f  files (no sort/filter/format)
-H  follow command line symlinks   -i  inode number
-L  follow symlinks                -N  no escaping, even on tty
-p  put '/' after dir names        -q  unprintable chars as '?'
-R  recursively list in subdirs    -s  storage used (in --block-size)
-Z  security context
```

Date : 12/03/2026
Submitted By : Prachi Verma

Section B: File & Directory Operations

1. To create a file:
   Command: touch <filename>, Ex : touch student.txt
2. mkdir data
3. To copy from source to destination:
   Command : cp <source file > <destination file or folder>, Ex: cp student.txt data
4. Rename file:
   Command : mv <old filename> < new filename>, Ex: mv student.txt info.txt
5. Delete file:
   Command : rm <filename>, Ex: rm info.txt
6. Remove directory:
   Command: rmdir <directory name> (if directory is empty), rm -rf <>directory name>
   Ex: rm -rf data

Output:

```
2026-03-13 18:44.30 /home/linux_practice touch student.txt
2026-03-13 18:44.39 /home/linux_practice mkdir data
2026-03-13 18:44.45 /home/linux_practice cp student.txt data
2026-03-13 18:44.54 /home/linux_practice mv student.txt info.txt
2026-03-13 18:45.00 /home/linux_practice rm info.txt
2026-03-13 18:45.11 /home/linux_practice rmdir data
rmdir: data: Directory not empty
2026-03-13 18:45.18 /home/linux_practice rm -rf data
```

Assignment 2: File Editing & Text Processing

1. Command: touch <filename> , Ex: touch bio.txt
2. Add details into the file:
   Command : vi <filename>, Ex: vi bio.txt(when we run this command, text editor will open where we're able to enter text into the file or we can edit the file.)
3. To save file and exist editor file mode :
   Command: Esc + :wq! + Enter
4. To search a pattern in a file:
   Command: grep "pattern" <filename>, Ex: grep "Prachi" bio.txt
5. To delete all content from the file:
   Command : dd

Explanation: firstly open the file using vi <filename>, then press dd, to delete a line and save using Esc + :wq! + Enter.

6. Grep usage:
   a. Search name: grep “Prachi” bio.txt
   B. show lines that do not contain your name: grep -v “Prachi” bio.txt

Output (Assignment 2):

```
2026-03-13  18:57.08  /home/linux_practice  touch bio.txt

2026-03-13  18:57.11  /home/linux_practice  vi bio.txt

2026-03-13  18:58.14  /home/linux_practice  grep "Prachi" bio.txt
Name: Prachi Verma

2026-03-13  18:58.56  /home/linux_practice  grep -v "Prachi" bio.txt
Course: MCA
City: Indore

2026-03-13  19:05.17  /home/linux_practice  vi bio.txt
```

File editor:



Assignment 3: Linux Permissions

1. To create a script file:
   Command : touch <filename>.sh, Ex: touch script.sh
2. To check permission:
   Command : ls -l
3. Change permission a file:
   Command: a. chmod 755 <filename>, Ex: chmod 755 script.sh
   b. chmod 764 <filename > , Ex: chmod 764 script.sh
4. 764 means : 7(owner rights) means (read(4) + write(2) + execute(1) : rwx), 6(group rights)

means (read(4)+write(2): rw-), 4(other rights) means (read(4): r–) therefore it rwxrw-r– .

5. To give executive permission using symbolic method:
   Command : chmod +x <filename>, Ex: chmod r+x script.sh
6. Meaning of r=4 : , meaning w=2: and meaning x=1:
7. Permission 777(rwxrwxrwx) means that any user, or grouped members, also any other user can read, write and execute the file or they have all the rights of a file or a directory . No, it's not safe because of security reasons, since anyone on the system can change,modify or delete the file/folder.

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~/test$ touch script.sh
prachi_verma@LAPTOP-TE7DGKF9:~/test$ ls -l
total 0
-rw-r--r-- 1 prachi_verma prachi_verma 0 Mar 14 04:29 script.sh
prachi_verma@LAPTOP-TE7DGKF9:~/test$ chmod 755 script.sh
prachi_verma@LAPTOP-TE7DGKF9:~/test$ ls -l
total 0
-rwxr-xr-x 1 prachi_verma prachi_verma 0 Mar 14 04:29 script.sh
prachi_verma@LAPTOP-TE7DGKF9:~/test$ chmod 764 script.sh
prachi_verma@LAPTOP-TE7DGKF9:~/test$ ls -l
total 0
-rwxrw-r-- 1 prachi_verma prachi_verma 0 Mar 14 04:29 script.sh
prachi_verma@LAPTOP-TE7DGKF9:~/test$ chmod +x script.sh
prachi_verma@LAPTOP-TE7DGKF9:~/test$ ls -l
total 0
-rwxrwxr-x 1 prachi_verma prachi_verma 0 Mar 14 04:29 script.sh
```

Assignment 4: Linux Networking Assignment

Task 1: Check Network Configuration

1. To check System IP address:
   Command : ipconfig

2. IP Address: An IP address is the unique number of a device on the internet or a network. Without an IP address, the device would not be able to send data.

Examples : computers, laptops etc.

Output:

Date : 12/03/2026
Submitted By : Prachi Verma

```
2026-03-13  19:11.03  /home/linux_practice  ipconfig

Windows IP Configuration


Wireless LAN adapter Local Area Connection* 1:

   Media State . . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 2:

   Media State . . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter Wi-Fi:

   Connection-specific DNS Suffix  . :
   IPv6 Address. . . . . . . . . . . . : 2401:4900:1c19:13c6:5593:dea3:62fd:4ad7
   Temporary IPv6 Address. . . . . . . : 2401:4900:1c19:13c6:8c6c:92a5:3762:d816
   Link-local IPv6 Address . . . . . . : fe80::a198:b05:4c12:9c0e%18
   IPv4 Address. . . . . . . . . . . . : 192.168.1.6
   Subnet Mask . . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . . : fe80::c22e:5fff:fea2:57b1%18
                                         192.168.1.1

Ethernet adapter Bluetooth Network Connection:

   Media State . . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :
```

Task 2: Test Network Reachability
3. Ping google.com
4. Observe:
   IP address resolved: 4
  Packet loss % : 0%
Output

```
2026-03-13  22:18.03  /home/mobaxterm  ping google.com

Pinging google.com [2404:6800:4009:806::200e] with 32 bytes of data:
Reply from 2404:6800:4009:806::200e: time=27ms
Reply from 2404:6800:4009:806::200e: time=31ms
Reply from 2404:6800:4009:806::200e: time=30ms
Reply from 2404:6800:4009:806::200e: time=28ms

Ping statistics for 2404:6800:4009:806::200e:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 27ms, Maximum = 31ms, Average = 29ms
```

:

Task 3: Check Port Connectivity
5. To check if port 80 is open on google.com using telnet:
   Command : telnet google.com 80
6. What does it mean if : nothing mentioned here.
7. What does it mean if:
Download homepage:
  a. Connection successful: The server or website is reachable and the service is running on the port successfully.

b. Connection refused:the server is reachable but the port is closed, so the service is not running.

c. Connection timed out: When the system cannot reach the server due to network issues.

Output:

```
2026-03-14  10:08.13  /home/mobaxterm  telnet google.com 80
Connected to google.com.

Console escape. Commands are:

 l  go to line mode
 c  go to character mode
 z  suspend telnet
 e  exit telnet

telnet> Connection closed.


2026-03-14  10:08.37  /home/mobaxterm  telnet google.com 80
telnet: google.com:80: Name or service not known
```

Task 4: Download data using curl.

Command : curl < reference link>

8. Save into a file
9. Verify the file is created

Command: ls -l

Approach :

1. To download data using curl:curl “<link>” > filename.txt (to directly save data into a file).
2. To verify the file is created : ls -l.
3. To view the file’s content : cat filename.txt.

Output:

```
2026-03-13  22:35.28  /home/mobaxterm  curl https://docs.kernel.org > linuxdoc.txt
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
100 16506  100 16506    0     0  46468      0 --:--:-- --:--:-- --:--:-- 46892


2026-03-13  22:35.32  /home/mobaxterm  ls -l
total 10
lrwxrwxrwx 1 Prachi Verma  None    33 2026-03-13 17:55 Desktop -> /drives/C/Users/PRACHI~1/Desktop/
lrwxrwxrwx 1 Prachi Verma  None    45 2026-03-13 17:55 LauncherFolder -> /drives/C/Users/PRACHI~1/DOWNLO~1/MOBAXT~1.1/
lrwxrwxrwx 1 Prachi Verma  None    34 2026-03-13 17:55 MyDocuments -> /drives/C/Users/PRACHI~1/DOCUME~1/
-rw-r--r-- 1 Prachi Verma  None   394 2026-03-13 17:55 README.txt
-rw-r--r-- 1 Prachi Verma  None 16506 2026-03-13 22:35 linuxdoc.txt


2026-03-13  22:35.36  /home/mobaxterm  cat linuxdoc.txt

<!DOCTYPE html>

<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" /><meta name="generator" content="Docutils 0.19: https://docutils.sourceforge.io/" />

    <title>The Linux Kernel documentation &#8212; The Linux Kernel  documentation</title>
    <link rel="stylesheet" type="text/css" href="_static/pygments.css" />
    <link rel="stylesheet" type="text/css" href="_static/alabaster.css" />
    <script data-url_root="./" id="documentation_options" src="_static/documentation_options.js"></script>
    <script src="_static/jquery.js"></script>
    <script src="_static/underscore.js"></script>
    <script src="_static/_sphinx_javascript_frameworks_compat.js"></script>
    <script src="_static/doctools.js"></script>
    <script src="_static/sphinx_highlight.js"></script>
    <link rel="index" title="Index" href="genindex.html" />
    <link rel="search" title="Search" href="search.html" />
    <link rel="next" title="A guide to the Kernel Development Process" href="process/development-process.html" />
```

Date : 12/03/2026
Submitted By : Prachi Verma

Assignment 5: Process & System Monitoring

1. List all running processes:
   Command: ps aux
2. Open top command and monitor CPU usage:
   Command : top
   CPU Usage : fluctuates between 2% to 9% for System process.
3. Check disk usage:
   Command : df -h
4. Check memory usage:
   Command : free -m
5. Difference between ps and top :

ps	top
1. List all running processes.	1. Monitor system resource.
2. Continuously not updated.	2. Continuously updated.
3. Does not show CPU usage changes.	3. Shows CPU usage changes.

6. Df -h shows : disk space usage of the system.

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~/test$ ps aux
USER         PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  0.0  0.1  21908 12244 ?        Ss   Mar13   0:03 /sbin/init
root           2  0.0  0.0   3120  1920 ?        Sl   Mar13   0:00 /init
root           6  0.0  0.0   3136  1888 ?        Sl   Mar13   0:00 plan9 --control-socket 7 --log-level 4 --server-fd
root          52  0.0  0.2  50356 15752 ?        S<s  Mar13   0:02 /usr/lib/systemd/systemd-journald
root         106  0.0  0.0  25268  6144 ?        Ss   Mar13   0:09 /usr/lib/systemd/systemd-udevd
systemd+     122  0.0  0.1  21460 12288 ?        Ss   Mar13   0:00 /usr/lib/systemd/systemd-resolved
systemd+     123  0.0  0.1  91028  7680 ?        Ssl  Mar13   0:01 /usr/lib/systemd/systemd-timesyncd
root         198  0.0  0.0   4236  2432 ?        Ss   Mar13   0:00 /usr/sbin/cron -f -P
message+     199  0.0  0.0   9620  4736 ?        Ss   Mar13   0:01 @dbus-daemon --system --address=systemd: --nofork
root         206  0.0  0.1  17964  8192 ?        Ss   Mar13   0:00 /usr/lib/systemd/systemd-logind
root         224  0.0  0.0   3160  1920 hvc0     Ss+  Mar13   0:00 /sbin/agetty -o -p -- \u --noclear --keep-baud - 1
syslog       227  0.0  0.0 222508  5248 ?        Ssl  Mar13   0:00 /usr/sbin/rsyslogd -n -iNONE
root         230  0.0  0.0   3116  1792 tty1     Ss+  Mar13   0:00 /sbin/agetty -o -p -- \u --noclear - linux
root         236  0.0  0.3 107024 22524 ?        Ssl  Mar13   0:00 /usr/bin/python3 /usr/share/unattended-upgrades/un
root         402  0.0  0.0   3128   768 ?        Ss   Mar13   0:00 /init
root         403  0.0  0.0   3144  1280 ?        S    Mar13   0:02 /init
prachi_+     404  0.0  0.0   6076  4992 pts/0    Ss+  Mar13   0:00 /bin/bash
root         504  0.0  0.0   6688  4352 pts/1    Ss   Mar13   0:00 /bin/login -f
prachi_+     547  0.0  0.1  20112 10880 ?        Ss   Mar13   0:00 /usr/lib/systemd/systemd --user
prachi_+     549  0.0  0.0  21156  3516 ?        S    Mar13   0:00 (sd-pam)
prachi_+     572  0.0  0.0   6056  5248 pts/1    S+   Mar13   0:00 -bash
root        3589  0.0  0.0   3128   900 ?        Ss   04:27   0:00 /init
root        3590  0.0  0.0   3144  1288 ?        S    04:27   0:00 /init
prachi_+    3594  0.0  0.0   6072  5248 pts/2    Ss   04:27   0:00 -bash
root        3770  0.0  0.1 1756620 12672 ?       Ssl  04:38   0:00 /usr/libexec/wsl-pro-service
prachi_+    3828  100  0.0   8280  4096 pts/2    R+   04:44   0:00 ps aux
prachi_verma@LAPTOP-TE7DGKF9:~/test$ top
top - 04:45:22 up  6:50,  1 user,  load average: 0.00, 0.00, 0.00
Tasks:  26 total,   1 running,  25 sleeping,   0 stopped,   0 zombie
%Cpu(s):  0.0 us,  0.0 sy,  0.0 ni,100.0 id,  0.0 wa,  0.0 hi,  0.0 si,  0.0 st
MiB Mem :   6850.2 total,   6215.0 free,    555.2 used,    228.4 buff/cache
MiB Swap:   2048.0 total,   2048.0 free,      0.0 used.   6295.0 avail Mem

    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
      1 root      20   0   21908  12244   9172 S   0.0   0.2   0:03.20 systemd
```

Date : 12/03/2026
Submitted By : Prachi Verma

```
prachi_verma@LAPTOP-TE7DGKF9:~/test$ df -h
Filesystem      Size  Used Avail Use% Mounted on
/dev/sdd       1007G  1.3G  955G   1% /
rootfs          3.4G  2.7M  3.4G   1% /init
none            3.4G     0  3.4G   0% /dev/shm
none            3.4G  544K  3.4G   1% /run
none            3.4G     0  3.4G   0% /run/lock
none            3.4G  124K  3.4G   1% /run/user
tmpfs           686M   20K  685M   1% /run/user/1000
drivers         475G  110G  365G  24% /usr/lib/wsl/drivers
none            3.4G     0  3.4G   0% /usr/lib/wsl/lib
none            3.4G  4.0K  3.4G   1% /mnt/wsl
none            3.4G   96K  3.4G   1% /mnt/wslg/versions.txt
none            3.4G   96K  3.4G   1% /mnt/wslg/doc
none            3.4G     0  3.4G   0% /usr/lib/modules/6.6.87.2-microsoft-standard-WSL2
C:\             475G  110G  365G  24% /mnt/c
prachi_verma@LAPTOP-TE7DGKF9:~/test$ free -m
               total        used        free      shared  buff/cache   available
Mem:            6850         574        6195           3         228        6275
Swap:           2048           0        2048
prachi_verma@LAPTOP-TE7DGKF9:~/test$
```

Assignment 6: shell scripting (basic)

Task 1: simple script

Write a shell script that: Prints “Welcome to Linux Training”, Prints current date and Prints current user name.

Code: echo “Welcome to Linux Training !”

date

echo

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~$ vi script1.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rw-r--r-- 1 prachi_verma prachi_verma 47 Mar 13 18:14 script1.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ chmod +x script1.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rwxr-xr-x 1 prachi_verma prachi_verma 47 Mar 13 18:14 script1.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ./script1.sh
Welcome to Linux Training !
Fri Mar 13 18:14:30 UTC 2026
prachi_verma
```

Task 2: User Input Script

Create a script that: Takes user name as input and Prints:”Hello <name>, welcome to Linux”.

Code:

```
echo "Enter Name : "
read name
echo "Hello $name, welcome to linux"
```

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~$ vi user_input.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rw-r--r-- 1 prachi_verma prachi_verma 68 Mar 13 18:24 user_input.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ chmod +x user_input.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rwxr-xr-x 1 prachi_verma prachi_verma 68 Mar 13 18:24 user_input.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ./user_input.sh
Enter Name :
Prachi
Hello Prachi, welcome to linux
```

Conditional and Loop Script

Task 3: Even or Odd Program

Write a script that: Takes a number as input and checks whether the number is less than 10 or not.

Code:

```
echo " Enter Number : "
read num
if [ $num -gt 10 ]
then
	echo "The number is greater than 10."
else
	echo "the number is not greater than 10."
fi
```

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~$ vi num_check.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rw-r--r-- 1 prachi_verma prachi_verma 148 Mar 13 18:48 num_check.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ chmod +x num_check.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rwxr-xr-x 1 prachi_verma prachi_verma 148 Mar 13 18:48 num_check.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ./num_check.sh
 Enter Number :
12
The number is greater than 10.
```

In addition, the even and odd program is also included.

Code:

```
echo "Enter num : "
read num
if (( num % 2 ==0 ))
then
	echo "It's an even number."
else
	echo "It's an odd number."
```

fi

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~$ vi even_odd.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rw-r--r-- 1 prachi_verma prachi_verma 119 Mar 13 18:57 even_odd.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ chmod +x even_odd.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rwxr-xr-x 1 prachi_verma prachi_verma 119 Mar 13 18:57 even_odd.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ./even_odd.sh
Enter num :
23
it's an odd number.
```

Task 4: Loop Program

Write a script that:Prints numbers from 1 to 10 and Prints multiplication table of 5.

```
echo "Numbers in the range 1-10 :"
for i in {1..10}; do
	echo "$i"
done
echo "Multiplicative table of 5: "
for i in {1..10}; do
	product=$((5*i))
	echo "5 * $i =$product"
done
```

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~$ vi loop_program.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rw-r--r-- 1 prachi_verma prachi_verma 179 Mar 13 19:17 loop_program.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ chmod +x loop_program.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ls -l
total 4
-rwxr-xr-x 1 prachi_verma prachi_verma 179 Mar 13 19:17 loop_program.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ./loop_program.sh
Numbers in the range 1-10 :
1
2
3
4
5
6
7
8
9
10
Multiplicative table of 5:
5 * 1 =5
5 * 2 =10
5 * 3 =15
5 * 4 =20
5 * 5 =25
5 * 6 =30
5 * 7 =35
5 * 8 =40
5 * 9 =45
5 * 10 =50
```

Date : 12/03/2026
Submitted By : Prachi Verma

Assignment 7: Mini Project

Create a script that: Creates a directory backup, takes current date and time, copies all .txt files into backup folder, prints “Backup Completed”, if backup folder already exists, print “Directory already exists”

Explanation:

1. First, check if the directory backup exists or not, if it exists then print “Backup directory exists” using a conditional statement.
2. If the directory does not exist then create the directory with this command : mkdir backup and print “Directory is created.”
3. Print current date with time using:
   Cmd : date(includes current date and time both).
4. For copying all .txt files into backup folder use this command: cp *.txt backup.
5. Prints Backup completed using echo “Backup completed.”.

Code:

```
if [ -d backup ]
then
	echo "Directory already exists."
else
	mkdir backup
	echo "Directory backup created."
fi
timestamp=$(date)
echo "Current date and time : $timestamp"
cp *.txt backup
echo "Backup Completed."
```

Output:

```
prachi_verma@LAPTOP-TE7DGKF9:~$ vi mini_project.sh
prachi_verma@LAPTOP-TE7DGKF9:~$ ./mini_project.sh
Directory already exists.
Current date and time : Fri Mar 13 20:17:46 UTC 2026
Backup Completed.
prachi_verma@LAPTOP-TE7DGKF9:~$ cd backup
prachi_verma@LAPTOP-TE7DGKF9:~/backup$ ls -l
total 8
-rw-r--r-- 1 prachi_verma prachi_verma 55 Mar 13 20:17 details.txt
-rw-r--r-- 1 prachi_verma prachi_verma 39 Mar 13 20:17 test.txt
```