
FIRST - ANALYZE THE ENTIRE PROJECT

Evidence discovery workflow



Deep workflow explanation

Start with inventory, then follow imports and runtime paths. Every claim must point to a real file, function, configuration value, or test. Missing behavior is recorded explicitly instead of being filled with assumptions.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

PROJECT OVERVIEW

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

WHAT IS AN AI AGENT?

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AI AGENT VS NORMAL LLM

Concept comparison workflow



Deep workflow explanation

Compare concepts by what they do at runtime, not by marketing labels. Use the same example for both sides and state where they can be combined.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AI AGENT ARCHITECTURE

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COMPLETE AGENT PIPELINE

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

WHAT MAKES THIS PROJECT AN AGENT?

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COMPLETE USER REQUEST FLOW

Request-response workflow



Deep workflow explanation

The workflow begins at the client boundary. Validate the request, route it to the backend, assemble agent context, perform model or tool work, normalize the result, and return a stable response or a safe error.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

LLM

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT FRAMEWORK

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT CORE

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

TOOLS

Tool execution workflow



Deep workflow explanation

A tool is a controlled capability, not just an API. The model proposes a name and arguments, but the application must validate permissions and inputs before execution. The result is converted into an observation the model can use.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

TOOL CALLING

Tool execution workflow



Deep workflow explanation

A tool is a controlled capability, not just an API. The model proposes a name and arguments, but the application must validate permissions and inputs before execution. The result is converted into an observation the model can use.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

FUNCTION CALLING

Tool execution workflow



Deep workflow explanation

A tool is a controlled capability, not just an API. The model proposes a name and arguments, but the application must validate permissions and inputs before execution. The result is converted into an observation the model can use.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT DECISION LOOP

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

SINGLE-STEP AGENT

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

MULTI-STEP AGENT

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

PLANNING

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

MEMORY

State and context workflow



Deep workflow explanation

State is the structured information needed to continue a run. Context is the portion sent to the model. Explain creation, updates, persistence, retrieval, clearing, and privacy boundaries separately.

What to verify in the repository

Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.


Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

TOPIC 20 OF 77

AGENT STATE

State and context workflow



Deep workflow explanation

State is the structured information needed to continue a run. Context is the portion sent to the model. Explain creation, updates, persistence, retrieval, clearing, and privacy boundaries separately.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

WORKFLOW / GRAPH

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

STOP CONDITION

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

MAXIMUM ITERATIONS

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

PROMPTS

Prompt assembly workflow



Deep workflow explanation

Prompt construction determines what the model can see and what it is asked to do. Document the observable contract, but never expose secrets or private chain-of-thought.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

SYSTEM PROMPT

Prompt assembly workflow



Deep workflow explanation

Prompt construction determines what the model can see and what it is asked to do. Document the observable contract, but never expose secrets or private chain-of-thought.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

TOOL DESCRIPTIONS

Tool execution workflow



Deep workflow explanation

A tool is a controlled capability, not just an API. The model proposes a name and arguments, but the application must validate permissions and inputs before execution. The result is converted into an observation the model can use.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

CONTEXT

State and context workflow



Deep workflow explanation

State is the structured information needed to continue a run. Context is the portion sent to the model. Explain creation, updates, persistence, retrieval, clearing, and privacy boundaries separately.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

RAG + AI AGENT

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT + API

Request-response workflow



Deep workflow explanation

The workflow begins at the client boundary. Validate the request, route it to the backend, assemble agent context, perform model or tool work, normalize the result, and return a stable response or a safe error.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

API DOCUMENTATION

Request-response workflow



Deep workflow explanation

The workflow begins at the client boundary. Validate the request, route it to the backend, assemble agent context, perform model or tool work, normalize the result, and return a stable response or a safe error.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COMPLETE REQUEST -> RESPONSE FLOW

Request-response workflow



Deep workflow explanation

The workflow begins at the client boundary. Validate the request, route it to the backend, assemble agent context, perform model or tool work, normalize the result, and return a stable response or a safe error.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

FRONTEND FLOW

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

BACKEND FLOW

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

FILE-BY-FILE EXPLANATION

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

FUNCTION-BY-FUNCTION EXPLANATION

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

ENVIRONMENT VARIABLES

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

LOCAL SETUP

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COMPLETE REAL-WORLD EXAMPLE

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT OBSERVATION

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

ERROR HANDLING

Failure-handling workflow



Deep workflow explanation

A useful error path is deterministic. Identify where the failure is detected, whether retry is safe, what information can be logged, and what the user receives. Avoid leaking credentials or internal prompts.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

TOOL FAILURE

Tool execution workflow



Deep workflow explanation

A tool is a controlled capability, not just an API. The model proposes a name and arguments, but the application must validate permissions and inputs before execution. The result is converted into an observation the model can use.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

SECURITY

Safety gate workflow



Deep workflow explanation

Action-capable agents require gates before risky work. Authenticate the caller, authorize the operation, isolate untrusted instructions, apply least privilege, and require human approval where impact is high.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

PROMPT INJECTION

Prompt assembly workflow



Deep workflow explanation

Prompt construction determines what the model can see and what it is asked to do. Document the observable contract, but never expose secrets or private chain-of-thought.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

TOOL SECURITY

Tool execution workflow



Deep workflow explanation

A tool is a controlled capability, not just an API. The model proposes a name and arguments, but the application must validate permissions and inputs before execution. The result is converted into an observation the model can use.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

HUMAN-IN-THE-LOOP

Safety gate workflow



Deep workflow explanation

Action-capable agents require gates before risky work. Authenticate the caller, authorize the operation, isolate untrusted instructions, apply least privilege, and require human approval where impact is high.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

MEMORY AND PRIVACY

State and context workflow



Deep workflow explanation

State is the structured information needed to continue a run. Context is the portion sent to the model. Explain creation, updates, persistence, retrieval, clearing, and privacy boundaries separately.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT VS RAG

Concept comparison workflow



Deep workflow explanation

Compare concepts by what they do at runtime, not by marketing labels. Use the same example for both sides and state where they can be combined.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT VS CHATBOT

Concept comparison workflow



Deep workflow explanation

Compare concepts by what they do at runtime, not by marketing labels. Use the same example for both sides and state where they can be combined.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT VS AUTOMATION

Concept comparison workflow



Deep workflow explanation

Compare concepts by what they do at runtime, not by marketing labels. Use the same example for both sides and state where they can be combined.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

SINGLE AGENT VS MULTI-AGENT

Concept comparison workflow



Deep workflow explanation

Compare concepts by what they do at runtime, not by marketing labels. Use the same example for both sides and state where they can be combined.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

PRODUCTION ARCHITECTURE

Production operations workflow



Deep workflow explanation

Production workflow adds operational controls around the same agent loop. Measure each boundary, control concurrency and budgets, preserve session state, and make failures recoverable.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

SCALABILITY

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

PERFORMANCE

Production operations workflow



Deep workflow explanation

Production workflow adds operational controls around the same agent loop. Measure each boundary, control concurrency and budgets, preserve session state, and make failures recoverable.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COST

Production operations workflow



Deep workflow explanation

Production workflow adds operational controls around the same agent loop. Measure each boundary, control concurrency and budgets, preserve session state, and make failures recoverable.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

OBSERVABILITY

Production operations workflow



Deep workflow explanation

Production workflow adds operational controls around the same agent loop. Measure each boundary, control concurrency and budgets, preserve session state, and make failures recoverable.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

TESTING

Evaluation workflow



Deep workflow explanation

Evaluation turns an agent from a demo into an engineered system. Score task completion, tool choice, arguments, answer quality, safety, latency, and cost, then rerun regression cases after changes.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

AGENT EVALUATION

Evaluation workflow



Deep workflow explanation

Evaluation turns an agent from a demo into an engineered system. Score task completion, tool choice, arguments, answer quality, safety, latency, and cost, then rerun regression cases after changes.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

DEBUGGING GUIDE

Failure-handling workflow



Deep workflow explanation

A useful error path is deterministic. Identify where the failure is detected, whether retry is safe, what information can be logged, and what the user receives. Avoid leaking credentials or internal prompts.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

DEPLOYMENT

Production operations workflow



Deep workflow explanation

Production workflow adds operational controls around the same agent loop. Measure each boundary, control concurrency and budgets, preserve session state, and make failures recoverable.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

DOCKER

Production operations workflow



Deep workflow explanation

Production workflow adds operational controls around the same agent loop. Measure each boundary, control concurrency and budgets, preserve session state, and make failures recoverable.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

BIG PROJECT IMPLEMENTATION

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

ADVANCED AGENT FEATURES

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

DETERMINISTIC WORKFLOW VS AUTONOMOUS AGENT

Concept comparison workflow



Deep workflow explanation

Compare concepts by what they do at runtime, not by marketing labels. Use the same example for both sides and state where they can be combined.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COMPLETE END-TO-END FLOW

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COMPLETE REQUEST/RESPONSE EXAMPLE

Request-response workflow



Deep workflow explanation

The workflow begins at the client boundary. Validate the request, route it to the backend, assemble agent context, perform model or tool work, normalize the result, and return a stable response or a safe error.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

SECURITY ARCHITECTURE

Safety gate workflow



Deep workflow explanation

Action-capable agents require gates before risky work. Authenticate the caller, authorize the operation, isolate untrusted instructions, apply least privilege, and require human approval where impact is high.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

INTERVIEW QUESTIONS

Explanation workflow



Deep workflow explanation

A strong explanation follows the runtime path. Start with the problem, then explain the smallest accurate architecture, show one request through the loop, and finish with limits and improvements.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

2-MINUTE PROJECT EXPLANATION

Explanation workflow



Deep workflow explanation

A strong explanation follows the runtime path. Start with the problem, then explain the smallest accurate architecture, show one request through the loop, and finish with limits and improvements.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

5-MINUTE PROJECT EXPLANATION

Explanation workflow



Deep workflow explanation

A strong explanation follows the runtime path. Start with the problem, then explain the smallest accurate architecture, show one request through the loop, and finish with limits and improvements.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

BEGINNER GLOSSARY

Learning-document workflow



Deep workflow explanation

Each topic should teach a beginner, connect to implementation, and end in a reviewable artifact. Keep current behavior and recommended future behavior visibly separate.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

COMMON CONFUSIONS

Concept comparison workflow



Deep workflow explanation

Compare concepts by what they do at runtime, not by marketing labels. Use the same example for both sides and state where they can be combined.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

LEARNING ROADMAP

Learning-document workflow



Deep workflow explanation

Each topic should teach a beginner, connect to implementation, and end in a reviewable artifact. Keep current behavior and recommended future behavior visibly separate.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

DOCUMENTATION FILE STRUCTURE

Learning-document workflow



Deep workflow explanation

Each topic should teach a beginner, connect to implementation, and end in a reviewable artifact. Keep current behavior and recommended future behavior visibly separate.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

MASTER DOCUMENT

Learning-document workflow



Deep workflow explanation

Each topic should teach a beginner, connect to implementation, and end in a reviewable artifact. Keep current behavior and recommended future behavior visibly separate.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

PDF DOCUMENT

Learning-document workflow



Deep workflow explanation

Each topic should teach a beginner, connect to implementation, and end in a reviewable artifact. Keep current behavior and recommended future behavior visibly separate.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

FINAL QUALITY CHECK

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository


Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.

MOST IMPORTANT RULES

Agent decision workflow



Deep workflow explanation

The core agent workflow is a controlled loop. The model interprets the goal and proposes the next action; the runtime executes allowed actions, feeds back results, and stops when the goal is satisfied or a limit/error is reached.

What to verify in the repository

Actual files and symbols; inputs and outputs at each boundary; error and stop conditions; current implementation versus production recommendation.

Accuracy rule

Do not invent implementation details. If a feature is absent, label it NOT IMPLEMENTED IN THIS PROJECT. Do not expose secrets or private chain-of-thought.