

# Data Representing Atmospheric Conditions on Mars

Pradyumnan R

JNCASR

May 24, 2024




- ① General Conditions
- ② Descent Characteristics
- ③ Sample Analysis at Mars (SAM)
- ④ References

- 1 General Conditions
- 2 Descent Characteristics
- 3 Sample Analysis at Mars (SAM)
- 4 References

# Features of Earth's Atmosphere

## Earth Atmosphere layers structure



- The mean pressure is about 101,000 Pa.

Fig. 1: Layers of Earth's Atmosphere

# Features of Earth's Atmosphere

## Earth Atmosphere layers structure




Fig. 1: Layers of Earth's Atmosphere

- The mean pressure is about 101,000 Pa.
- The mean surface temperature is about  $15^{\circ}\text{C}$ .

# Features of Earth's Atmosphere

## Earth Atmosphere layers structure




Fig. 1: Layers of Earth's Atmosphere

- The mean pressure is about 101,000 Pa.
- The mean surface temperature is about  $15^{\circ}\text{C}$ .
- The atmospheric density at sea level is about  $1.293\text{kg}/\text{m}^3$ .

## Features of the Martian Atmosphere

- Surface temperatures generally range between 166 K and 256 K.

## Features of the Martian Atmosphere

- Surface temperatures generally range between 166 K and 256 K.
- Mean atmospheric pressure is about 600 Pa.



# Features of the Martian Atmosphere

- Surface temperatures generally range between 166 K and 256 K.
- Mean atmospheric pressure is about 600 Pa.
- Very low thermal inertia, temperature swings of 100 K.

# Features of the Martian Atmosphere

- Surface temperatures generally range between 166 K and 256 K.
- Mean atmospheric pressure is about 600 Pa.
- Very low thermal inertia, temperature swings of 100 K.
- Presence of katabatic<sup>1</sup> winds

---

<sup>1</sup>A katabatic wind carries high-density air from a higher elevation down a slope under the force of gravity

# Features of the Martian Atmosphere

- Surface temperatures generally range between 166 K and 256 K.
- Mean atmospheric pressure is about 600 Pa.
- Very low thermal inertia, temperature swings of 100 K.
- Presence of katabatic<sup>1</sup> winds
- Atmospheric electricity

---

<sup>1</sup>A katabatic wind carries high-density air from a higher elevation down a slope under the force of gravity

- 1 General Conditions
- 2 Descent Characteristics
- 3 Sample Analysis at Mars (SAM)
- 4 References

## Description

- The descent characteristics are obtained from the data collected by NASA's Curiosity rover from the Planetary Data System [1].

## Description

- The descent characteristics are obtained from the data collected by NASA's Curiosity rover from the Planetary Data System [1].
- The descent trajectory is between  $-3.91^{\circ}N$  to  $-4.59^{\circ}N$  and  $126.56^{\circ}E$  to  $137.32^{\circ}E$ .

## Description

- The descent characteristics are obtained from the data collected by NASA's Curiosity rover from the Planetary Data System [1].
- The descent trajectory is between  $-3.91^{\circ}N$  to  $-4.59^{\circ}N$  and  $126.56^{\circ}E$  to  $137.32^{\circ}E$ .
- The variations of temperature, pressure and density during descent are highlighted in the next few slides.

# Temperature




Fig. 2: Temperature During Descent




Fig. 3: Temperature on Earth



# Pressure




Fig. 4: Pressure During Descent




Fig. 5: Pressure on Earth

# Density




Fig. 6: Density During Descent




Fig. 7: Density on Earth

- 1 General Conditions
- 2 Descent Characteristics
- 3 Sample Analysis at Mars (SAM)
- 4 References

## Description

- All the data is collected by NASA's Curiosity rover and stored in the Mars Science Laboratory's Reduced Data Records repository [2].


## Description

- All the data is collected by NASA's Curiosity rover and stored in the Mars Science Laboratory's Reduced Data Records repository [2].
- The final data presented are the **volume mixing ratios** of various compounds in the Martian atmosphere obtained using the Quadrupole Mass Spectrometer (QMS) present on the rover.


## Description

- All the data is collected by NASA's Curiosity rover and stored in the Mars Science Laboratory's Reduced Data Records repository [2].
- The final data presented are the **volume mixing ratios** of various compounds in the Martian atmosphere obtained using the Quadrupole Mass Spectrometer (QMS) present on the rover.
- The next few slides give few representative plots of the volume mixing ratios of various compounds collected across 29 QMS experiments.

# Volume Mixing Ratios




# Volume Mixing Ratios






# Volume Mixing Ratios



# Volume Mixing Ratios



- 1 General Conditions
- 2 Descent Characteristics
- 3 Sample Analysis at Mars (SAM)
- 4 References

- [1] C Holstein-Rathlou, A Maue, and P Withers.  
Atmospheric studies from the mars science laboratory entry,  
descent and landing atmospheric structure reconstruction.  
*Planetary and Space Science*, 120:15–23, 2016.
- [2] SAM Reduced Data Record RDR.  
Mars science laboratory (msl) software interface specification.  
2013.