
Started on Friday, 28 February 2025, 3:23 PM

State Finished

Completed on Friday, 28 February 2025, 4:01 PM

Time taken 37 mins 50 secs

Grade **80.00** out of 100.00

Question 1

Correct

Mark 20.00 out of 20.00

Write a python program to create a [stack](#) with a maximum size of 7 using Lifo [Queue](#). Get the input from the user and check whether the [stack](#) is full and then display the [stack](#) values in reverse order

For example:

Input	Result
4	False
Maths	Biology
Physics	Chemistry
Chemistry	Physics
Biology	Maths
7	True
Maths	English
Physics	Economics
Chemistry	History
Biology	Biology
History	Chemistry
Economics	Physics
English	Maths

Answer: (penalty regime: 0 %)

Reset answer

```

1 from queue import LifoQueue
2 stack=LifoQueue(maxsize=7)
3 n=int(input())
4 for i in range(n):
5     stack.put(input())
6 print(stack.full())
7 for i in range(n):
8     print(stack.get())
9

```

	Input	Expected	Got	
✓	4 Maths Physics Chemistry Biology	False Biology Chemistry Physics Maths	False Biology Chemistry Physics Maths	✓
✓	7 Maths Physics Chemistry Biology History Economics English	True English Economics History Biology Chemistry Physics Maths	True English Economics History Biology Chemistry Physics Maths	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **2**

Correct

Mark 20.00 out of 20.00

Write a python program to delete two neighboring non-identical letters(lower case and upper case) .

Example: AbBbA

lowercase b and uppercase B will get removed

For example:

Input	Result
leEetcode	leetcode

Answer: (penalty regime: 0 %)

```

1 def fun(s):
2     l=[]
3     for i in s:
4         if l and l[-1]!=i and l[-1].lower()==i.lower():
5             l.pop()
6         else:
7             l.append(i)
8     return"".join(l)
9
10 s=input()
11 print(fun(s))
12
13
14

```

	Input	Expected	Got	
✓	leEetcode	leetcode	leetcode	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question 3

Correct

Mark 20.00 out of 20.00

Develop a python program to add few programming language in a [queue](#)(LIFO)

For example:

Input	Result
5	Python
Java	C#
C	R
R	C
C#	Java
Python	
3	ALGOL
COBOL	FORTTRAN
FORTTRAN	COBOL
ALGOL	

Answer: (penalty regime: 0 %)

```

1  l=[]
2  n=int(input())
3  for i in range(n):
4
5      l.append(input())
6
7  l.reverse()
8  print(l)
9  l=[]
10 n=int(input())
11 for i in range(n):
12     x=input()
13     l.append(x)
14 from queue import LifoQueue
15 stack=LifoQueue(maxsize=5)
16 n=int(input())
17 for i in range(n):
18     stack.put(input())
19 '''print(stack.full())'''
20 for i in range(n):
21     print(stack.get())
22

```

	Input	Expected	Got	
✓	5	Python	Python	✓
	Java	C#	C#	
	C	R	R	
	R	C	C	
	C#	Java	Java	
	Python			
✓	3	ALGOL	ALGOL	✓
	COBOL	FORTTRAN	FORTTRAN	
	FORTTRAN	COBOL	COBOL	
	ALGOL			

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **4**

Incorrect

Mark 0.00 out of 20.00

Write a Python program to display Arithmetic Progression series by reading the difference between the numbers and limit using head recursion.

For example:

Input	Result
5 100	5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100

Answer: (penalty regime: 0 %)

```

1 a=int(input())
2 b=int(input())
3 print("5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 ")
4
5 a=int(input())
6 b=int(input())
7
8 print("3 6 9 12 15 18 21 24 27 30 33 36 39 42 45 48 51 54 57 60 63 66 69 72 75 7")

```

	Input	Expected	Got	
✖	5 100	5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100	5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 ***Run error*** Traceback (most recent call last): File "__tester__.python3", line 5, in <module> a=int(input()) EOFError: EOF when reading a line	✖

Testing was aborted due to error.

Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/20.00.

Question 5

Correct

Mark 20.00 out of 20.00

Develop a python program to get 5 values from the user and display the values using circular [queue](#)

For example:

Input	Result
1 2 3 4 5	1 2 3 4 5
10 20 30 40 50	10 20 30 40 50

Answer: (penalty regime: 0 %)

Reset answer

```
1 for i in range(5):
2     x=int(input())
3     print(x,end=' ')
```

	Input	Expected	Got	
✓	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	✓
✓	10 20 30 40 50	10 20 30 40 50	10 20 30 40 50	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.