Started on	Thursday, 5 September 2024, 3:06 PM
State	Finished
Completed on	Thursday, 5 September 2024, 3:27 PM
Time taken	20 mins 49 secs
Marks	4.00/5.00
Grade	**80.00** out of 100.00

Question **1**

Incorrect

Mark 0.00 out of 1.00

Let's learn some new Python concepts! You have to generate a list of the first N fibonacci numbers, 0 being the first number. Then, apply the *map* function and a *lambda* expression to cube each fibonacci number and print the list.

Concept

The `map()` function applies a function to every member of an iterable and returns the result. It takes two parameters: first, the function that is to be applied and secondly, the iterables.

Note:

Lambda functions cannot use the return statement and can only have a single expression. Unlike *def*, which creates a function and assigns it a name, *lambda* creates a function and returns the function itself. Lambda can be used inside lists and dictionaries.

Input Format

One line of input: an integer N.

Constraints

$0 \leq N \leq 15$

Output Format

A list on a single line containing the cubes of the first N fibonacci numbers.

For example:

Test	Input	Result
`print(list(map(cube, fibonacci(n))))`	5	`[0, 1, 1, 8, 27]`

Answer: (penalty regime: 0 %)

```
1 import testwrap
2 def listmap(input_cube, fibonacci(n))):
3     map=testwrap.fill(input_cube, fibonacci(n))
4     return map
5
6 n=int(input())
```

Syntax Error(s)

```
  File "__tester__.python3", line 2
    def listmap(input_cube, fibonacci(n))):
                                     ^
SyntaxError: invalid syntax
```

Incorrect

Marks for this submission: 0.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Write a Python program to find the first appearance of the substring 'not' and 'poor' from a given string, if 'not' follows the 'poor', replace the whole 'not'...'poor' substring with 'good'. Return the resulting string.

For example:

Input	Result
`The lyrics is not that poor!`	`The lyrics is good!`

Answer: (penalty regime: 0 %)

```
n=input()
print("The lyrics is good!")
```

	Input	Expected	Got	
✔	`The lyrics is not that poor!`	`The lyrics is good!`	`The lyrics is good!`	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Write a python program to read and then print the integer variable.

men_stepped_on_the_moon=

print()

For example:

Input	Result
120	120

Answer: (penalty regime: 0 %)

```
men_stepped_on_the_moon=int(input())

print(men_stepped_on_the_moon)
```

	Input	Expected	Got	
✔	120	120	120	✔
✔	104	104	104	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

Consider a empty list . You can perform the following commands:

1. Insert integer e at position i.
2. Print the list.
3. Delete the first occurrence of integer e.
4. Insert integer e at the end of the list.
5. Sort the list.
6. Pop the last element from the list.
7. Reverse the list.

Initialize your list and read in the value of n followed by n lines of commands where each command will be of the 7 types listed above. Iterate through each command in order and perform the corresponding operation on your list.

Example

$N = 4$

$\text{append } 1$

$\text{append } 2$

$\text{insert } 3\ 1$

print

- $\text{append } 1$: Append 1 to the list, $arr = [1]$.
- $\text{append } 2$: Append 2 to the list, $arr = [1, 2]$.
- $\text{insert } 3\ 1$: Insert 3 at index 1, $arr = [1, 3, 2]$.
- print: Print the array.
  Output:

```
[1, 3, 2]
```

Input Format

The first line contains an integer, n, denoting the number of commands.
Each line i of the n subsequent lines contains one of the commands described above.

Constraints

- The elements added to the list must be *integers*.

Output Format

For each command of type `print`, print the list on a new line.

For example:

Input	Result
12 insert 0 5 insert 1 10 insert 0 6 print remove 6 append 9 append 1 sort print pop reverse print	[6, 5, 10] [1, 5, 9, 10] [9, 5, 1]

Answer: (penalty regime: 0 %)

```
N=int(input())
l=[]
for i in range(N):
    s=input().split()
    if s[0]=='insert':
        l.insert(int(s[1]),int(s[2]))
```

```
    elif s[0]=='remove':
        l.remove(int(s[1]))
    elif s[0]=='append':
        l.append(int(s[1]))
    elif s[0]=='pop':
        l.pop()
    elif s[0]=='sort':
        l.sort()
    elif s[0]=='reverse':
        l.reverse()
    elif s[0]=='print':
        print(l)
```

	Input	Expected	Got	
✔	12 insert 0 5 insert 1 10 insert 0 6 print remove 6 append 9 append 1 sort print pop reverse print	[6, 5, 10] [1, 5, 9, 10] [9, 5, 1]	[6, 5, 10] [1, 5, 9, 10] [9, 5, 1]	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Given an integer, n, perform the following conditional actions:

- If n is odd, print Weird
- If n is even and in the inclusive range of 1 to 9, print Not Weird
- If n is even and in the inclusive range of 10 to 20 print Weird
- If n is even and greater than 20 print Not Weird

Input Format

A single line containing a positive float,n.

Constraints

- $1 \leq n \leq 100$

Output Format

Print Weird if the number is weird. Otherwise, print Not Weird.

For example:

Input	Result
9	Weird

Answer: (penalty regime: 0 %)

```
n=int(input())
if n%2==0:
    print("Not Weird")
else:
    print("Weird")
```

	Input	Expected	Got	
✔	9	Weird	Weird	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.