


Q 1.) How to create project_id in bigquery UI?


Step 1:- Select a Project




Step 2:- Click on New Project and give name (dp-dev-data-pipeline)




Step 3:- Do not create on any billing




Step 4:- Once project is create open bigquery from left menu or direct search




Step 5:- Click on Add data




Step 6:- Click on Public Datasets







Step 7:- Type GitHub in space bar



Step 8:- Click on View Dataset




Step 9:- Click on the STAR button





Q 2.) How to create dataset_id in BigQuery UI?

Step 1:- Click on Add data at left side of the bigquery UI.




Step 2:- Give the name of dataset id: etl_pipeline







Step 3:- Now below is the UI of the dataset (etl_pipeline) inside project_id (dp-dev-data-pipeline)



Step 4:- Reload the BigQuery UI console I see the table (university_chapters) got created.



Google Cloud console showing the details of a table named `university_chapters` in the `dp-dev-data-pipeline` dataset.

Table info

Table ID	dp-dev-data-pipeline.dp-dev-data-pipeline.university_chapters
Created	30 Aug 2024, 15:14:30 UTC+1
Last modified	30 Aug 2024, 15:14:30 UTC+1
Table expiry	26 Oct 2026, 16:14:30 UTC
Data location	EU
Default collation	
Default rounding mode	ROUNDING_MODE_UNSPECIFIED
Case insensitive	false
Description	
Labels	
Primary key(s)	
Tags	

Storage info

Number of rows: 15

Google Cloud console showing the preview of the table `university_chapters`.

Preview


id	chapter_id	chapter_name	city	state	longitude	latitude
1	461107	University of Alabama	Tuscaloosa	AL	-87.544591	33.299058
2	461114	University of Auburn	Auburn	AL	-86.488923	32.502125
3	468730	University of Central Alabama	Greenville	AL	-85.503186	35.087358
4	468731	U of A Fayetteville	Fayetteville	AL	-84.163181	34.17623155
5	468732	Auburn Tech University	Boaz	AL	-85.146181	33.074234
6	468733	Auburn State University	Jacksonville	AL	-86.675761	35.341176
7	468734	University of Alabama	Fairfax	AL	-110.505801	32.331893
8	540000	California Polytechnic State Univ.	San Luis Obispo	CA	-120.651191	35.274301
9	540001	Orion State University	Orion	CA	-111.459461	35.739317
10	550008	Stanley State University	Fort Collins	CO	-105.078533	40.58526361
11	550009	University of Colorado	Denver	CO	-10.768172	39.711191
12	550010	Florida State University	Tallahassee	FL	-84.364218	30.43811594
13	550011	University of Florida Gainesville	Gainesville	FL	-82.383443	29.421828
14	540020	Michigan State University	Lansing	MI	-83.255444	42.681142
15	540021	University of Georgia	Athens	GA	-83.361444	33.584443

Results per page: 15 | 1 - 15 of 15


Q 3.) How to create and set up a Google Cloud service account key file?

Step 1:- Navigate to Service Accounts in the left hand navigation menu


Go to IAM & Admin > Service Accounts




Step 2:- Go to Service Accounts





Step 3:- Click on Create Service account at the top





Step 4:- Give name of service account as: etl_pipeline-sa




Step 5:- After that select the roles as BigQuery Admin, BigQuery Data Editor and BigQuery Job User.




Step 6:- Click continue and then Done




Step 7:- Select three dots under the action option and select Manage Keys




Step 8:- Click on Add Key and Create new key



Step 9:- Select JSON as the new key



Step 10:- Move that downloaded JSON file into your project folder (for example, inside a dedicated folder or right in your root directory, but make sure it stays private and is never pushed to public repositories like GitHub).



Step 11:- Set the Environment Variable: In your PowerShell terminal, point the environment variable to the exact file path of that downloaded JSON file:

```
$env:GOOGLE_APPLICATION_CREDENTIALS="C:\Users\asipr\Desktop\du-chapters-etl\your-service-account-file.json"
```

Step 12:- Once completed I can run my pipeline:

```
python -m src.src_pipeline
```