# Frontend Development with React.js

# **Project Documentation for Rhythmic Tunes**

#### 1. Introduction

Project Title: Rhythmic Tunes

Team ID: SWTID1741242284157189

Team Members: 4

♣ PRADEEPA S (Team Leader) [Email Id: spradeepasiva2602@gmail.com

**KETHCHIYAL S** [Email Id: kethchiyalkethchi@gmail.com ]

SUBHA SREE [Email Id: subhasree.g22052004@gmail.com ]

\*\* NANDHINI S [Email Id: nandhinisaravanan121@gma]l.com

# 2. Project Overview

#### Purpose:

Rhythmic Tunes is a web application designed to provide users with a seamless music listening experience. The application allows users to browse, search, and play music tracks, create playlists, and discover new music based on their preferences.

#### Features:

- Music player with play, pause, skip, and volume control.
- Search functionality to find songs, albums, and artists.
- User authentication (login/signup).
- Playlist creation and management
- Responsive design for mobile and desktop.

### 2. Architecture

### Component Structure:

The application is built using React.js with a component-based architecture. Major components include:

- o **Header**: Contains the navigation bar and search bar.
- o **Player**: Music player controls (play, pause, volume, etc.).
- Sidebar: Displays user playlists and navigation links.
- HomePage: Displays featured tracks, recommended playlists, and new releases.
- SearchPage: Allows users to search for songs, albums, and artists.
- > PlaylistPage: Displays user-created playlists and allows playlist management.

#### State Management:

The application uses **Redux** for global state management. The Redux store manages user authentication, current playing track, playlist data, and search results.

### Routing:

The application uses **React Router** for navigation. Routes include:

- /: Home page
- /search:
- Search page
- /playlist/:id:
- Playlist details page
- /login:

User login page

### 3. Setup Instructions

### Prerequisites:

- o Node.js (v16 or higher)
- o npm (v8 or higher) o

Git

### Installation:

- Clone the repository: git clone https://github.com/unm12912137/rhythmictunes.git
- 2. Navigate to the client directory: cd rhythmic-tunes/client
- 3. Install dependencies: npm install

- 4. Configure environment variables: Create a .env file in the client directory and add the necessary variables (e.g., API keys).
- 5. Start the development server: npm start

#### 4. Folder Structure

#### Client:

- **src/components:** # Reusable components (Header, Player, etc.)
- **src/pages:** # Page components (HomePage, SearchPage, etc.)
- src/assets: # Images, icons, and other static files
- **src/redux:** # Redux store, actions, and reducers
- src/utils: # Utility functions and helpers
- App.js: # Main application component
- index.js: # Entry point

#### Utilities:

- api.js: Handles API requests to the backend.
- auth.js: Manages user authentication and token storage.
- hooks/usePlayer.js: Custom hook for managing the music player state.

# 5. Running the Application

#### Frontend:

- To start the frontend server, run the following command in the client directory:
  - npm start
- o npm install o npx json-server ./db/db.json o npm run dev o The application will be available at http://localhost:3000

### 6. Component Documentation

- Key Components:
  - o **Header**: Displays the navigation bar and search bar.

- o 

  Props: onSearch (function to handle search queries).
- o **Player**: Controls the music playback.
  - Props: currentTrack (object containing track details), onPlay, onPause, onSkip.
- o **PlaylistCard**: Displays a playlist with its name and cover image.
  - ☐ Props: playlist (object containing playlist details), onClick (function to handle playlist selection).

### Reusable Components:

- o **Button**: A customizable button component.
  - ☐ Props: text, onClick, disabled.
- Input: A reusable input field for forms and search.
  - ☐ Props: type, placeholder, value, onChange.

### 7. State Management

#### Global State:

The Redux store manages the following global states:


- user: Current authenticated user.
- player: Current playing track, playback status (playing/paused), and volume.
   playlists: User-created playlists.
- searchResults: Results from the search functionality.

#### Local State:


Local state is managed using React's useState hook within components. For example, the SearchPage component manages the search query input locally.

#### 8. User Interface


• Screenshots O Home Page: Display featured tracks and recommended playlists.



Search Page: Allows users to search for songs, albums, and artists.



 Playlist Page: Displays user-created playlists and allows playlist management.



# 10. Styling

### CSS Frameworks/Libraries:

The application uses **Styled-Components** for styling. This allows for modular and scoped CSS within components.

### Theming:

A custom theme is implemented using Styled-Components, with support for light and dark modes.

# 11. Testing

### Testing Strategy:

- Unit Testing: Using Jest and React Testing Library.
- Integration Testing: Is performed to ensure that components work together as expected.
- End-to-End Testing: Cypress is used for end-to-end testing of user flows.

# Code Coverage:

 Code coverage is monitored using Jest's built in coverage tool. The current coverage is 85%.

### 12. Screenshots or Demo

#### Demo Link:

https://drive.google.com/file/d/1ROVO0udGYwpFo rTD9KGNFiUPm34ZvNS/view?us p=drivesdk

• Screenshots: See section 9 for UI screenshots.

#### 13. Known Issues

- Issue 1: The music player sometimes skips tracks unexpectedly.
- Issue 2: The search functionality is slow with large datasets.

#### 14. Future Enhancements

### Future Features:

- Add support for user profiles and social sharing.
   Implement a recommendation engine for personalized music suggestions.
- o Add animations and transitions for a smoother user experience.

This documentation provides a comprehensive overview of the **Rhythmic Tunes** project, including its architecture, setup instructions, and future plans.