OAuth Atlas

AI-assisted integration research

✦ RESEARCH BEFORE YOU BUILD

OAuth setup, without the guesswork.

Generate a source-backed integration guide with setup steps, estimated effort, known blockers, and a clear view of what still needs verification.

App name or website

notion.so

We'll look for official developer documentation first.

Requested permissions (optional)

Read content, create pages

Describe permissions in plain language if you don't know scope names.

What should your integration do?

Allow an AI agent to search pages and create new pages in a Notion workspace

Guide generated and saved.

Generate integration guide →

Guide saved successfully **100%**

This can take a little while because the agent searches and reviews sources.

Notion integration guide

Generated 10/20/2026, 10:37:44 PM · Guide ID: 2eb4ad01-c49b-47f0-b5a4-34000d71dabf

Copy guide ID | Print / Save PDF

Difficulty	Hands-on time
moderate	**20–45 min**

Evidence quality	Confidence
moderate	**medium**

Setup steps

1 Create a new Public Connection in the Notion Developer Portal

Navigate to developers.notion.com, log in with your Notion account, and create a new public connection. Choose the installation scope: 'Any workspace' if you want any Notion user to install it (Marketplace-eligible), or 'Selected workspaces' for restricted testing.

developer Human action required sourced

The developer must log in to the Notion Developer Portal and create the integration.

Note: Ensure you select 'Public connection' (OAuth 2.0) and not 'Internal connection' (Personal Access Token).

2 Configure OAuth Redirect URIs

In the OAuth configuration section of your connection settings, add your redirect URI(s). This must be the exact URL where your application will handle the OAuth callback (e.g., https://your-app.com/oauth/callback). For local development, use the exact local URL (e.g., http://localhost:3000/callback).

developer Human action required sourced

The developer must configure the exact redirect URLs in the portal to prevent 'Missing or invalid redirect_uri' errors.

Note: If you encounter 'Missing or invalid redirect_uri', double-check that the URL in your code matches the one registered in the portal exactly (including http vs https and trailing slashes).

3 Assign Connection Capabilities

In the Developer portal, under the capabilities tab for your connection, enable 'Read content' and 'Insert content'. 'Read content' allows searching and reading pages, while 'Insert content' allows creating new pages and blocks.

developer Human action required sourced

The developer must manually enable the required capabilities in the portal UI.

Note: Note that 'Insert content' does not automatically grant 'Read content'. You must enable both if your agent needs to search existing pages and then create new ones.

4 Retrieve Client ID and Client Secret

Copy the Client ID and Client Secret generated for your public connection from the Developer portal. Store these securely in your application's environment variables.

developer Human action required sourced

The developer must copy the credentials from the portal and configure them in their application environment.

Note: Never commit the Client Secret to version control. Use a secure secrets manager or environment variables.

5 Implement the OAuth 2.0 Authorization Flow

In your AI agent's backend, implement the OAuth flow: redirect the user to the connection's authorization URL (provided in the portal) with the Client ID and redirect URI. After the user authorizes, handle the callback with the authorization code, and exchange it for an access token via a POST request to the token endpoint.

developer Human action required sourced

The developer must write the code to handle the OAuth redirect and token exchange.

Note: The exact authorization and token endpoint URLs are not detailed in the retrieved sources; refer to the official Notion API reference for the exact endpoints (typically api.notion.com/v1/oauth/authorize and api.notion.com/v1/oauth/token).

6 Call Notion API to Search and Create Pages

Use the obtained access token to authenticate API requests. To search pages, use the search endpoint with the 'Read content' capability. To create new pages, use the 'Create page' endpoint with the 'Insert content' capability, specifying the parent page or database ID.

developer Human action required sourced

The developer must integrate the API calls into the AI agent's logic.

Note: Ensure the parent page/database ID is correctly formatted in the request body when creating pages.

Prerequisites

A Notion workspace with administrative access to create integrations

You need to be an owner or admin of a Notion workspace to create a public connection.

Required sourced

Access to the Notion Developer Portal (developers.notion.com)

The developer portal is where public connections are managed, redirect URIs are set, and capabilities are assigned.

Required sourced

Known blockers and unknowns

Exact OAuth Endpoint URLs

The exact authorization and token endpoint URLs (e.g., https://api.notion.com/v1/oauth/authorize) are not explicitly provided in the retrieved source snippets, though they are standard for Notion's OAuth implementation.

unknown

Marketplace Approval Timeline

The timeline for Notion Marketplace review and approval is not documented in the retrieved sources.

unknown

Verify before production

- The exact OAuth 2.0 authorization and token endpoint URLs for Notion.
- Whether standard OAuth scope parameters (e.g., scope=read_content) are used in the authorization URL or if capabilities are solely managed via the Developer portal UI.
- The exact timeline and process for Notion Marketplace listing approval.

At a glance

Notion uses OAuth 2.0 for public connections (integrations). To allow an AI agent to search and create pages, you must create a public connection in the Notion Developer Portal, configure the redirect URI, and assign the 'Read content' and 'Insert content' capabilities.

Evidence note: The sources provide clear, official documentation on the high-level steps for setting up a Notion OAuth connection, configuring capabilities, and understanding the OAuth flow. However, the exact endpoint URLs and Marketplace approval timelines are missing from the retrieved snippets, requiring a visit to the live Notion developer documentation.

Recommended next action

Create a Public Connection in the Notion Developer Portal

Log in to developers.notion.com, create a new public connection, and configure the redirect URI and capabilities (Read content, Insert content).

developer

Sources

Navigating the Notion Developer Documentation: Key Endpoints Explained
ones.com · secondary

Overview - Notion Docs
developers.notion.com · secondary

Authorization - Notion Docs
developers.notion.com · secondary

OAuth - Notion Docs
developers.notion.com · secondary

Notion configuration - Apideck
developers.apideck.com · secondary

Connection capabilities - Notion Docs
developers.notion.com · secondary

How to grant user access to Notion pages through API - Notion - Latenode Official Community
community.latenode.com · secondary

Scopes - Notion Docs
developers.notion.com · secondary

Create a page - Notion Docs
developers.notion.com · secondary

Getting started with the Notion API - LogRocket Blog
blog.logrocket.com · secondary

Notion | Better Auth
better-auth.com · secondary

Notion OAuth fails with "Missing or invalid redirect_uri" in local development (source code) environment · Issue #21355 · langgenius/dify · GitHub
github.com · secondary

Research status

Research only — not tested

No authenticated provider setup was performed.

1 research rounds · 5 search calls · 3 AI calls

OAuth Atlas · Research-backed guidance, not a substitute for verifying provider settings.