Console Output

View as plain text

Edit Build Information

Delete build '#3'

Polling Log

Git Build Data

← Previous Build

```
Started by GitHub push by PradeepanSu
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/jenkins demo 1
The recommended git tool is: NONE
using credential PradeepanSu
 > git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/jenkins demo 1/.git # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/PradeepanSu/Jenkins-demo.git # timeout=10
Fetching upstream changes from https://github.com/PradeepanSu/Jenkins-demo.git
 > git --version # timeout=10
 > git --version # 'git version 2.34.1'
using GIT_ASKPASS to set credentials
 > git fetch --tags --force --progress -- https://github.com/PradeepanSu/Jenkins-demo.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision a8543752192c48dfc5f992cdc316915fe91ed169 (refs/remotes/origin/main)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f a8543752192c48dfc5f992cdc316915fe91ed169 # timeout=10
Commit message: "Update script"
 > git rev-list --no-walk 0a521610b50ee015aa6c42cafb8cbe80fd575805 # timeout=10
No emails were triggered.
[jenkins demo 1] $ /bin/sh -xe /tmp/jenkins13477767428681757463.sh
+ ./script
Hello World
Pradeepan welcome
testing the webhook
Email was triggered for: Always
Sending email for trigger: Always
Not sending mail to unregistered user (id: noreply, email: noreply@github.com) because your SCM claimed this was associated with a user ID 'noreply'
which your security realm does not recognize; you may need changes in your SCM plugin
Sending email to: pradeepansrsp@gmail.co
Finished: SUCCESS
```

jenkins demo 1 - Build # 3 - Successful! Inbox

me 3:54 PM
to pradeepansrsp ⌄

jenkins demo 1 - Build # 3 - Successful: Check console output at http://51.20.71.254:8080/job/ jenkins%20demo%201/3/ to view the results.

build.log

📄 log

Mail Delivery Subsystem 3:54 PM
to me ⌃

From	Mail Delivery Subsystem mailer-daemon@googlemail.com
To	pradeepansrsp@gmail.com
Date	4 Nov 2023 at 3:54 PM
🔒	Standard encryption (TLS) Learn more

```
Started by GitHub push by PradeepanSu
Running as SYSTEM
Building in workspace
/var/lib/jenkins/workspace/jenkins demo 1
The recommended git tool is: NONE
using credential PradeepanSu
 > git rev-parse --resolve-git-dir
/var/lib/jenkins/workspace/jenkins demo 1/.git
# timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url
https://github.com/PradeepanSu/Jenkins-demo.git
# timeout=10
Fetching upstream changes from
https://github.com/PradeepanSu/Jenkins-demo.git
 > git --version # timeout=10
 > git --version # 'git version 2.34.1'
using GIT_ASKPASS to set credentials
 > git fetch --tags --force --progress --
https://github.com/PradeepanSu/Jenkins-demo.git
+refs/heads/*:refs/remotes/origin/* #
timeout=10
 > git rev-parse
refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision
a8543752192c48dfc5f992cdc316915fe91ed169
(refs/remotes/origin/main)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f
a8543752192c48dfc5f992cdc316915fe91ed169 #
timeout=10
Commit message: "Update script"
 > git rev-list --no-walk
0a521610b50ee015aa6c42cafb8cbe80fd575805 #
timeout=10
No emails were triggered.
[jenkins demo 1] $ /bin/sh -xe
/tmp/jenkins13477767428681757463.sh
+ ./script
Hello World
Pradeepan welcome
testing the webhook
Email was triggered for: Always
Sending email for trigger: Always
Not sending mail to unregistered user (id:
noreply, email: noreply@github.com) because
your SCM claimed this was associated with a
user ID 'noreply' which your security realm
does not recognize; you may need changes in
your SCM plugin
Sending email to: pradeepansrsp@gmail.co
```