


Steps to bind a MAC address to an IP address

1. Open a web browser and enter the router's IP address in the address bar
2. Log in with the router's username and password



3. Go to Advanced > Security > IP-MAC Binding

[Status](#)
[Operation Mode](#)
[Network](#)
[Wireless](#)
[NAT Forwarding](#)
[Parental Controls](#)
[Bandwidth Control](#)
[Security](#)
[VPN](#)
[System Tools](#)

Internet

[IPv4](#) | [IPv6](#)

MAC Address:

IP Address: 100.132.113.204

Subnet Mask: 255.255.255.255

Default Gateway: 113.193.245.1

Primary DNS: 113.193.1.14

Secondary DNS: 113.193.0.148

Connection Type: PPPoE

Connection Speed: 100Mbps



LAN

[IPv4](#) | [IPv6](#)

MAC Address:

IP Address: 192.168.0.1

Subnet Mask: 255.255.255.0

DHCP: On

Wireless

Network Name (SSID):

Wireless Radio: On

Mode: 802.11bgn mixed

Channel Width: Auto

Channel: Auto(10)

MAC Address:

Performance

System Up Time: 11 days 10:57:10

CPU Load

Memory Used

Network

Wireless

NAT Forwarding

Parental Controls

Bandwidth Control

Security

- Firewall & DoS Protection

- Service Filtering

- Access Control

- IP & MAC Binding

VPN

System Tools

Quick Setup

Basic

Advanced

Log out

Reboot

Internet

IPv4 | IPv6

MAC Address:

IP Address: 100.132.113.204

Subnet Mask: 255.255.255.255

Default Gateway: 113.193.245.1

Primary DNS: 113.193.1.14

Secondary DNS: 113.193.0.148

Connection Type: PPPoE

Connection Speed: 100Mbps

Wireless

Wireless

Network Name (SSID):

Wireless Radio: On

Mode: 802.11bgn mixed

Channel Width: Auto

Channel: Auto(10)

MAC Address:

LAN

IPv4 | IPv6

MAC Address:

IP Address: 192.168.0.1

Subnet Mask: 255.255.255.0

DHCP: On

Performance

System Up Time: 11 days 10:57:30

CPU Load

0%

Memory Used

4. Turn on IP & MAC Binding

Network

Wireless

NAT Forwarding

Parental Controls

Bandwidth Control

Security

VPN

System Tools

Quick Setup

Basic

Advanced

Log out

Reboot

IP & MAC Binding

IP & MAC Binding: ☐

Binding List

+ Add

- Delete

<input type="checkbox"/>	ID	MAC Address	IP Address	Status	Enable	Modify
<input type="checkbox"/>	--	--	--	--	--	--

ARP List

Refresh

Bind

<input type="checkbox"/>	ID	MAC Address	IP Address	Bound	Modify
<input type="checkbox"/>	1		192.168.0.108	Unloaded	
<input type="checkbox"/>	2		192.168.0.115	Unloaded	
<input type="checkbox"/>	3		192.168.0.100	Unloaded	
<input type="checkbox"/>	4		192.168.0.105	Unloaded	

5. Select any device from the ARP List and click on bind options
6. After device and Binding List

[Network](#)
[Wireless](#)
[NAT Forwarding](#)
[Parental Controls](#)
[Bandwidth Control](#)
[Security](#)
[- Firewall & DoS Protection](#)
[- Service Filtering](#)
[- Access Control](#)
[- IP & MAC Binding](#)
[VPN](#)

IP & MAC Binding

IP & MAC Binding:



Binding List

[+ Add](#) [- Delete](#)

<input type="checkbox"/>	ID	MAC Address	IP Address	Status	Enable	Modify
<input type="checkbox"/>	1		192.168.0.115	Bound		

ARP List

[Refresh](#) [Bind](#)

<input type="checkbox"/>	ID	MAC Address	IP Address	Bound	Modify
<input type="checkbox"/>	1		192.168.0.108	Unloaded	
<input type="checkbox"/>	2		192.168.0.115	Bound	
<input type="checkbox"/>	3		192.168.0.100	Unloaded	
<input type="checkbox"/>	4		192.168.0.105	Unloaded	