

-- 1. Initialize the database

DROP DATABASE IF EXISTS CareerHub;

✓ 27 13:19:58 DROP DATABASE IF EXISTS CareerHub

CREATE DATABASE CareerHub;

✓ 28 13:20:42 CREATE DATABASE CareerHub

USE CareerHub;

✓ 3 13:23:19 USE CareerHub

-- 2,3.Create Tables with Primary Keys, Foreign Keys, and Constraints

CREATE TABLE Companies(

CompanyId INT PRIMARY KEY AUTO_INCREMENT,

CompanyName VARCHAR(100),

Location VARCHAR(100),

State VARCHAR(100));

CREATE TABLE Jobs(

JobId INT PRIMARY KEY AUTO_INCREMENT,

CompanyId INT,

JobTitle VARCHAR(100),

JobDescription TEXT,

JobLocation VARCHAR(100),

Salary DECIMAL(10,2),

JobType VARCHAR(50),

PostedDate DATETIME DEFAULT CURRENT_TIMESTAMP,

FOREIGN KEY (CompanyId) REFERENCES Companies(CompanyId));

CREATE TABLE Applicants(

ApplicantId INT PRIMARY KEY AUTO_INCREMENT,

FirstName VARCHAR(50),

LastName VARCHAR(50),

Email VARCHAR(100) UNIQUE,

Phone VARCHAR(20),
Resume TEXT,
ExperienceYears INT);

```
CREATE TABLE Applications(  
ApplicationID INT PRIMARY KEY AUTO_INCREMENT,  
JobId INT,  
ApplicantId INT,  
ApplicationDate DATETIME DEFAULT CURRENT_TIMESTAMP,  
CoverLetter TEXT,  
FOREIGN KEY (JobId) REFERENCES Jobs(JobId),  
FOREIGN KEY (ApplicantId) REFERENCES Applicants(ApplicantId));
```

✓	4	13:23:19	CREATE TABLE Companies(CompanyId INT PRIMARY KEY AUTO_INCREMENT, CompanyName VARCHAR...	0 row(s) affected
✓	5	13:23:19	CREATE TABLE Jobs(JobId INT PRIMARY KEY AUTO_INCREMENT, CompanyId INT, JobTitle VARCHAR(...	0 row(s) affected
✓	6	13:23:20	CREATE TABLE Applicants(ApplicantId INT PRIMARY KEY AUTO_INCREMENT, FirstName VARCHAR(50),...	0 row(s) affected
✓	7	13:23:20	CREATE TABLE Applications(ApplicationID INT PRIMARY KEY AUTO_INCREMENT, JobId INT, ApplicantId...	0 row(s) affected

```
INSERT INTO Companies (CompanyName, Location, State)VALUES  
( 'TechCorp', 'San Francisco', 'California'),  
( 'CloudSolutions', 'New York', 'New York'),  
( 'DataVerse', 'Chicago', 'Illinois'),  
( 'CodeCrafters', 'Austin', 'Texas'),  
( 'NextGen Software', 'Seattle', 'Washington'),  
( 'AI Innovations', 'Boston', 'Massachusetts'),  
( 'WebWorks Studio', 'Denver', 'Colorado'),  
( 'FinTech Flow', 'Atlanta', 'Georgia'),  
( 'GreenByte', 'Portland', 'Oregon'),  
( 'CyberNetics', 'Miami', 'Florida');
```

```
INSERT INTO Jobs (CompanyID, JobTitle, JobDescription, JobLocation, Salary, JobType,  
PostedDate)VALUES  
(1, 'Frontend Developer', 'Develop UI using React.', 'San Francisco', 90000, 'Full-time', NOW()),  
(2, 'Backend Developer', 'Handle APIs and databases.', 'New York', 95000, 'Full-time', NOW()),  
(3, 'Data Analyst', 'Analyze company data.', 'Chicago', 85000, 'Contract', NOW()),
```

```
(4, 'DevOps Engineer', 'Manage cloud infrastructure.', 'Austin', 98000, 'Full-time', NOW()),
(5, 'Full Stack Developer', 'Frontend & backend dev.', 'Seattle', 105000, 'Full-time', NOW()),
(6, 'ML Engineer', 'Build machine learning models.', 'Boston', 110000, 'Full-time', NOW()),
(7, 'Web Designer', 'Design modern websites.', 'Denver', 70000, 'Part-time', NOW()),
(8, 'Finance Analyst', 'Analyze market trends.', 'Atlanta', 78000, 'Full-time', NOW()),
(9, 'IT Support', 'Support internal systems.', 'Portland', 60000, 'Full-time', NOW()),
(10, 'Cybersecurity Analyst', 'Monitor threats.', 'Miami', 99000, 'Full-time', NOW());
```

```
INSERT INTO Applicants (FirstName, LastName, Email, Phone, Resume, ExperienceYears)VALUES
('John', 'Doe', 'john@example.com', '1234567890', 'Resume 1', 2),
('Jane', 'Smith', 'jane@example.com', '2234567890', 'Resume 2', 4),
('Alice', 'Johnson', 'alice@example.com', '3234567890', 'Resume 3', 3),
('Bob', 'Williams', 'bob@example.com', '4234567890', 'Resume 4', 1),
('Charlie', 'Brown', 'charlie@example.com', '5234567890', 'Resume 5', 5),
('David', 'Miller', 'david@example.com', '6234567890', 'Resume 6', 0),
('Eva', 'Davis', 'eva@example.com', '7234567890', 'Resume 7', 6),
('Frank', 'Wilson', 'frank@example.com', '8234567890', 'Resume 8', 3),
('Grace', 'Moore', 'grace@example.com', '9234567890', 'Resume 9', 2),
('Henry', 'Taylor', 'henry@example.com', '1034567890', 'Resume 10', 4);
```

```
INSERT INTO Applications (JobID, ApplicantID, ApplicationDate, CoverLetter)VALUES
(1, 1, NOW(), 'Cover letter from John'),
(2, 2, NOW(), 'Cover letter from Jane'),
(3, 3, NOW(), 'Cover letter from Alice'),
(4, 4, NOW(), 'Cover letter from Bob'),
(5, 5, NOW(), 'Cover letter from Charlie'),
(6, 6, NOW(), 'Cover letter from David'),
(7, 7, NOW(), 'Cover letter from Eva'),
(8, 8, NOW(), 'Cover letter from Frank'),
(9, 9, NOW(), 'Cover letter from Grace'),
(10, 10, NOW(), 'Cover letter from Henry');
```

✓	8	13:23:20	INSERT INTO Companies (CompanyName, Location, State)VALUES ('TechCorp', 'San Francisco', 'California'), ...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
✓	9	13:23:20	INSERT INTO Jobs (CompanyID, JobTitle, JobDescription, JobLocation, Salary, JobType, PostedDate)VALUE...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
✓	10	13:23:20	INSERT INTO Applicants (FirstName, LastName, Email, Phone, Resume, ExperienceYears)VALUES ('John', 'D...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
✓	11	13:23:20	INSERT INTO Applications (JobID, ApplicantID, ApplicationDate, CoverLetter)VALUES (1, 1, NOW(), 'Cover le...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0

-- 4.Error Handling for Existing Tables

USE CareerHub;

DROP TABLE IF EXISTS Applications;

DROP TABLE IF EXISTS Applicants;

DROP TABLE IF EXISTS Jobs;

DROP TABLE IF EXISTS Companies;

✓	12	13:23:20	USE CareerHub	0 row(s) affected
✓	13	13:23:20	DROP TABLE IF EXISTS Applications	0 row(s) affected
✓	14	13:23:20	DROP TABLE IF EXISTS Applicants	0 row(s) affected
✓	15	13:23:20	DROP TABLE IF EXISTS Jobs	0 row(s) affected
✓	16	13:23:20	DROP TABLE IF EXISTS Companies	0 row(s) affected

CREATE TABLE IF NOT EXISTS Companies (

CompanyID INT PRIMARY KEY AUTO_INCREMENT,

CompanyName VARCHAR(100),

Location VARCHAR(100),

State VARCHAR(100));

CREATE TABLE IF NOT EXISTS Jobs (

JobID INT PRIMARY KEY AUTO_INCREMENT,

CompanyID INT,

JobTitle VARCHAR(100),

JobDescription TEXT,

JobLocation VARCHAR(100),

Salary DECIMAL(10, 2),

JobType VARCHAR(50),

PostedDate DATETIME DEFAULT CURRENT_TIMESTAMP,

FOREIGN KEY (CompanyID) REFERENCES Companies(CompanyID));

CREATE TABLE IF NOT EXISTS Applicants (

ApplicantID INT PRIMARY KEY AUTO_INCREMENT,

FirstName VARCHAR(50),

```
LastName VARCHAR(50),  
Email VARCHAR(100) UNIQUE,  
Phone VARCHAR(20),  
Resume TEXT,  
ExperienceYears INT);
```

```
CREATE TABLE IF NOT EXISTS Applications (  
    ApplicationID INT PRIMARY KEY AUTO_INCREMENT,  
    JobID INT,  
    ApplicantID INT,  
    ApplicationDate DATETIME DEFAULT CURRENT_TIMESTAMP,  
    CoverLetter TEXT,  
    FOREIGN KEY (JobID) REFERENCES Jobs(JobID),  
    FOREIGN KEY (ApplicantID) REFERENCES Applicants(ApplicantID));
```

✓	17	13:23:20	CREATE TABLE IF NOT EXISTS Companies (CompanyID INT PRIMARY KEY AUTO_INCREMENT, Co...	0 row(s) affected
✓	18	13:23:20	CREATE TABLE IF NOT EXISTS Jobs (JobID INT PRIMARY KEY AUTO_INCREMENT, CompanyID IN...	0 row(s) affected
✓	19	13:23:20	CREATE TABLE IF NOT EXISTS Applicants (ApplicantID INT PRIMARY KEY AUTO_INCREMENT, Fir...	0 row(s) affected
✓	20	13:23:20	CREATE TABLE IF NOT EXISTS Applications (ApplicationID INT PRIMARY KEY AUTO_INCREMENT, ...	0 row(s) affected

```
INSERT INTO Companies (CompanyName, Location, State)VALUES
```

```
('TechCorp', 'San Francisco', 'California'),  
('CloudSolutions', 'New York', 'New York'),  
('DataVerse', 'Chicago', 'Illinois'),  
('CodeCrafters', 'Austin', 'Texas'),  
('NextGen Software', 'Seattle', 'Washington'),  
('AI Innovations', 'Boston', 'Massachusetts'),  
('WebWorks Studio', 'Denver', 'Colorado'),  
('FinTech Flow', 'Atlanta', 'Georgia'),  
('GreenByte', 'Portland', 'Oregon'),  
('CyberNetics', 'Miami', 'Florida');
```

```
INSERT INTO Jobs (CompanyID, JobTitle, JobDescription, JobLocation, Salary, JobType,  
PostedDate)VALUES
```

```
(1, 'Frontend Developer', 'Develop UI using React.', 'San Francisco', 90000, 'Full-time', NOW()),  
(2, 'Backend Developer', 'Handle APIs and databases.', 'New York', 95000, 'Full-time', NOW()),  
(3, 'Data Analyst', 'Analyze company data.', 'Chicago', 85000, 'Contract', NOW()),
```

```

(4, 'DevOps Engineer', 'Manage cloud infrastructure.', 'Austin', 98000, 'Full-time', NOW()),
(5, 'Full Stack Developer', 'Frontend & backend dev.', 'Seattle', 105000, 'Full-time', NOW()),
(6, 'ML Engineer', 'Build machine learning models.', 'Boston', 110000, 'Full-time', NOW()),
(7, 'Web Designer', 'Design modern websites.', 'Denver', 70000, 'Part-time', NOW()),
(8, 'Finance Analyst', 'Analyze market trends.', 'Atlanta', 78000, 'Full-time', NOW()),
(9, 'IT Support', 'Support internal systems.', 'Portland', 60000, 'Full-time', NOW()),
(10, 'Cybersecurity Analyst', 'Monitor threats.', 'Miami', 99000, 'Full-time', NOW());

INSERT INTO Applicants (FirstName, LastName, Email, Phone, Resume, ExperienceYears)VALUES
('John', 'Doe', 'john@example.com', '1234567890', 'Resume 1', 2),
('Jane', 'Smith', 'jane@example.com', '2234567890', 'Resume 2', 4),
('Alice', 'Johnson', 'alice@example.com', '3234567890', 'Resume 3', 3),
('Bob', 'Williams', 'bob@example.com', '4234567890', 'Resume 4', 1),
('Charlie', 'Brown', 'charlie@example.com', '5234567890', 'Resume 5', 5),
('David', 'Miller', 'david@example.com', '6234567890', 'Resume 6', 0),
('Eva', 'Davis', 'eva@example.com', '7234567890', 'Resume 7', 6),
('Frank', 'Wilson', 'frank@example.com', '8234567890', 'Resume 8', 3),
('Grace', 'Moore', 'grace@example.com', '9234567890', 'Resume 9', 2),
('Henry', 'Taylor', 'henry@example.com', '1034567890', 'Resume 10', 4);

INSERT INTO Applications (JobID, ApplicantID, ApplicationDate, CoverLetter)VALUES
(1, 1, NOW(), 'Cover letter from John'),
(2, 2, NOW(), 'Cover letter from Jane'),
(3, 3, NOW(), 'Cover letter from Alice'),
(4, 4, NOW(), 'Cover letter from Bob'),
(5, 5, NOW(), 'Cover letter from Charlie'),
(6, 6, NOW(), 'Cover letter from David'),
(7, 7, NOW(), 'Cover letter from Eva'),
(8, 8, NOW(), 'Cover letter from Frank'),
(9, 9, NOW(), 'Cover letter from Grace'),
(10, 10, NOW(), 'Cover letter from Henry');

```

21	13:23:20	INSERT INTO Companies (CompanyName, Location, State)VALUES ('TechCorp', 'San Francisco', 'California'), ...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
22	13:23:20	INSERT INTO Jobs (CompanyID, JobTitle, JobDescription, JobLocation, Salary, JobType, PostedDate)VALUE...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
23	13:23:20	INSERT INTO Applicants (FirstName, LastName, Email, Phone, Resume, ExperienceYears)VALUES ('John', 'D...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
24	13:23:20	INSERT INTO Applications (JobID, ApplicantID, ApplicationDate, CoverLetter)VALUES (1, 1, NOW(), 'Cover le...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0

SELECT * FROM Companies;

	CompanyID	CompanyName	Location	State
▶	1	TechCorp	San Francisco	California
	2	CloudSolutions	Chennai	New York
	3	DataVerse	CityX	Illinois
	4	CodeCrafters	Austin	Texas
	5	NextGen Software	Seattle	Washington
	6	AI Innovations	Boston	Massachusetts
	7	WebWorks Studio	Denver	Colorado
	8	FinTech Flow	Atlanta	Georgia
	9	GreenByte	Portland	Oregon
	10	CyberNetics	Miami	Florida

SELECT * FROM Jobs;

	JobID	CompanyID	JobTitle	JobDescription	JobLocation	Salary	JobType	PostedDate
▶	1	1	Frontend Developer	Develop UI using React.	San Francisco	90000.00	Full-time	2025-04-15 12:30:19
	2	2	Backend Developer	Handle APIs and databases.	New York	95000.00	Full-time	2025-04-15 12:30:19
	3	3	Data Analyst	Analyze company data.	Chicago	85000.00	Contract	2025-04-15 12:30:19
	4	4	DevOps Engineer	Manage cloud infrastructure.	Austin	98000.00	Full-time	2025-04-15 12:30:19
	5	5	Full Stack Developer	Frontend & backend dev.	Seattle	105000.00	Full-time	2025-04-15 12:30:19
	6	6	ML Engineer	Build machine learning models.	Boston	110000.00	Full-time	2025-04-15 12:30:19
	7	7	Web Designer	Design modern websites.	Denver	70000.00	Part-time	2025-04-15 12:30:19
	8	8	Finance Analyst	Analyze market trends.	Atlanta	78000.00	Full-time	2025-04-15 12:30:19
	9	9	IT Support	Support internal systems.	Portland	60000.00	Full-time	2025-04-15 12:30:19
	10	10	Cybersecurity Analyst	Monitor threats.	Miami	99000.00	Full-time	2025-04-15 12:30:19

SELECT * FROM Applicants;

	ApplicantID	FirstName	LastName	Email	Phone	Resume	ExperienceYears
▶	1	John	Doe	john@example.com	1234567890	Resume 1	2
	2	Jane	Smith	jane@example.com	2234567890	Resume 2	4
	3	Alice	Johnson	alice@example.com	3234567890	Resume 3	3
	4	Bob	Williams	bob@example.com	4234567890	Resume 4	1
	5	Charlie	Brown	charlie@example.com	5234567890	Resume 5	5
	6	David	Miller	david@example.com	6234567890	Resume 6	0
	7	Eva	Davis	eva@example.com	7234567890	Resume 7	6
	8	Frank	Wilson	frank@example.com	8234567890	Resume 8	3
	9	Grace	Moore	grace@example.com	9234567890	Resume 9	2
	10	Henry	Taylor	henry@example.com	1034567890	Resume 10	4

SELECT * FROM Applications;

	ApplicationID	JobID	ApplicantID	ApplicationDate	CoverLetter
▶	1	1	1	2025-04-15 12:30:19	Cover letter from John
	2	2	2	2025-04-15 12:30:19	Cover letter from Jane
	3	3	3	2025-04-15 12:30:19	Cover letter from Alice
	4	4	4	2025-04-15 12:30:19	Cover letter from Bob
	6	6	6	2025-04-15 12:30:19	Cover letter from David
	7	7	7	2025-04-15 12:30:19	Cover letter from Eva
	8	8	8	2025-04-15 12:30:19	Cover letter from Frank
	9	9	9	2025-04-15 12:30:19	Cover letter from Grace
	10	10	10	2025-04-15 12:30:19	Cover letter from Henry

-- 5.Count Applications per Job (Include Jobs with 0 Applications)

SELECT jo.JobTitle,Count(app.ApplicationId) AS ApplicationCount

FROM Jobs jo

LEFT JOIN Applications app ON jo.JobId=app.JobId

GROUP BY jo.JobId,jo.JobTitle;

	JobTitle	ApplicationCount
▶	Frontend Developer	1
	Backend Developer	1
	Data Analyst	1
	DevOps Engineer	1
	Full Stack Developer	1
	ML Engineer	1
	Web Designer	1
	Finance Analyst	1
	IT Support	1
	Cybersecurity Analyst	1

-- 6.Job Listings within a Salary Range (With Parameters)

SELECT j.JobTitle,c.CompanyName,j.JobLocation,j.Salary

FROM Jobs j

INNER JOIN Companies c ON j.CompanyId=c.CompanyId

WHERE j.Salary BETWEEN 70000 AND 100000

ORDER BY j.Salary;

	JobTitle	CompanyName	JobLocation	Salary
▶	Web Designer	WebWorks Studio	Denver	70000.00
	Finance Analyst	FinTech Flow	Atlanta	78000.00
	Data Analyst	DataVerse	Chicago	85000.00
	Frontend Developer	TechCorp	San Francisco	90000.00
	Backend Developer	CloudSolutions	New York	95000.00
	DevOps Engineer	CodeCrafters	Austin	98000.00
	Cybersecurity Analyst	CyberNetics	Miami	99000.00

S

-- 7.Job Application History for a Specific Applicant

SELECT j.JobTitle,c.CompanyName,app.ApplicationDate

FROM Applications app

INNER JOIN Jobs j ON app.JobID = j.JobID

INNER JOIN Companies c ON j.CompanyID = c.CompanyID

WHERE app.ApplicantID = 5;

	JobTitle	CompanyName	ApplicationDate
▶	Full Stack Developer	NextGen Software	2025-04-15 12:30:19

-- 8.Average Salary Offered by All Companies (Excluding Salary 0)

SELECT AVG(Salary) AS AverageSalary

FROM Jobs

WHERE Salary > 0;

	AverageSalary
▶	89000.000000

-- 9.Company with the Most Job Listings (Handle Ties)

```
INSERT INTO Jobs (CompanyID, JobTitle, JobDescription, JobLocation, Salary, JobType, PostedDate)
VALUES
```

```
(1, 'Backend Developer', 'Develop backend systems', 'San Francisco', 95000, 'Full-time', NOW()),
```

```
(1, 'Frontend Developer', 'Build React components', 'San Francisco', 90000, 'Full-time', NOW()),
```

```
(1, 'DevOps Engineer', 'Manage deployments', 'San Francisco', 100000, 'Full-time', NOW());
```

-- CloudSolutions: Add 2 more jobs (total will be 3)

```
INSERT INTO Jobs (CompanyID, JobTitle, JobDescription, JobLocation, Salary, JobType, PostedDate)
VALUES
```

```
(2, 'Cloud Architect', 'Design cloud infra', 'New York', 120000, 'Full-time', NOW()),
```

```
(2, 'SysAdmin', 'Manage cloud services', 'New York', 95000, 'Full-time', NOW());
```

-- DataVerse: Add 1 more job (total will be 2)

```
INSERT INTO Jobs (CompanyID, JobTitle, JobDescription, JobLocation, Salary, JobType, PostedDate)
VALUES
```

```
(3, 'Data Analyst', 'Analyze datasets', 'Chicago', 85000, 'Full-time', NOW());
```

```
SELECT c.CompanyName,COUNT(j.JobID) AS JobCount
```

```
FROM Companies c
```

```
LEFT JOIN Jobs j ON c.CompanyID = j.CompanyID
```

```
GROUP BY c.CompanyID, c.CompanyName
```

```
HAVING COUNT(j.JobID) = (SELECT MAX(JobCount) FROM (SELECT COUNT(JobID) AS JobCount FROM
Jobs GROUP BY CompanyID) AS JobCounts);
```

	CompanyName	JobCount
▶	TechCorp	5

-- 10.Applicants Who Have Applied for Jobs in Companies Located in 'CityX' with 3+ Years of Experience

```
UPDATE Companies SET Location = 'CityX' WHERE CompanyID = 3;
```

```
SELECT a.FirstName, a.LastName
```

```

FROM Applicants a
INNER JOIN Applications app ON a.ApplicantID = app.ApplicantID
INNER JOIN Jobs j ON app.JobID = j.JobID
INNER JOIN Companies c ON j.CompanyID = c.CompanyID
WHERE c.Location = 'CityX' AND a.ExperienceYears >= 3;

```

	FirstName	LastName
▶	Alice	Johnson

```

-- 11.Distinct Job Titles with Salaries Between $60,000 and $80,000

SELECT DISTINCT JobTitle
FROM Jobs
WHERE Salary BETWEEN 60000 AND 80000;

```

	JobTitle
▶	Web Designer
	Finance Analyst
	IT Support

```

-- 12.Jobs with No Applications

DELETE FROM Applications WHERE JobID = 5;

SELECT j.JobTitle,c.CompanyName
FROM Jobs j
LEFT JOIN Applications a ON j.JobID = a.JobID
INNER JOIN Companies c ON j.CompanyID = c.CompanyID
WHERE a.ApplicationID IS NULL;

```

	JobTitle	CompanyName
▶	Full Stack Developer	NextGen Software

```

-- 13.Job Applicants and Their Applied Jobs

SELECT a.FirstName,a.LastName,j.JobTitle,c.CompanyName
FROM Applicants a
LEFT JOIN Applications app ON a.ApplicantID = app.ApplicantID
LEFT JOIN Jobs j ON app.JobID = j.JobID
LEFT JOIN Companies c ON j.CompanyID = c.CompanyID;

```

	FirstName	LastName	JobTitle	CompanyName
▶	John	Doe	Frontend Developer	TechCorp
	Jane	Smith	Backend Developer	CloudSolutions
	Alice	Johnson	Data Analyst	DataVerse
	Bob	Williams	DevOps Engineer	CodeCrafters
	Charlie	Brown	NULL	NULL
	David	Miller	ML Engineer	AI Innovations
	Eva	Davis	Web Designer	WebWorks Studio
	Frank	Wilson	Finance Analyst	FinTech Flow
	Grace	Moore	IT Support	GreenByte
	Henry	Taylor	Cybersecurity Analyst	CyberNetics

-- 14.Companies and the Count of Jobs They Have Posted (Including Those with No Jobs)

```
SELECT c.CompanyName,COUNT(j.JobID) AS JobCount
FROM Companies c
LEFT JOIN Jobs j ON c.CompanyID = j.CompanyID
GROUP BY c.CompanyID, c.CompanyName;
```

	CompanyName	JobCount
▶	TechCorp	1
	CloudSolutions	1
	DataVerse	1
	CodeCrafters	1
	NextGen Software	1
	AI Innovations	1
	WebWorks Studio	1
	FinTech Flow	1
	GreenByte	1
	CyberNetics	1

-- 15.Applicants and Companies/Positions They Have Applied For (Including Those Who Have Not Applied)

```
SELECT a.FirstName,a.LastName,c.CompanyName,j.JobTitle
FROM Applicants a
LEFT JOIN Applications app ON a.ApplicantID = app.ApplicantID
LEFT JOIN Jobs j ON app.JobID = j.JobID
LEFT JOIN Companies c ON j.CompanyID = c.CompanyID;
```

	FirstName	LastName	CompanyName	JobTitle
▶	John	Doe	TechCorp	Frontend Developer
	Jane	Smith	CloudSolutions	Backend Developer
	Alice	Johnson	DataVerse	Data Analyst
	Bob	Williams	CodeCrafters	DevOps Engineer
	Charlie	Brown	NULL	NULL
	David	Miller	AI Innovations	ML Engineer
	Eva	Davis	WebWorks Studio	Web Designer
	Frank	Wilson	FinTech Flow	Finance Analyst
	Grace	Moore	GreenByte	IT Support
	Henry	Taylor	CyberNetics	Cybersecurity Analyst

-- 16.Companies with Jobs Offering Salary Higher Than the Average Salary

SELECT c.CompanyName

FROM Companies c

INNER JOIN Jobs j ON c.CompanyID = j.CompanyID

WHERE j.Salary > (SELECT AVG(Salary) FROM Jobs WHERE Salary > 0);

	CompanyName
▶	TechCorp
	CloudSolutions
	CodeCrafters
	NextGen Software
	AI Innovations
	CyberNetics

-- 17.Applicants with Their Names and Concatenated

SELECT a.FirstName,a.LastName,CONCAT(c.Location, ' ', c.State) AS CityState

FROM Applicants a

INNER JOIN Applications app ON a.ApplicantID = app.ApplicantID

INNER JOIN Jobs j ON app.JobID = j.JobID

INNER JOIN Companies c ON j.CompanyID = c.CompanyID;

	FirstName	LastName	CityState
▶	John	Doe	San Francisco, California
	Jane	Smith	Chennai, New York
	Alice	Johnson	CityX, Illinois
	Bob	Williams	Austin, Texas
	David	Miller	Boston, Massachusetts
	Eva	Davis	Denver, Colorado
	Frank	Wilson	Atlanta, Georgia
	Grace	Moore	Portland, Oregon
	Henry	Taylor	Miami, Florida

-- 18.Jobs with Titles Containing 'Developer' or 'Engineer'

```

SELECT j.JobTitle,c.CompanyName
FROM Jobs j
INNER JOIN Companies c ON j.CompanyID = c.CompanyID
WHERE j.JobTitle LIKE '%Developer%' OR j.JobTitle LIKE '%Engineer%';

```

	JobTitle	CompanyName
▶	Frontend Developer	TechCorp
	Backend Developer	CloudSolutions
	DevOps Engineer	CodeCrafters
	Full Stack Developer	NextGen Software
	ML Engineer	AI Innovations

-- 19.Applicants and Jobs They Have Applied For (Including Those Who Have Not Applied and Jobs Without Applicants)

```

SELECT a.FirstName,a.LastName,j.JobTitle,c.CompanyName
FROM Applicants a
LEFT JOIN Applications app ON a.ApplicantID = app.ApplicantID
LEFT JOIN Jobs j ON app.JobID = j.JobID
LEFT JOIN Companies c ON j.CompanyID = c.CompanyID;

```

	FirstName	LastName	JobTitle	CompanyName
▶	John	Doe	Frontend Developer	TechCorp
	Jane	Smith	Backend Developer	CloudSolutions
	Alice	Johnson	Data Analyst	DataVerse
	Bob	Williams	DevOps Engineer	CodeCrafters
	Charlie	Brown	NULL	NULL
	David	Miller	ML Engineer	AI Innovations
	Eva	Davis	Web Designer	WebWorks Studio
	Frank	Wilson	Finance Analyst	FinTech Flow
	Grace	Moore	IT Support	GreenByte
	Henry	Taylor	Cybersecurity Analyst	CyberNetics

-- 20.Applicants and Companies Where Company is in Specific City and Applicant Has More Than 2 Years of Experience

```

UPDATE Companies SET Location = 'Chennai' WHERE CompanyID = 2;

SELECT a.FirstName,a.LastName,c.CompanyName
FROM Applicants a
INNER JOIN Applications app ON a.ApplicantID = app.ApplicantID
INNER JOIN Jobs j ON app.JobID = j.JobID
INNER JOIN Companies c ON j.CompanyID = c.CompanyID

```

WHERE c.Location = 'Chennai' AND a.ExperienceYears > 2;

	FirstName	LastName	CompanyName
▶	Jane	Smith	CloudSolutions