

Decentralized Peer to Peer File Sharing System

CS550 – Advanced Operating System

Pradyot Mayank(A20405826)

#makefile for compiling and executing the program Server 0

```
set path = "C:\Program Files\Java\jdk1.8.0_144\bin"  
javac *.java  
java Server.ServerConfiguration Server 0
```

#makefile for compiling and executing the program Server 1

```
set path = "C:\Program Files\Java\jdk1.8.0_144\bin"  
javac *.java  
java Server.ServerConfiguration Server 1
```

#makefile for compiling and executing the program Server 2

```
set path = "C:\Program Files\Java\jdk1.8.0_144\bin"  
javac *.java  
java Server.ServerConfiguration Server 2
```

#makefile for compiling and executing the program Server 3

```
set path = "C:\Program Files\Java\jdk1.8.0_144\bin"  
javac *.java  
java Server.ServerConfiguration Server 3
```

#makefile for compiling and executing the program Server 4

```
set path = "C:\Program Files\Java\jdk1.8.0_144\bin"  
javac *.java  
java Server.ServerConfiguration Server 4
```

#makefile for compiling and executing the program Server 5

```
set path = "C:\Program Files\Java\jdk1.8.0_144\bin"  
javac *.java  
java Server.ServerConfiguration Server 5
```

#makefile for compiling and executing the program Server 6

```
set path = "C:\Program Files\Java\jdk1.8.0_144\bin"  
javac *.java  
java Server.ServerConfiguration Server 6
```

#makefile for compiling and executing the program Server 7

set path = "C:\Program Files\Java\jdk1.8.0_144\bin"

javac *.java

java Server.ServerConfiguration Server 1