

```
mysql> create database dbms;  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> use dbms  
Database changed
```

```
mysql> create table my_employee(  
    -> ID int(6) NOT NULL,  
    -> First_Name varchar(25),  
    -> Last_Name varchar(25),  
    -> Userid varchar(25),  
    -> Salary numeric(9,2));  
Query OK, 0 rows affected, 1 warning (0.07 sec)
```

```
mysql> insert into my_employee  
    -> values(101,"Anjana","Sri","ansri",8965);  
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into my_employee  
    -> values(202,"Yogesh","Babu","yobab",6278);  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into my_employee  
    -> values(303,"Mangal","Singh","msingh",2459);  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from my_employee;
```

ID	First_Name	Last_Name	Userid	Salary
101	Anjana	Sri	ansri	8965.00
202	Yogesh	Babu	yobab	6278.00
303	Mangal	Singh	msingh	2459.00

```
3 rows in set (0.00 sec)
```

```
mysql> insert into my_employee
-> values(404,"Dora","Bujji","doraji",97865);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from my_employee;
```

ID	First_Name	Last_Name	Userid	Salary
101	Anjana	Sri	ansri	8965.00
202	Yogesh	Babu	yobab	6278.00
303	Mangal	Singh	msingh	2459.00
404	Dora	Bujji	doraji	97865.00

```
4 rows in set (0.00 sec)
```

```
mysql> update my_employee set Salary = 43521 where Salary < 7000;
Query OK, 2 rows affected (0.01 sec)
Rows matched: 2  Changed: 2  Warnings: 0
```

```
mysql> select * from my_employee;
```

ID	First_Name	Last_Name	Userid	Salary
101	Anjana	Sri	ansri	8965.00
202	Yogesh	Babu	yobab	43521.00
303	Mangal	Singh	msingh	43521.00
404	Dora	Bujji	doraji	97865.00

```
4 rows in set (0.00 sec)
```

```
mysql> delete from my_employee where First_Name = "Dora" and Last_Name = "Bujji";
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from my_employee;
```

ID	First_Name	Last_Name	Userid	Salary
101	Anjana	Sri	ansri	8965.00
202	Yogesh	Babu	yobab	43521.00
303	Mangal	Singh	msingh	43521.00

```
3 rows in set (0.00 sec)
```

```
mysql> delete from my_employee where ID = 202;
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from my_employee;
```

ID	First_Name	Last_Name	Userid	Salary
101	Anjana	Sri	ansri	8965.00
303	Mangal	Singh	msingh	43521.00

```
2 rows in set (0.00 sec)
```

```
mysql> alter table my_employee  
-> ADD CONSTRAINT my_employee_id_pk PRIMARY KEY (id);  
Query OK, 0 rows affected (0.09 sec)  
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> alter table my_employee  
-> ADD COMMISSION NUMERIC(2,2)  
-> CONSTRAINT my_employee_comm_ck CHECK (COMMISSION > 0);
```

Query OK, 2 rows affected (0.07 sec)

Records: 2 Duplicates: 0 Warnings: 0

```
mysql> select * from my_employee;
```

ID	First_Name	Last_Name	Userid	Salary	COMMISSION
101	Anjana	Sri	ansri	8965.00	NULL
303	Mangal	Singh	msingh	43521.00	NULL

2 rows in set (0.00 sec)