Lesson 5 - Database Integration Workflow

n8n workflow documentation based on the uploaded JSON file

Workflow sequence

1. Manual Trigger

2. SQL_FetchAndLockRow

3. ACTION_ProcessOrder

4. SQL_UpdateStatusCompleted

5. Edit Fields

Node details

Manual Trigger

Node type: manualTrigger

Starts the workflow manually.

SQL_FetchAndLockRow

Node type: postgres

Claims the first pending order lead and sets its status to processing. Uses FOR UPDATE SKIP LOCKED within the SQL statement.

```
WITH next_lead AS (
    SELECT id
    FROM public.order_leads
    WHERE lead_status = 'pending'
    ORDER BY id ASC
    LIMIT 1
    FOR UPDATE SKIP LOCKED
)
UPDATE public.order_leads AS ol
SET
    lead_status = 'processing',
    updated_at = NOW()
FROM next_lead
WHERE ol.id = next_lead.id
RETURNING
    ol.id,
    ol.customer_email,
    ol.customer_name,
    ol.product,
    ol.quantity,
    ol.lead_status;
```

ACTION_ProcessOrder

Node type: code

Normalizes customer email and name and creates a simulated processing message.

SQL_UpdateStatusCompleted

Node type: postgres

PostgreSQL update node configured to match a row by id.

Edit Fields

Node type: set

Sets example order/customer fields before the processing action. Values are hardcoded in the supplied workflow.

Connections

Manual Trigger → SQL_FetchAndLockRow → Edit Fields → ACTION_ProcessOrder → SQL_UpdateStatusCompleted

Configuration notes

• Connect the PostgreSQL credentials used by both database nodes, and ensure the public.order_leads table exists with the expected fields.

• The uploaded Edit Fields node contains fixed example values and a field named quantiy; the update node references this misspelled field. Check this mapping before execution.

• The update node uses a fixed id value of 1 rather than the id returned by SQL_FetchAndLockRow. This could update the wrong record.

• The update node passes through lead_status from Edit Fields (Confirmed), not necessarily Completed. The JSON does not implement a customer upsert.

• This PDF documents the uploaded workflow as provided; it does not verify a successful database execution.