Topic 5: Paginated Fetch & Batch Email

Workflow reference | Pagination Error Fixed | n8n import JSON

This PDF documents the uploaded n8n workflow. It is not an importable replacement for the JSON file.

Workflow overview

Node	Purpose
Manual Trigger	Start manually
Generate Page Requests	Create page 1 and page 2 requests
Fetch Paginated Users	GET five users per page from JSONPlaceholder
Prepare User Records	Filter and index users
Split In Batches	Process five records per batch
Send Email (Simulated HTTP)	POST a simulated email to JSONPlaceholder
Check Email Simulation	Classify simulated success or failure
Rate Limit Pause	Wait two seconds between batches
Execution Summary	Summarize processed records and outcomes

Node configuration

Manual Trigger

Type: n8n-nodes-base.manualTrigger | Version: 1

```
{}
```

Fetch Paginated Users

Type: n8n-nodes-base.httpRequest | Version: 4.2

```
{
  "url": "={{ \"https://jsonplaceholder.typicode.com/users?_limit=5&_page=\" + $json.page
 }}",
  "options": {}
}
```

Split In Batches

Type: n8n-nodes-base.splitInBatches | Version: 3

```
{
  "batchSize": "5",
  "options": {}
}
```

Send Email (Simulated HTTP)

Type: n8n-nodes-base.httpRequest | Version: 4.2

```
{
  "method": "POST",
  "url": "https://jsonplaceholder.typicode.com/posts",
  "sendBody": true,
  "specifyBody": "json",
  "jsonBody": "={{ JSON.stringify({ to: $json.email, name: $json.name, subject: \"Welcome
 from n8n\", message: \"Simulated email for \" + $json.name, userId: $json.id }) }}",
  "options": {
    "response": {
      "response": {
        "neverError": true
      }
    }
  }
}
```

Rate Limit Pause

Type: n8n-nodes-base.wait | Version: 1.1

```
{
  "amount": 2
}
```

Prepare User Records

Type: n8n-nodes-base.code | Version: 2

```
{
  "jsCode": "return $input.all().filter(i => i.json && i.json.id &&
i.json.email).map((item,i)=>({json:{...item.json,recordIndex:i+1}}));"
}
```

Check Email Simulation

Type: n8n-nodes-base.code | Version: 2

```
{
  "jsCode": "return $input.all().map(item=>{const x=item.json;const
ok=!!x.id&&!x.error;return {json:{status:ok?'Sent':'Failed',responseId:x.id??null,error:o
k?'':String(x.error?.message??x.message??'Missing response ID')}};});"
}
```

Execution Summary

Type: n8n-nodes-base.code | Version: 2

```
{
  "jsCode": "const items=$input.all();const
totalSucceeded=items.filter(i=>i.json.status==='Sent').length;const
totalFailed=items.filter(i=>i.json.status==='Failed').length;return
[{json:{totalRecords:$('Prepare User Records').all().length,totalProcessed:items.length,t
otalSucceeded,totalFailed,batchSize:5,waitSeconds:2,note:'Emails were simulated via
JSONPlaceholder; no actual messages sent.'}}];"
}
```

Generate Page Requests

Type: n8n-nodes-base.code | Version: 2

```
{
  "jsCode": "// JSONPlaceholder /users contains 10 demonstration users.\n// Fetch two
pages of five records each, without the version-sensitive HTTP pagination option.\nreturn
 [1,2].map(page => ({json:{page}}));"
}
```

Connections

Manual Trigger (output 0) → Generate Page Requests

Fetch Paginated Users (output 0) → Prepare User Records

Prepare User Records (output 0) → Split In Batches

Split In Batches (output 0) → Execution Summary

Split In Batches (output 1) → Send Email (Simulated HTTP)

Send Email (Simulated HTTP) (output 0) → Check Email Simulation

Check Email Simulation (output 0) → Rate Limit Pause

Rate Limit Pause (output 0) → Split In Batches

Generate Page Requests (output 0) → Fetch Paginated Users

Note: This workflow simulates email sends using JSONPlaceholder. No real emails are sent. The generated requests cover two pages of five users.