



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The CHIEF GENERAL MANAGER
SJVN Limited

SJVN Corporate Office, Environment Department, Shakti Sadan, Shanan,
Shimla,, Shimla, Himachal Pradesh-171006

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the Ministry vide proposal number
IA/HP/RIV/63789/2017 dated 19 Dec 2020. The particulars of the environmental
clearance granted to the project are as below.

- | | |
|---|----------------------------|
| 1. EC Identification No. | EC22A003HP169821 |
| 2. File No. | J-12011/14/2017-IA-I (R) |
| 3. Project Type | New |
| 4. Category | A |
| 5. Project/Activity including
Schedule No. | 1(c) River Valley projects |
| 6. Name of Project | Sunni Dam Project |
| 7. Name of Company/Organization | SJVN Limited |
| 8. Location of Project | Himachal Pradesh |
| 9. TOR Date | 29 Jun 2017 |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 04/02/2022

(e-signed)
Yogendra Pal Singh
Scientist E
IA - (River Valley and Hydroelectric
Projects sector)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



F. No. J-12011/14/2017-IA.I (R)
Government of India
Ministry of Environment, Forests & Climate Change
(Impact Assessment Division)

Indira Paryavan Bhavan
2nd Floor, Vayu Wing
Aliganj, Jor Bagh Road
New Delhi - 110 003

Dated: 04th February, 2022

To,

The Chief General Manager
SJVN Corporate Office
Shakti Sadan, Shanan,
Shimla - 171 006, Himachal Pradesh

Sub: Sunni Dam HEP (382 MW) project in an area of 459.4546 ha on Satluj River in Mandi & Shimla District of Himachal Pradesh by Satluj Jal Vidyut Nigam Limited - Environment Clearance (EC) - reg

Sir,

This has reference to your online Proposal No. IA/HP/RIV/63789/2017 dated 19th December, 2020, on the above-mentioned subject.

2. The Ministry of Environment, Forest and Climate Change has considered the proposal of Environment Clearance to Sunni Dam HEP (382 MW) project in an area of 459.4546 ha on Satluj River in Mandi & Shimla District of Himachal Pradesh by Satluj Jal Vidyut Nigam Limited

3. The above referred proposal was considered by the Expert Appraisal Committee (EAC) for River Valley & Hydroelectric projects in its 5th EAC Meeting held on 30th December, 2020. The details of the project, as per the documents submitted by the project proponent, and also as informed during the meeting, are reported to be as under:

- (i) The project was earlier identified by the HPSEB as a single stage Luhri Hydroelectric Project located in Shimla, Mandi and Kullu districts of Himachal Pradesh to harness the hydel potential between tail water of Rampur Hydro Electric Project and Full Reservoir Level of Kol Dam Hydro Electric Project. Later Luhri HEP has been divided in to three stages i.e. into Luhri Stage-1 (210 MW), Luhri Stage-II (172 MW) and Sunni Dam HEP (382 MW).
- (ii) The proposed Sunni Dam HEP is situated on Satluj River near Khaira Village, in Shimla and Mandi Districts of Himachal Pradesh.
- (iii) The project envisages construction of a ± 71 m high, concrete gravity dam (Longitude $77^{\circ}12'39''$ E and Latitude $31^{\circ}14'53''$ N) from river bed level ± 644 m (average). The underground powerhouse is located on the right bank of Satluj River at Marola in Bindla Panchayat. The project site can be approached by NH-5 followed by SH-13 and MDR-22 via Shimla, Naldhera and Chaba.
- (iv) The project majorly envisages construction of a ± 71 m high, concrete gravity dam from river bed level, with low level spillway having 6 bays fitted with radial gates of

Proposal No. IA/HP/RIV/63789/2017



Page 1 of 12

- size of 8.5m (W) x 16.0m (H) and Upper-level spillway of one bay fitted with Flap gate of size 5m (W) x 4.5m (H) to pass 15473 cumecs(PMF). The Full Reservoir Level has been kept at El.712.0 masl and Minimum Draw Down Level at El. 709.5.0masl. The dam would provide a gross pondage of 82.5 MCM and live storage of 7.9 MCM. The length and width of the dam at top shall be 178 m and 8.0m respectively. Three intakes are proposed for diverting the water from the reservoir to the dam toe powerhouse on the right bank. Three pressure shafts have been proposed which shall further bifurcate into six to pass total discharge of 726.95 cumecs, Underground power house shall be provided on right bank with installed capacity of 382 MW (4 x 73 MW- Main Units, 1x73 MW+ 1x17 MW- Auxiliary Units). Two 10.5 m diameter and 9.0 m diameter horseshoe shaped tailrace tunnels of length 288 m and 208 m respectively have been proposed. A 642.208 m long and 10.0 m diameter, horse shoe shaped diversion tunnel lined with 300 mm thick concrete, shall be constructed on the left bank. The height of upstream cofferdam shall be ± 18.80 m and the height of downstream coffer dam shall be ± 9.20 m. The top width of both coffer dam shall be 8m and side slope 2:1. It is designed to pass lean season and non-monsoon season diversion flood up to 773 cumecs
- (v) Total land required for construction of the project components and other infrastructures is estimated as 459.4546 ha of which forest land shall be 397.8863 ha and private land 62.2854 ha. The land requirement in Shimla District is 246.4051 ha comprised of 196.7343 ha forest land and 49.6708 ha private land. The land requirement in Mandi District is 213.0495 ha comprised of 201.152 ha forest land and 12.6146 ha private land. The project would result in submergence of 382.7884 ha of land. Rest of the land will be required for residential and non-residential buildings for construction of the project, roads, stores, and for the main project components such as diversion structure, dam, intake, surge shaft, power house, tailrace tunnel, switchyard, area identified for muck dumping, quarry area, etc. The PP has already moved online the application on 27.12.2017 for diversion of forest land. About 2091 families from 21 villages are likely to be affected of which 45 shall be displaced. The cost of project is Rs. 2443.84 Crores, and is proposed to be completed in 63 months.
- (vi) No National Park, Sanctuary, Defence Establishments, Archaeological Monuments, Notified Eco-sensitive areas or protected area under Wildlife (Protection) Act exists within the project area or within 10 km distance from it.
- (vii) The capacity of Sunni Dam HEP is 382 MW (>50 MW), thus falls under 'Category A'. TOR was finalized by Expert Appraisal Committee (EAC), MoEF&CC and issued clearance for pre-construction activities (along with approved TOR), vide their letter no. J-12011/14/2017-IA-I dated 29-06-2017. The ToR for installed capacity enhancement from 355MW to 382 MW was issued vide letter no. J-12011/14/2017-IA-I dated 24-01-2019. Public Hearing, presided by ADC, Shimla, was conducted by Himachal Pradesh State Pollution Control Board on 28th October, 2020 in village Ogli, Tehsil Sunni, District Shimla. In the meeting 16 stake holders verbally recorded their objection/suggestions while 7 submitted written statement. Public hearing, presided by ADM Mandi, was also conducted on 30th October, 2020 in village Parlog, Tehsil Karsog, District Mandi. Twenty-three stake holders/people representative discussed their views and recorded their objection/suggestions verbally in the meeting. Compliance of these suggestions have been incorporated in the report. Application for Environmental Clearance was submitted to the Ministry on 19.12.2020.
- (viii) Water assessment was carried out based on long term discharge data available at

Proposal No. IA/HP/RIV/63789/2017

G. P. D.

Page 2 of 12

Khab, Rampur, Nirath and Lunsu in the catchment of the Sunni Dam site. The 10-daily flow series at Sunni dam site has been approved by the CWC, New Delhi, vide letter No. CWCNo.1/hp/17/2003/HYD (N)/196-98 Dated 20.7. 2017. Yield for 50% and 90% dependability has been assessed as 12738.64 MCM and 10130.57 MCM respectively.

- (ix) To establish the base line environmental status of the physico-chemical, biological and socio-economic parameters in the project area and within the project influence area the baseline study and primary data collection has been carried out during winter, 2017-18, pre-monsoon 2018 and monsoon, 2018.
- (x) The maximum concentration for 3 seasons of PM₁₀, PM_{2.5} NO_x and SO₂ was found to be 67.6 µg/m³, 43.6 µg/m³, 15.1 µg/m³ and 7.7 µg/m³ respectively and within the NAAQS prescribed by CPCB. The maximum L-equivalent noise levels for three seasons during day and night time recorded were 51.4dB(A) and 40.9dB(A), respectively, and are within the limits prescribed by CPCB.
- (xi) The pH for surface water ranged between 7.28 to 7.89, within the specified standard of 6.5 to 8.5 limit. TDS ranged between 263 to 339 mg/l and was within the acceptable limits (500 mg/l). Chlorides were within the acceptable limits (250 mg/l) as it ranged between 13.7 -20.9 mg/l. Sulphates were within the acceptable limits (200 mg/l) as it ranged between 28.6-48.7 mg/l. Fluorides recorded ranged between 0.05 to 0.25 mg/l and were within the acceptable limit (1.0mg/l). The nitrate levels ranged between 0.30 to 0.90 mg/l and were within the desirable limit of 45 mg/l. The BOD values ranged between 1.1 to 1.8mg/l and were within the CPCB criteria for Class A water for designated best use of drinking Water Source without conventional treatment but after disinfection. All physical and general parameters of ground water were observed within the desirable limit at all sampling locations as per IS10500:2012, Second Edition.
- (xii) The soils in the area are loam; neutral to slightly alkaline; low to medium in available nitrogen content; medium to high in available phosphorus content and medium in available potassium content. The soils have medium to high organic carbon.
- (xiii) In the study area 88 species of plants were recorded which include 85 species of angiosperms, only one species of gymnosperm and two species of Pteridophytes. Twenty economically important plants and thirty-six medicinal/ ethno-botanical importance plant species were recorded. No RET species falling under IUCN Red List was recorded/reported from study area. The faunal study reveals that 11 mammalian species of which none belongs to Schedule-1 of WPA, 1972; 19 bird species of which one (Peafowl) belongs to Schedule-I; 7 species of herpeto fauna were recorded /reported of which 1 (Monitor Lizard) belongs to Schedule-I, under WPA, 1972. Thirteen fish species belonging to four families viz., Cyprinidae, Cobitidae, Sisoridae and Salmonidae were recorded in the project area.
- (xiv) Anticipated Environment Impacts and Mitigation Measures: Habitat loss due to diversion of 397.8863 ha forest land for mitigation of which compensatory afforestation (Rs 4810.00 lakh) shall be carried out by the Forest Department. Reduction in reservoir capacity and water available for the designated use shall be addressed through implementation of Biological measures and engineering measures under CAT Plan (Rs 3834.00 lakh). Fragmentation of habitat and consequent increase in temporary stress levels of wildlife during construction phase for mitigation of which Wildlife and Bio-diversity Management Plan (Rs 105 lakh) has been proposed. Due to construction inside dam complex excavation area, maximum GLC of pollutants PM₁₀, PM_{2.5}, NO_x and SO₂ was found to be 9.15 µg/m³,

2.83 µg/m³, 9.91 µg/m³ and 1.27 µg/m³ respectively for mitigation of which various steps shall be undertaken which include periodical air quality monitoring (Rs 26.18 lakh) and copious sprinkling at construction site and on roads for dust suppression shall be done under Air Pollution Control (Rs 20 lakh). Ambient air noise levels are expected to increase only during the project construction phase only. Movement of fish across dam shall be stopped but the reservoir on upstream shall continue a habitat for the indigenous species as well as reservoir species for which Fisheries Management Plan (Rs 187 lakh) has been provided. From intake structure, a maximum diverted discharge of 726.95 cumecs shall be conducted through power shaft to underground power house for power generation and thereafter released to the river through TRT outfall. Based on recommendation of Cumulative Environmental Impact Assessment (CEIA) study for Sutlej Basin, the minimum EFR of 15.24 cumecs downstream of dam shall be released by running auxiliary powerhouse round the clock.

- (xv) **Disaster Management:** The problems likely to be encountered during construction/operation inter alia include (i) accidents due to explosives/blasting, (ii) accidents due to HEMM and (iii) sabotage in case of magazine. Most of the accidents during operation of HEMM can be significantly averted by periodical maintenance. In case of dam break, the flood peak discharge as it propagates through valley shall inundate downstream stretch of five km within 12.0 minutes. Therefore, disaster management plan is based on such measures, which are purely preventive in nature.
- (xvi) **Social Impact Assessment and Rehabilitation and Resettlement Plan:** SJVN has conducted SIA studies by engaging specialist agency (HIPA, Government of Himachal Pradesh) for the purpose. For execution of the project permanent acquisition of 62.2854 ha private land is covered under 21 villages falling in 11 Gram Panchayats under two districts namely Shimla and Mandi. There shall be 2091 affected families (whose land was acquired) of which 45 families shall be displaced. The cost of implementing Rehabilitation and Resettlement Plan and the cost of local area Development works out to Rs 17809 lakh.
- (xvii) **Environmental Management Plan with Budget Breakup (Capital & Recurring cost)**

S. No	Plans	Cost (Rs. Lakh)	Capital Cost (Rs lakh)	Annual Recurring (Rs lakh)
1.	Catchment Area Treatment Plan	3834.00	3254.00	116.00
2.	Compensatory Afforestation Scheme	4810.00	4550.00	52.00
3.	Wildlife & Bio-diversity Management plan	105.00	30.00	15.00
4.	Resettlement & Rehabilitation Plan	17909.00	16659.00	250.00
5.	Green Belt Development Plan	36.00	19.00	3.40
6.	Reservoir Rim Treatment Plan	571.00	571.00	0.00
7.	Landscape and Restoration Plan	90.00	70.00	4.00
8.	Fisheries Management Plan	187.00	97.00	18.00
9.	Muck Management Plan	1915.00	1785.00	26.00
10.	Restoration Plan for Quarry Sites	60.00	48.00	2.40
11.	Disaster Management Plan	135.00	125.00	2.00

12.	Water, Air and Noise Management Plan	40.00	20.00	4.00
13.	Public Health Delivery Plan	280.00	30.00	50.00
14.	Labour Management Plan	112.00	30.00	16.40
15.	Sanitation&Solid Waste Management	297.00	130.00	33.40
16.	Environmental Safeguards	15.00	0.00	3.00
17.	Energy Conservation Measures	45.00	19.00	5.20
18.	Environmental Monitoring Plan	105.00	28.00	15.40
Grand Total		30546.00	27465.00	616.20

- (xviii) Project Benefits: Project benefits inter alia shall include the benefits like (i) annual generation of 1381.77 MU of energy in a 90 % dependable year; (ii) 12 % free power of total generation will be given free to the state, which will help in regular power supply in the area; (iii) 1.5% of the total cost of the project towards the Local Area Development fund during construction; (iv) against sale of 1% free power to be deposited with Local area development Fund annually and (v) Employment opportunities/to locals in project work and fisheries.
- (xix) PP vide its letter No. SJVN/CC/ENV/F38/2021-119 dated 23rd February, 2021, has submitted Stage-I Forest Clearance. It is noted that Ministry vide letter No. 8-07/2021-FC dated 22nd December, 2021 has granted approval under Section 2 of the Forest (Conservation) Act, 1980 for diversion of 397.8863 ha forest land in favour of SJVN Ltd for the construction of Sunni Dam Hydroelectric Project (382 MW) within the jurisdiction of Shimla, Kotgarh and Karsog Forest Divisions in District Shimla and Mandi Himachal Pradesh.

4. The proposal was considered by the Expert Appraisal Committee (EAC) in the Ministry for River Valley and Hydro Electric Power Projects (RV&HEP) in its 5th meeting held on 30th December, 2020, through video conferencing wherein the Committee recommended the proposal for Environmental Clearance. Based on the proposal submitted by the project proponent and recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords approval for grant of **Environmental Clearance** to Sunni Dam HEP (382 MW) project in an area of 459.4546 ha on Satluj River in Mandi & Shimla District of Himachal Pradesh by Satluj Jal Vidyut Nigam Limited, under the provisions of EIA Notification, 2006 and subsequent amendments/circulars thereto subject to the compliance of the following additional terms & conditions/ specific conditions for environmental safeguards:

[A] Environmental Management and Biodiversity Conservation

- i. The Environmental Management Plan (EMP) shall be strictly adhered to as submitted in the EIA/EMP reports. The budgetary provisions for implementation of EMP, shall be fully utilized and not to be diverted to any other purpose. In case of revision of the project cost or due to price level change, the cost of EMP shall also be updated proportionately.
- ii. In pursuant to the Ministry OM dated 30.09.2020, the Environmental Management Plan (EMP) shall be revised considering the commitments made to address the concern raised during public consultation. Activities proposed shall be made a part of EMP under local area development plan and to be submitted to the Ministry.

g.y.f.

- iii. Conservation plan prepared for Schedule I species shall be implemented with approval of the concerned CWLW.
- iv. Solid waste generated, especially plastic waste, etc. should not be disposed of as landfill material. It should be treated with scientific approach and recycled. Use of single-use plastics may be discouraged.
- v. Recommendations of the Cumulative Impact Assessment and Carrying Capacity Study of Satluj River Basin Study shall be followed while implementing the project.
- vi. Possibility of fish pass/ladder for migration of fish shall be explored in consultation with CIFRI/WII.

[B] Socio-economic Study

- vii. Land acquired for the project shall be suitably compensated in accordance with the law of the land with the prevailing guidelines. Private land shall be acquired as per provisions of Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013

[C] Disaster Management

- viii. Necessary control measures such as water sprinkling arrangements at all the construction sites, etc. and construction of paved roads leading to muck disposal sites shall be taken up on priority to arrest fugitive dust.
- ix. Muck carrying trucks shall be equipped with GPS and valid PUC certificate. Monitoring mechanism for muck transportation shall be put in place and be implemented under the supervision of Project Head.
- x. Stabilization of muck disposal sites using biological and engineering measures shall be taken up to ensure that muck does not roll down the slopes and shall be disposed safely and that it does not pollute the natural streams and water bodies in surrounding area.

[D] Miscellaneous

- xi. Stage I Forest Clearance shall be submitted for the total forest land (397.8863 ha) involved in the project prior to grant of Environmental Clearance.
- xii. After 5 years of the commissioning of the project, a study shall be undertaken regarding impact of the project on the environment. The study shall be undertaken by an independent agency.
- xiii. Necessary permission to be obtained for quarrying construction materials, if any required, for the project as per the EIA Notification, 2006 and as amended thereof.
- xiv. Real time monitoring of e-flow to be done in consultation with State PCB or any other institution.

Handwritten signature

5. **Standard EC Conditions for River Valley and Hydroelectric projects**

I. Statutory compliance:

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/ Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- v. NOC shall be obtained from National Commission of Seismic Design Parameters (NCSDS) of CWC.
- vi. Necessary approval of CEA shall be obtained for those projects having the project cost more than Rs. 1,000 crores.

II. Air quality monitoring and preservation

- i. Regular monitoring of various environmental parameters viz., Water Quality, Ambient Air Quality and Noise levels as per the CPCB guidelines at designated locations shall be carried out on monthly basis and a detailed database of the same shall be prepared and recorded. This shall be used as a baseline data for post construction EIA / Monitoring purposes.
- ii. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed standards.
- iii. Necessary control measures such as water sprinkling arrangements, etc. be taken up to arrest fugitive dust at all the construction sites.

III. Water quality monitoring and preservation

- i. Conjunctive use of surface water to be planned in the project to check water logging as well as to increase crops productivity. The field drains shall be connected with natural drainage system.
- ii. Remodelling of existing natural drains (link drains) and connecting them with irrigated land through constructed field drains, collector drains, etc. are to be ensured on priority basis.
- iii. Before impounding of the water, Cofferdams for both at the upstream and downstream are to be decommissioned as per EIA/EMP report so that once the project is commissioned; cofferdam should not create any adverse impact on water environment including the rock mass and muck used for the Cofferdam.
- iv. As the reservoir will be acting as balancing reservoir and there would be fluctuation of water level during peaking period, efforts be made to reduce

[Handwritten signature]

- impact on aquatic life including impacts during spawning period both at the upstream and downstream of the project
- v. Water depth sensors shall be installed at suitable locations to monitor e-flow. Hourly data to be collected and converted to discharge data. The Gauge and Discharge data in the form of Excel Sheet be submitted to the Regional Office, MoEF&CC and to the CWC on weekly basis.
 - vi. Mixed irrigation shall be practised and necessary awareness be given to all the farmers and trained in the use of such systems. Proper crops selection shall be carried out for making irrigation facility more effective.
 - vii. On Farm Development (OFD) works like landscaping, land levelling, drainage facilities, field irrigation channels and farm roads, etc. should be taken up in phased manner prior to the start of irrigation in the entire command area. The Command Area Development Plan should be strictly implemented as proposed in the EIA/EMP report

IV. Noise monitoring and prevention

- i. All the equipment likely to generate high noise shall be appropriately enclosed or inbuilt noise enclosures be provided so as to meet the ambient noise standards as notified under the Noise Pollution (Regulation and Control) Rules, 2000, as amended in 2010 under the Environment Protection Act (EPA), 1986.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

V. Catchment Area Treatment Plan


- i. Catchment Area Treatment (CAT) Plan as proposed in the EIA/EMP report shall be implemented in consultation with the State Forest Department and shall be implemented in synchronization with the construction of the project.

VI. Waste management

- i. Muck disposal be carried out only in the approved and earmarked sites. The dumping sites shall be located sufficiently away from the HFL of the river. Efforts be made to reuse the muck for construction and other filling purposes and balanced be disposed of at the designated disposal sites. Once the muck disposal sites are inactive, proper treatment measures like both engineering and biological measures be carried out so that sites are stabilized quickly.
- ii. Solid waste management should be planned in details. Land filling of plastic waste shall be avoided and instead be used for various purposes as envisaged in the EIA/EMP reports. Efforts be made to avoid one time use of plastics.

VII. Green Belt, EMP Cost, Fisheries and Wildlife Management

- i. Based on the recommendation of Cumulative Impact Assessment and Carrying capacity study of river basin or as per the ToR conditions or minimum 15% of the average flow of four consecutive leanest months, whichever value is higher, shall be released as environmental flow.
- ii. Detailed information on species composition particular to fish species from previous study/literature be inventorized and proper management plan shall be prepared for insitu conservation in the streams, tributaries of river and the



- main river itself for which adequate budget provision be made and followed strictly.
- iii. Wildlife Conservation Plan prepared for both core and buffer zones shall be implemented in consultation with the local State Forest Department.
 - iv. To enrich the habitat of the project site, plantation shall be raised as envisaged in the EIA/EMP report. Plantation to be developed along the periphery of the reservoir in multi-layers with local indigenous species in consultation with the local State Forest Department.
 - v. Compensatory afforestation programme shall be implemented as per the plan approved.
 - vi. Fish ladder/pass as envisaged in the EIA/EMP report shall be provided for migration of fishes. Regular monitoring of this facility be carried out to ensure its effectiveness.

VIII. Public hearing and Human health issues

- i. Resettlement & Rehabilitation plan be implemented in consultation with the State Govt. as approved by the State Govt.
- ii. Budget provisions made for the community and social development plan including community welfare schemes shall be implemented in toto.
- iii. Preventive measures viz. fuming and spraying of mosquito control shall be done in and around the labour colonies, affected villages, stagnated pools, etc. Provisions be made to not to create any stagnated pools to avoid creation of breeding grounds of the vector borne diseases
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Labour force to be engaged for construction works shall be examined thoroughly and adequately treated before issuing them work permit. Medical facilities shall be provided at the construction sites.
- vi. Early Warning Telemetric system shall be installed in the upper catchment area of the project for advance intimation of flood forecast.
- vii. Emergency preparedness plan be made for any eventuality of the dam failure and shall be implemented as per the Dam Break Analysis

IX. Corporate Environment Responsibility

- i. Skill mapping be undertaken for the youths of the affected project area and based on the skill mapping, necessary trainings to the youths be provided for their long time livelihood generation
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

R. J. Dr.

- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Post EIA and SIA be prepared for the project through a third party and evaluation report be submitted to the Ministry after five years of commissioning of the project.
- vi. Multi-Disciplinary Committee (MDC) be constituted with experts from Ecology, Forestry, Wildlife, Sociology, Soil Conservation, Fisheries, NGO, etc. to oversee implementation of various environmental safeguards proposed in EIA/EMP report during construction of the project. The monitoring report of the Committee shall be uploaded in the website of the Company.
- vii. Formation of Water User Association/Co-operative be made involment of the whole community be ensured for discipline use of available water for irrigation purposes

X. Miscellaneous


- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by 5 prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project. vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government. viii. The project proponent shall abide by all the commitments

and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.

- vii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- viii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- ix. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- x. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- xii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.
- xiii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010

6. This issues with the approval of the Competent Authority.

Yours faithfully,


(Yogendra Pal Singh)
Scientist 'E'

Email id: yogendra78@nic.in
Tele fax: 011-20819364

Copy to:


1. The Secretary, Ministry of Power, Shram Shakti, Bhawan, Rafi Marg, New Delhi - 110 001.
2. The Secretary, Ministry of Jal Shakti, Shram Shakti Bhawan, Rafi Marg, New Delhi - 110 003.
3. The Secretary, Department of Environment, Government of Himachal Pradesh, Forest Secretariat, Shimla.
4. The Addl. PCCF(Central), Regional Office, Ministry of Environment, Forest & Climate Change, Bays No 24-25, Sector - 31 A Dakshin Marg, Chandigarh - 162 022.
5. The Chief Engineer, Project Appraisal Directorate, Central Electricity Authority,

Proposal No. IA/HP/RIV/63789/2017

Page 11 of 12

Sewa Bhawan, R. K. Puram, New Delhi – 110 066.

6. The Chairman, Himachal Pradesh Pollution Control Board, Phase-III, Him
Parivesh, New Shimla – 171 009.
7. Guard File / PARIVESH Portal


(Yogendra Pal Singh)
Scientist 'E'

Proposal No. IA/HP/RIV/63789/2017

Signature Not Verified

Digitally signed by Yogendra Pal
Singh
Scientist E

Date: 2/4/2022 12:15:14 PM