

Alla Vostra Website Work Log

Compiled summary for May 19, 2026 - focus: final shop-page FSD stabilization, thin / thin-medium / wide-medium / wide layout rules, mobile React Native project planning, and Git workflow cleanup.

Note: the naming convention follows the May 11, May 13, May 15, May 16, and May 18 reference files:

alla_vostra_worklog_may19.pdf. This report records today's accepted direction, especially the final script decided for **other/assets/css/shop.css** and the initial structure for the mobile React Native app under **mob/**.

Current Baseline to Preserve

- The desktop / web work remains inside **/Users/prahlin/Desktop/alla_vostra/other**, with shared assets under **other/assets/**.
- **aboutus.css** remains the correct About page stylesheet name going forward; do not rename it to **about.css**.
- The shop page remains connected through the shared CSS structure and keeps the reusable header / hero behavior unless explicitly overridden for a responsive state.
- The latest accepted shop stylesheet is the new FSD supplied on May 19. It should be treated as the source of truth before any future shop-page edits.
- The shop page uses **Dream Avenue** for the "With Alla Vostra..." heading, fixed promo image/button sizing from 761px and up, and a mobile/thin layout that remains separate from thin-medium and wider behavior.
- For 761px and up, the promo section deliberately does not scale its buttons, text, image sizes, or asset placement. Only the product grid below changes responsively.
- The product layout now uses **display: contents** for non-thin product cards so titles, images, descriptions, prices, and buttons align as shared rows across the three products.
- The final accepted responsive shop-main margins are thin-medium -205px, wide-medium -275px, and wide -400px.

Main Goals We Worked Toward

- Finish the shop page across thin, thin-medium, wide-medium, and wide versions without breaking the accepted thin/mobile visual language.
- Make the promo/shipping graphics stable: the truck, bargain, and South Florida images should keep fixed sizes and placements in non-thin responsive modes.
- Align the three product cards vertically so Buon Natale no longer pushes its price and Add To Cart button lower than Piccola and Sei Perfetto.
- Keep product image sizes consistent across thin-medium, wide-medium, and wide after the user requested no scaling between those breakpoints.
- Tune the pixel gap between background3.png, the Shop title, the "With Alla Vostra..." line, and the promo assets for each non-thin width class.
- Start planning the React Native mobile app using the thin web version as the visual baseline while keeping the mobile codebase separate in **mob/**.
- Resolve a Git commit problem caused by an old or active **.git/index.lock** / commit editor state.

Attempts Made / Work Completed

Work item	Purpose	Result / note
Shop FSD reset	Lock in a stable shop.css baseline after many layout iterations.	The user supplied a final script decided for other/assets/css/shop.css. The final baseline includes --shop-title-gap: 51px, fixed non-thin promo sizing, and page-specific responsive margins.

Work item	Purpose	Result / note
Non-thin promo sizing	Stop assets from scaling between thin-medium, wide-medium, and wide.	Promo button sizes, promo text, truck/bargain/soflo image sizes, and promo asset placement were treated as fixed from 761px and up.
South Florida image spacing	Reduce extra space around soflo.png without changing the visual crop.	The FSD uses shop-desktop-soflo-crop margins of $\text{calc}(-135\text{px} + \text{var}(\text{--shop-promo-vertical-gap}))$ above and below, with soflo clipped 20% on all sides.
Bargain image crop and alignment	Make bargain.png sit visually with the \$10 delivery fee block without shifting other assets.	The final bargain image keeps a fixed width, max-width none, a clip-path inset of 10% / 15% / 10% / 15%, and $\text{translateX}(-15\%)$.
Rounded plus sign	Match the thin/mobile plus sign style more closely.	The plus separator became a CSS-built rounded sign using <code>::before</code> and <code>::after</code> with <code>border-radius: 999px</code> rather than a raw text plus in non-thin modes.
"in" separator tuning	Give the in label a consistent scale and spacing in the promo sequence.	The final non-thin in separator uses a fixed 62.208px font size and margins based on <code>--shop-promo-vertical-gap</code> .

Attempts Made / Work Completed - Continued

Work item	Purpose	Result / note
Product row alignment	Prevent longer ingredients from pushing lower rows out of alignment.	The product cards were flattened with display: contents. Product titles, images, descriptions, prices, and buttons were assigned to grid rows 1 through 5 so the row system lines up across all three products.
Buon Natale correction	Fix the third product's vertical misalignment.	Instead of trying to visually clip only the Buon Natale image, the final approach aligned the product section structurally through shared grid rows.
Product image scaling rule	Stop non-thin product images from shrinking when the browser width changes.	Product images for thin-medium, wide-medium, and wide are fixed at 259.92px with max-width: none.
Add To Cart button sizing	Keep enlarged Add To Cart buttons and text consistent.	The final non-thin product buttons are 180px by 60px with 16px text, 12px radius, and a 3px black border.
Thin/mobile restoration	Repair the thin version after non-thin grid changes affected mobile behavior.	The thin media query resets shop-product back to display: grid and resets all row/column assignments to auto.
Title gap equalization	Make the gap between Shop and With Alla Vostra match the gap below the With line.	The final system uses --shop-title-gap: 51px and applies it to both page-title margin-bottom and the h2 bottom margin.
With Alla Vostra font size baseline	Use the medium-wide visual baseline for the heading instead of the widest scale.	The final h2 font size is fixed at 43.2px for non-thin modes, while thin/mobile keeps its own responsive override.
background3 / Shop vertical distance	Restore different vertical overlap values by breakpoint.	Thin-medium, wide-medium, and wide keep different shop-main margin-top values: -205px, -275px, and -400px respectively.

Final Shop CSS Decisions Worth Preserving

- **Global shop variables:** --shop-grid-gap: 38px; --shop-promo-vertical-gap: 8px; --shop-title-gap: 51px.
- **Non-thin heading:** .shop-shipping-card h2 uses Dream Avenue, 43.2px, line-height 1.1, and margin-bottom var(--shop-title-gap).
- **Promo stack:** width 599.4px, columns 275.4px / 48.6px / 275.4px, column gap 30.78px.
- **Orange promo squares:** 275.4px by 275.4px, 48.6px padding, 60.75px border-radius, 38.88px font size.
- **Desktop art:** standard art image width 328.05px; bargain image width 393.66px; soflo image width 787.32px.
- **Product images:** 259.92px fixed width with max-width: none for thin-medium, wide-medium, and wide.
- **Product buttons:** 180px by 60px with 16px text and 20px gap below price via .shop-product-price margin-bottom.
- **Thin mode:** hides nav-mobile / hero / hero-image / background3 on shop page, keeps the orange announcement, and returns product cards to normal stacked grid layout.

Responsive Breakpoint Summary

Breakpoint	Key behavior	Accepted values / notes
Thin: max-width 760px	Mobile-style stacked layout.	The shop page hides the white mobile nav row, the hero, the hero image, and background3.png. shop-main width is min(680px, calc(100% - 34px)); margin-top: 52px. Product cards stack vertically.
Thin-medium: 761px-900px	Non-thin layout using fixed promo sizing and thin-medium content width.	shop-main width: min(760px, calc(100% - 42px)); margin-top: -205px. Product images: 259.92px. Product descriptions: 164px min-height, 16px font, 1.55 line-height.
Wide-medium: 901px-1080px	Same visual scale as thin-medium for the main content width, but different background3/Shop vertical relationship.	shop-main width: min(760px, calc(100% - 42px)); margin-top: -275px. Promo and product sizes do not scale.
Wide: 1081px and up	Same content scale as thin-medium but with the strongest upward pull against background3.png.	shop-main width: min(760px, calc(100% - 42px)); margin-top: -400px. Product image width remains 259.92px.

Key CSS Snippets from the Accepted FSD

Breakpoint margins and widths:

```
@media (min-width: 761px) and (max-width: 900px) { .shop-main { width: min(760px, calc(100% - 42px)); margin-top: -205px; } } @media (min-width: 901px) and (max-width: 1080px) { .shop-main { width: min(760px, calc(100% - 42px)); margin-top: -275px; } } @media (min-width: 1081px) { .shop-main { width: min(760px, calc(100% - 42px)); margin-top: -400px; } }
```

Product row structure:

```
.shop-product { display: contents; } .shop-product-title { grid-row: 1; } .shop-product-image { grid-row: 2; width: 259.92px; max-width: none; } .shop-product-description { grid-row: 3; min-height: 164px; } .shop-product-price { grid-row: 4; margin: 0 0 20px; } .shop-product-button { grid-row: 5; width: 180px; height: 60px; }
```

React Native / Mobile App Planning

- The mobile React Native app should live in the existing **mob/** folder, separate from the web / desktop files in **other/**.
- The mobile app should not reference images through paths like `../other/assets/images`. Instead, copy the final image and font assets into **mob/assets/** so Expo can bundle them safely for iOS and Android.
- The thin version of the web shop page is the visual baseline for the React Native app, but the CSS should not be copied directly. It should be translated into React Native components, StyleSheet objects, and local assets.
- Use local fonts with Expo font loading rather than online `@font-face` URLs. Fonts belong in **mob/assets/fonts/**.
- Start with one shop screen first. Do not build all navigation, checkout, and every responsive behavior at once.

Recommended mob/ Folder Structure

```
mob/ app/ _layout.js index.js shop.js assets/ images/ truck1.png bargain.png soflo.png janny1brevised.png
janny2drevised.png janny3erevised.png background3.png fonts/ DreamAvenue.ttf TTForS.ttf components/
AppHeader.js ShippingPromo.js ProductCard.js PageDivider.js styles/ sharedStyles.js headerStyles.js
shopStyles.js data/ products.js utils/ openPaymentLink.js package.json app.json babel.config.js
```

Where the Imports Belong

The import lines belong at the top of **mob/app/shop.js**, because that screen is one folder below the folders it imports from.

```
import ShippingPromo from "../components/ShippingPromo"; import ProductCard from
"../components/ProductCard"; import { products } from "../data/products"; import styles from
"../styles/shopStyles";
```

Mobile Build Order Suggested

- Create or confirm the Expo/React Native project inside **mob/**.
- Copy only final assets and fonts into **mob/assets/images** and **mob/assets/fonts**.
- Build **mob/app/shop.js** first using the thin web version as the visual reference.
- Create **ShippingPromo.js** and **ProductCard.js** once the first page becomes too long.
- Move product names, ingredients, prices, and links into **data/products.js**.
- Only after the thin shop screen looks correct, add navigation, checkout/payment links, and platform-specific details.

Git / Commit Issue We Resolved

- The user could not commit because Git reported that it could not create **.git/index.lock**.
- The likely cause was an interrupted Git process, VS Code Source Control process, or an open commit-message editor.
- The fix path was to check for active Git processes, remove the stale lock if safe, and then continue.
- When **.git/COMMIT_EDITMSG** opened in VS Code, the user was inside the commit message editor. The next step was to type the commit message at the top, save with Cmd+S, and close the tab to finish the commit.
- The staged commit at that point included the project snapshot text file, the May 18 worklog PDF, and shop.css. The mob/ files were still untracked and should be committed separately after the current commit completes.

Git Commands / Reminders

```
# If there is no active Git process, remove stale lock: rm -f
/Users/prahlin/Desktop/alla_vostra/.git/index.lock # Finish current commit from COMMIT_EDITMSG by saving
and closing the tab. # Then check status: git status # Add mobile folder separately: git add mob git
commit -m "Set up mobile app structure"
```

Problems / Lessons Learned

- Do not solve vertical product alignment by clipping only one image. That changes appearance but does not solve the row layout. The stable solution is structural row alignment.
- Avoid using width: min(..., 100%) on product images in the non-thin product grid when the user wants exact fixed image size across thin-medium, wide-medium, and wide.
- Do not let non-thin promo assets respond to viewport width once fixed placement is requested. Only the product grid should remain responsive in that range.
- When using display: contents for a row-aligned grid, always reset the product card layout inside the thin/mobile media query, or mobile will inherit desktop row behavior.
- For React Native, do not directly depend on web project assets outside the mobile project. Copy final files into the mobile asset folder to avoid bundling and build issues.
- When Git opens COMMIT_EDITMSG, it is waiting for the commit message. Saving and closing the file completes the commit; leaving it open can make later Git commands confusing.

Next Recommended Steps

- Commit the final shop.css FSD and worklog files first.
- Commit the new **mob/** project structure separately so web changes and mobile setup are cleanly separated.
- Copy final image assets and local fonts into **mob/assets/**.
- Start the React Native screen with the thin shop layout only, then gradually componentize into ShippingPromo and ProductCard.
- Keep this May 19 FSD as the reference whenever future shop.css work begins.