

Alla Vostra Mobile App Work Log - July 6, 2026

Compiled summary for Monday, July 6, 2026 - focus: Android Studio emulator setup, Android development-build troubleshooting, the representative standard/small/large Android test matrix, repo hygiene around Expo-generated native files, refreshed project snapshots, Play Store screenshot helper context, and the first responsive mobile layout pass for standard, small, and large Android screens.

Generated automatically after reviewing recent root-level worklog PDFs, the Android testing matrix PDF, the July 6 Git commits, current mobile source diffs, the project snapshots regenerated on July 6, local syntax and whitespace checks, Android emulator state, and the active small-device visual screenshots. Includes tracked Git work from commits ae23199 and d79d2c7, plus the in-progress responsive Android layout work present in the working tree at generation time. The tracked commits handled the July 5 worklog naming cleanup and the .gitignore/native-project housekeeping needed after Android development-build setup.

Source Materials Processed

- Read the July 1, July 2 Part 2, July 4, and July 5 worklog PDFs with pdftotext to preserve the established title cadence, compact opening, source-material section, baseline section, goal list, bullet-heavy work sections, validation section, follow-up context, and output-artifact close.
- Reviewed the Android testing matrix PDF from the Desktop, confirming the representative-device plan: standard Android for daily UI work, small Android for cramped layouts, large Android for tall spacing checks, and a real Samsung for final native/payment sanity checks.
- Reviewed July 6 Git history, including commit ae23199 for the July 5 worklog rename and commit d79d2c7 for .gitignore, regenerated mobile/web project snapshots, and Play Store helper files.
- Checked current source context and diffs in mob/app/shop.js, mob/styles/shopStyles.js, mob/styles/headerStyles.js, the main screen app/style files, platform layout helpers, and the new mob/utills/responsiveLayout.js helper.
- Checked Android emulator state with adb and emulator tooling. Current Alla Vostra AVDs are AllaVostra_Standard_Android_API_35, AllaVostra_Small_Android_API_34, and AllaVostra_Large_Android_API_35; Cinerific_Standard_Tablet is intentionally outside this phone test matrix.
- Used git log, git show --stat, git diff, git status --short --ignored, rg, sed, pdftotext, pdfinfo, adb, emulator -list-avds, node --check, git diff --check, and a small standard-library PDF writer; no external PDF package was installed.

Current Baseline to Preserve

- Primary app work remains in /Users/prahlin/alla_vostra/mob, using Expo Router, React Native, shared Shop cart context, Stripe payment integrations, Postmark-backed server flows, and the established Alla Vostra mobile visual system.
- Android testing now uses a native development build path when native modules and payment capabilities are involved. Metro remains the live code server, but the emulator opens the Alla Vostra development client/app shell rather than relying on ordinary Expo Go.
- The representative Android matrix is standard, small, and large phone profiles. The project should not grow a museum of manufacturer-specific AVDs unless a specific bug demands it.
- The Expo-generated native Android project under mob/android is local/generated build output for the current workflow and is ignored at the repository root. Secrets, local SDK paths, Gradle caches, node_modules, and build outputs must remain out of source control.
- The Shop overlay and filled-cart areas remain highly layout-sensitive. Sticky cart, bottom-left X, center action cluster, side arrows, shipping preview rows, product-card overlays, and Android navigation-bar safe areas should be visually checked after small changes.

Main Goals We Worked Toward

- Let the app be tested on emulated Android phones on the MacBook screen so daily work does not depend on the physical Samsung device.
- Use representative Android device classes instead of testing dozens of manufacturers and models one by one.
- Create and name the three Alla Vostra phone AVDs clearly enough that future testing can switch between standard, small, and large profiles without confusion.
- Get the Android development build working despite slow network downloads, Gradle/JDK setup messages, SDK-location errors, and generated native project noise in Git.
- Clarify what should and should not be committed after Android prebuild/native setup.
- Start making the mobile app visually consistent across small, standard, and large Android screens by replacing fixed measurements with shared responsive scaling helpers.

Work Completed - Android Emulator Setup and Test Matrix

- Walked through Android Studio emulator setup from the welcome screen, including where to find device management when the Tools menu was not visible in the expected place.
- Clarified that the goal was an emulated Android phone on the MacBook screen, not a physical Samsung connection workflow.
- Shifted setup away from a generic Pixel tutorial default toward Samsung-like and representative Android profiles.
- Established the focused matrix: standard Android for daily testing, small Android for cramped layouts, large Android for tall/large spacing checks, and the real Samsung for final native/payment sanity checks.
- Renamed the main Alla Vostra phone profile to Standard Android, renamed the tablet profile to Cinerific Standard Tablet, and kept the tablet out of the Alla Vostra phone test plan.
- Underscored spaces in the small and large Android AVD names so the AVD names are terminal-friendly and consistent.
- Confirmed current AVD names: AllaVostra_Standard_Android_API_35, AllaVostra_Small_Android_API_34, AllaVostra_Large_Android_API_35, and Cinerific_Standard_Tablet.

Work Completed - Android Development Build Troubleshooting

- Guided the Android launch path from Metro/Expo into the emulator, including the difference between Expo Go and using the actual Alla Vostra app as a development build.
- Explained that Expo Go being installed was not the same as testing the whole native-capable app, especially for payment/native-module scenarios.
- Helped interpret long Gradle and JDK downloads on slow internet, including why 0 percent for several minutes could still be normal when large archives were downloading or configuring.
- Checked active partial downloads and identified Gradle/OpenJDK archive sizes so progress could be understood instead of treated as a frozen build.
- Worked through the SDK location failure where Gradle could not find a valid Android SDK path and needed ANDROID_HOME or mob/android/local.properties with sdk.dir.
- Kept Metro on port 8081 as the live code server when possible, and used adb reverse plus Android dev-menu reload behavior so code changes could reach the emulator without rebuilding the whole native app.

Work Completed - Repository Hygiene and Generated Native Files

- Read the repo-level ignore context before deciding what belonged in the repo after Expo/Android prebuild output appeared.
- Committed the repo-level .gitignore update in d79d2c7 so mob/android is ignored as an Expo-generated native project for this current workflow.
- Clarified that generated Android native project files, local SDK paths, Gradle caches, build outputs, and local debug artifacts should not be committed just because Android Studio or Expo created them locally.
- Regenerated the mobile and web project snapshots on July 6, updating the root snapshot text files to reflect the current mobile/backend/payment/contact/font state after the July 5 work.
- Renamed the July 5 worklog artifact to match the established root-level convention through commit ae23199.
- Updated Play Store helper context around the focused Android home screenshot path; a later uncommitted README tweak and 01_main_home.png remain present for separate review.

Work Completed - Responsive Layout Foundation

- Added mob/utils/responsiveLayout.js as a shared scaling helper for native viewport width/height, horizontal padding, maximum main content width, vertical gaps, text scale, line-height scale, and feature-image bleed width.
- Moved main-screen top inset, inner padding, hidden divider gap, page-title height, and page-title bottom spacing into responsive helper constants so Home, Products, About Us, and Contact can respond more consistently to different Android screen classes.
- Updated platformLayout.js, mainScreenScrollContext.js, and MainScreenIntroSpacer.js to use responsive constants instead of fixed native offsets where appropriate.
- Changed Home, Products, and About Us feature-image sizing to use getFeatureImageWidth rather than a fixed windowWidth * 1.05 formula.
- Constrained main screen content with mainMaxWidth and centered it, so very large/tall phones do not stretch text and controls across the entire physical viewport.

Work Completed - Main Screen Style Responsiveness

- Updated sharedStyles.js so page titles, feature headings, body copy, main padding, image spacing, and scroll bottom padding use responsive helpers instead of fixed numbers.
- Updated aboutusStyles.js so About Us page title, paragraphs, image spacing, signature block, signature name, and section gaps scale with the same responsive rules used elsewhere.
- Updated productsStyles.js so product image groups, product headings, paragraphs, ingredients text, and Buy buttons use responsive padding, line heights, and button dimensions.
- Updated contactStyles.js so Contact intro copy, form fields, message area, button sizing, and status messages participate in the shared responsive sizing system.
- Preserved the existing Home/Products/About magnification language while making the underlying dimensions more tolerant of small and large Android screens.

Work Completed - Shop Preview and Overlay Control Alignment

- Changed Shop screen horizontal padding, top padding, sticky cart offset, sticky cart button size, side-box bleed, action text width, vertical gap, and ready-button height to use shared responsive helpers.
- Made the shipping preview side arrow boxes and white center button share the same height as the sticky X/cart buttons, simplifying bottom control geometry.
- Adjusted the Shop action-cluster math to respect a centered max-width content column instead of assuming the whole window width is always the content width.
- Added large-viewport compensation so the Shop preview action row can move with the extra vertical space available on tall Android screens.
- Aligned the overlay action button top to the sticky cart top when the truck/checkout overlay is visible, so equal-height controls can share a single baseline reference.
- Tested a temporary 25 percent small-profile shrink for the shipping preview art and option boxes, then reversed that picture/box reduction when it was not the desired direction.
- Left the final state with the extra shrink removed: the preview pictures and boxes are back to the previous responsive size, while the broader responsive layout and action-control alignment work remains.

Work Completed - Emulator Verification and Visual Checks

- Stopped the large Android emulator and started AllaVostra_Small_Android_API_34 to check the small-profile layout after the large-profile control-alignment pass.
- Installed and launched the existing debug APK into the small emulator when needed, then attached it to the already running Metro server on port 8081.
- Verified the active small emulator profile through adb as 720 x 1280 at density 320.
- Captured small-device screenshots for Home, Shop main, Shop preview, and Shop overlay states while iterating on responsive scaling and control placement.
- Confirmed that the shipping preview rows became viewable on the small device after the responsive scaling pass, then reversed the separate 25 percent picture-reduction experiment at the user's request.
- Kept the active Android device as AllaVostra_Small_Android_API_34 at the time of this PDF generation so additional small-profile checks can continue immediately.

Validation and Checks Performed

- Freshly ran node --check on mob/app/shop.js, mob/styles/shopStyles.js, mob/styles/headerStyles.js, mob/app/index.js, mob/app/products.js, mob/app/aboutus.js, mob/styles/sharedStyles.js, mob/styles/productsStyles.js, mob/styles/aboutusStyles.js, mob/styles/contactStyles.js, mob/utils/platformLayout.js, mob/utils/mainScreenScrollContext.js, mob/components/MainScreenIntroSpacer.js, and mob/utils/responsiveLayout.js.
- Freshly ran git diff --check before generating this artifact; no whitespace or patch-format issues were reported.
- Reviewed git status before generating this artifact. The working tree was not clean: the responsive Android layout pass remained uncommitted, prahlin/play_store/README.md had an unrelated local edit, and prahlin/play_store/01_main_home.png was untracked.
- Reviewed git status --short --ignored to confirm mob/android, node_modules, .expo, local env files, and generated Android output remain ignored rather than accidentally staged.
- Verified AVD availability with emulator --list-avds and confirmed the active adb device as AllaVostra_Small_Android_API_34.
- Did not run a fresh Expo export or Android Gradle build during this PDF-generation step. The recorded checks here are source syntax/whitespace checks, Git/history review, emulator state checks, and

visual screenshot review from the active development session.

Files Touched During July 6

- Android/repo hygiene and snapshot artifacts: .gitignore, alla_vostra_APP_PROJECT_SNAPSHOT.txt, alla_vostra_WEB_PROJECT_SNAPSHOT.txt, and the existing July 5 worklog PDF rename.
- Play Store helper context from the July 6 tracked commit: prahlin/play_store/README.md and prahlin/play_store/render.js. A later local README edit and prahlin/play_store/01_main_home.png remain uncommitted for separate review.
- Responsive layout foundation: mob/utils/responsiveLayout.js, mob/utils/platformLayout.js, mob/utils/mainScreenScrollContext.js, and mob/components/MainScreenIntroSpacer.js.
- Main-screen responsive fit work: mob/app/index.js, mob/app/products.js, mob/app/aboutus.js, mob/styles/sharedStyles.js, mob/styles/productsStyles.js, mob/styles/aboutusStyles.js, and mob/styles/contactStyles.js.
- Shop and Android control-alignment work: mob/app/shop.js, mob/styles/shopStyles.js, and mob/styles/headerStyles.js.
- Generated/local Android build project: mob/android exists locally and is ignored by the root .gitignore. It is useful for Android development builds but should not be committed under the current Expo-generated-native workflow.

Follow-Up Context

- Finish visual checking on the standard and large Android emulators after the small-profile reversal, because the current app code still has uncommitted responsive layout work.
- Before committing the responsive pass, review whether the Shop overlay bottom action cluster is visually acceptable on all three phone profiles after the image/box reduction reversal.
- Keep mob/android ignored unless the project deliberately moves from Expo prebuild-generated native output to a committed bare/native project ownership model.
- Do not use Cinerific_Standard_Tablet as evidence for Alla Vostra readiness; Alla Vostra's required emulator matrix is standard, small, and large Android phones.
- Payment features still need native development-build and real-device checks, especially Google Pay on Android and Apple Pay on iOS, before release confidence.
- When committing, separate project source changes from Play Store screenshot assets/helper docs if those assets are not part of the same logical change.

Output Artifact

- This final worklog generation creates alla_vostra_worklog_july6.pdf at the repository root.
- The filename uses the established root-level convention and does not include a part suffix because no earlier July 6 worklog artifact exists.
- No external PDF package was installed; this artifact was generated with a small standard-library PDF writer in the same plain-text-readable spirit as the prior daily worklogs.
- Created this daily worklog PDF: alla_vostra_worklog_july6.pdf.