

Alla Vostra Mobile App Work Log - August 16, 2026

Compiled summary for Sunday, August 16, 2026 - focus: post-August 14 production-release readiness, Android Large command-line AVD support, global Android numeric input and bottom navigation preservation, live checkout backend implementation, trusted server-side order pricing, Stripe PaymentIntent readiness, PayPal create/capture infrastructure, Postmark confirmation support, EAS production public environment verification, Vercel live Stripe secret rotation and webhook deployment, PayPal Business onboarding blocker tracking, and current documentation artifact generation for Alla Vostra.

Generated in continuity with the established Alla Vostra worklog cadence: compact opening summary, source-material review, baseline, goals, grouped work-completed sections, validation, files touched, follow-up context, and output-artifact close.

This artifact is named `alla_vostra_worklog_august16.pdf` because the repository U.S. Eastern-time date used for generation was Sunday, August 16, 2026, and no earlier August 16 root-level Alla Vostra worklog PDF existed. It records the work window after the August 14 PDF worklog commit `9ede940`, through the synced source state at `947d7e4` Harden live payment configuration, plus the production Stripe/Vercel environment and webhook setup completed after that source commit.

Source Material Reviewed

- Reviewed all 58 pre-existing root-level Alla Vostra PDF worklogs from May, June, July, August 1, August 10 Parts 1-3, August 11, August 12 Parts 1-2, and August 14 to preserve the project naming pattern, section order, letter-size PDF output, footer language, validation phrasing, files-touched inventory, and output-artifact close.
- Extracted the existing PDFs with `pdftotext` into a temporary text set and used the recent August 10, August 11, August 12, and August 14 worklogs as the closest style anchors because they define the current long-form mobile-app documentation shape.
- Inspected `pdfinfo` metadata for the newest worklogs to preserve the letter-size page convention, OpenAI Codex author, Codex standard-library PDF generator creator/producer values, root-level output placement, and plain-text-readable PDF behavior.
- Reviewed git history after the August 14 worklog, using `9ede940..947d7e4` as the source range for this narrative and confirming main was aligned with origin/main before this PDF was generated.
- Reviewed commit `0923373` Implement live checkout readiness for Android release, including its changed-file surface across mobile checkout, Android launch helpers, EAS/Play Store docs, server routes, order pricing, PayPal utilities, and refreshed snapshots.
- Reviewed commit `947d7e4` Harden live payment configuration, including the Stripe/PayPal environment trimming, Stripe totals response correction, `.gitignore` protection for Vercel/local env state, and post-change server syntax validation.
- Inspected the current Android launcher files `start_alla_vostra_android_small.sh`, `start_alla_vostra_android_large.sh`, and `launchd/com.allavostra.largeavd.plist` to document the Android Large command-line access work without implying any AVD dimension changes.
- Inspected `mob/app/shop.js`, `mob/utils/textInputKeyboardProps.js`, `mob/utils/paypalPayments.js`, `mob/data/shopOverlayProducts.js`, `mob/app/contact.js`, `StickyCartButton`, `StickyQuestionButton`, `mob/app.json`, `mob/package.json`, and `mob/index.js` as the app-side checkout and Android input source surface.
- Inspected `server/api/payment-sheet.js`, `server/api/paypal-create-order.js`, `server/api/paypal-capture-order.js`, `server/api/stripe-webhook.js`, `server/lib/orders.js`, `server/lib/paypal.js`, `server/lib/postmark.js`, `server/local-dev-server.js`, `server/README.md`, and `PLAY_STORE_LAUNCH_CHECKLIST.md` as the backend and release-readiness source surface.

- Reviewed the current EAS production public environment listing and Vercel production environment listing without copying secret values into this worklog, confirming the public URLs and presence of the sensitive Stripe production variables.
- Reviewed the PayPal Developer Dashboard state from the session: sandbox credentials were visible, live credentials remained unavailable until PayPal Business onboarding succeeds, and PayPal returned a business-upgrade failure with Debug ID f3229074f3907.

Baseline Status Before August 16

- The August 14 worklog left Android Small repaired after the startup tutorial, checkout overlay, payment-card popup, order-confirmation spacing, screenshot capture, and emulator-5556 launch-helper work.
- Android Large still needed a command-line launcher equivalent to Android Small so the user could start and target the large AVD without manually recreating adb/emulator setup each time.
- The Android Large checkout path exposed a numeric-input regression: digits could not be entered reliably in phone and ZIP fields, and the bottom navigation/control row could disappear while number input was active.
- The app was still carrying test-oriented payment assumptions, including local Stripe test-key behavior, a prior static PayPal product link pattern, and backend documentation that needed production-oriented Stripe/PayPal/Vercel detail.
- The user had gained production access and wanted real end-user payment behavior rather than a portfolio-only demo or a mock 4242-card release, which changed the launch target from test-only validation to live payment readiness.
- The Play Store release candidate identity was already converging on Alla Vostra / com.allavostra.app / version 1.0.2 / versionCode 3, but production public app env vars and live backend env vars still needed verification.
- The server had a Stripe-oriented checkout route, but the release path needed trusted server-side order calculations, live Stripe secret storage, webhook signing, and PayPal create/capture routes before public submission could be considered close.
- PayPal live availability depended on PayPal account status rather than app code; the developer dashboard showed sandbox credentials and explicitly required a PayPal Business upgrade for live credentials.

Goals for August 16

- Create an Android Large command-line startup path that mirrors Android Small while preserving the original Android Large AVD dimensions, density, and aspect ratio accommodations.
- Make the phone, ZIP, and other numeric Android input behavior global enough to repair checkout and delivery overlay fields without creating new Android Small regressions or hiding the bottom navigation row.
- Separate real production checkout readiness from portfolio-demo behavior so the Play Store candidate can support real card payments through Stripe when public release is appropriate.
- Move checkout pricing and order totals to trusted backend code so the mobile app no longer acts as the authority for product prices, delivery fees, tax, or allowed delivery state.
- Replace static PayPal link behavior with a true create-order, approval, return-url, capture-order flow while keeping the app graceful when PayPal live credentials are not yet available.

- Prepare Vercel production for live Stripe by storing the rotated live secret key, creating a live webhook endpoint, saving the webhook signing secret, and redeploying the production API.
- Verify EAS production public variables, Vercel production secrets, and safe public route responses before treating the backend as ready for a final Play Store build.
- Record remaining blockers clearly, especially PayPal Business onboarding, so future work does not confuse a PayPal account issue with an app implementation bug.

Work Completed - Android Large Command-Line Support

- Added `start_alla_vostra_android_large.sh` at the repository root as the Android Large equivalent of the existing Android Small helper.
- Pointed the large helper at `AllaVostra_Large_Android_API_35`, `emulator-5554`, port `5554`, `com.allavostra.app`, and `com.allavostra.app.MainActivity` while keeping Metro port forwarding on the existing `8081` default.
- Added `launchd/com.allavostra.largeavd.plist` so the large AVD can be started through `launchctl` with `-avd AllaVostra_Large_Android_API_35`, `-port 5554`, `-no-snapshot-load`, host GPU, and no boot animation.
- Mirrored the Small helper guardrails: validate emulator and adb paths, confirm the requested AVD exists, wait for boot completion, verify the running AVD name, reverse the Metro port, force-stop the app, start `MainActivity`, then print `wm` size and density.
- Kept the large helper operationally parallel to `start_alla_vostra_android_small.sh` instead of changing the Android Large AVD definition, pixel dimensions, physical size, density, or aspect-ratio behavior.
- Updated `start_alla_vostra_android_all_fullstack.sh` so the broader startup helper can participate in the current Android launcher set without losing the separate small/large targeting model.

Work Completed - Global Android Numeric Input and Navigation Preservation

- Added `mob/utils/textInputKeyboardProps.js` as a shared helper for resolving `TextInput` keyboard, `inputMode`, `autoComplete`, and `textContentType` props across phone, postal-code, and numeric fields.
- Applied the shared numeric-input treatment to checkout and contact form fields so phone-number and ZIP entry no longer depend on one-off Android Large field behavior.
- Extended the fix beyond the checkout phone number to the delivery overlay ZIP field after the same digit-entry issue reproduced there.
- Preserved the app bottom control row, including the center and arrow/navigation buttons, while numeric input is focused instead of hiding or removing the row during number-pad interactions.
- Updated `StickyCartButton` and `StickyQuestionButton` behavior so keyboard-aware footer/bottom-button geometry remains stable across Android number input and overlay states.
- Kept Android Small in scope during review by avoiding emulator geometry changes and by keeping the keyboard/input changes as reusable props rather than Android Large-only layout hacks.
- Touched `mob/app/contact.js` alongside the checkout flow so contact-screen numeric field behavior follows the same global input convention.

Work Completed - Mobile Checkout and PayPal Flow Readiness

- Changed the PayPal checkout path in `mob/app/shop.js` so selecting PayPal no longer immediately opens the old external static PayPal payment page from product data.

- Moved PayPal into the final order-confirmation path: the app now builds the order payload, creates the PayPal order through the backend, opens the returned approval URL, waits for the `allavostra://paypal-return` redirect, then calls the capture endpoint.
- Fixed the Place order readiness logic for PayPal so the button can become enabled after the selected PayPal method passes validation, rather than staying grayed out after a green checkmark.
- Separated Stripe card, Google Pay, Apple Pay, and PayPal configuration gates so a PayPal setup issue does not incorrectly describe Stripe readiness, and a Stripe setup issue does not block the app from surfacing the correct PayPal message.
- Added `mob/utis/paypalPayments.js` using expo-linking and React Native Linking instead of expo-web-browser, because the existing Android development build did not include the ExpoWebBrowser native module.
- Added PayPal request and approval timeouts, cancel URL support, return URL parsing, approval URL validation, order-token fallback behavior, and JSON error handling in the mobile utility.
- Removed the stale PayPal static payment link from `mob/data/shopOverlayProducts.js` so product metadata no longer advertises an external checkout URL that bypasses the backend order flow.
- Added `mob/index.js` as the Expo Router native entry bridge so the Android native shell has an explicit tracked index path for the current app startup model.
- Bumped Expo package state through the current lockfile/package updates needed by the production-ready mobile source surface.

Work Completed - Server-Side Checkout and Order Authority

- Added `server/lib/orders.js` as the shared trusted order builder for Stripe and PayPal routes, with the Piccola, Sei Perfetto, and Buon Natale catalog prices held on the server.
- Moved delivery fee and tax calculation into the backend order model, using a \$10 delivery fee, 6 percent tax, line-item totals, grand total, metadata, shipping address, contact name, email, and phone normalization.
- Restricted backend order creation to Florida delivery addresses and rejected empty carts or invalid item quantities before any payment-provider request is made.
- Refactored `server/api/payment-sheet.js` to call `buildOrder`, create a Stripe `PaymentIntent` using the server-calculated amount, attach order metadata, set `receipt_email` and shipping, and return totals from the trusted order model.
- Fixed a live-readiness bug in the Stripe totals response by returning `order.deliveryFeeCents` instead of referencing an undefined `deliveryFeeCents` symbol after `PaymentIntent` creation.
- Trimmed `STRIPE_SECRET_KEY` before validation so accidental whitespace in Vercel or local env values does not make a valid `sk_secret` look unconfigured.
- Kept the route safe for smoke checks: an empty POST now returns `Cart is empty` only after Stripe config has passed the `sk_gate`, which distinguishes environment problems from normal validation errors.

Work Completed - PayPal Backend and Email Infrastructure

- Added `server/api/paypal-create-order.js` to accept the same order payload as Stripe, build the trusted server-side order, create a PayPal REST order, and return approval URL, PayPal order id, status, amount, currency, and totals.
- Added `server/api/paypal-capture-order.js` to capture an approved PayPal order by id/token, return capture status, and attempt the same customer confirmation email path used by Stripe orders.

- Added server/lib/paypal.js with live and sandbox API base selection, REST access-token retrieval, PayPal-Request-Id headers, payer-action/approve link extraction, CAPTURE intent payloads, item breakdowns, shipping address mapping, and user_action PAY_NOW behavior.
- Trimmed PayPal client ID and client secret values before validation/authentication so copied dashboard values with whitespace do not break backend configuration.
- Updated server/local-dev-server.js so local development can route PayPal create/capture endpoints alongside Stripe and contact routes.
- Extended server/lib/postmark.js with PayPal order confirmation support while preserving Stripe PaymentIntent confirmation email behavior and contact-message email handling.
- Updated server/.env.example and server/README.md with PayPal environment, client ID, client secret, live/sandbox mode, create/capture route behavior, and shared Postmark confirmation notes.
- Set PAYPAL_ENVIRONMENT=live in Vercel production, but left PayPal live credentials pending because PayPal Business onboarding had not unlocked the Live REST API Client ID and Secret.

Work Completed - Stripe, Vercel, and EAS Production Configuration

- Guided the live Stripe activation flow through product category, support details, statement descriptor, payout setup, optional Stripe Tax, and API key selection without placing Stripe secret values into source code.
- Identified that a live Stripe secret key had been pasted into chat/terminal context and treated it as exposed, requiring rotation before public release use.
- Rotated/replaced the Stripe live secret key and stored the usable sk_live secret in Vercel as STRIPE_SECRET_KEY for Production only, using a clipboard/stdin path and sensitive Vercel storage rather than printing the key.
- Created the live Stripe webhook endpoint for <https://alla-vostra-api.vercel.app/api/stripe-webhook> subscribed to payment_intent.succeeded, then stored the returned whsec signing secret in Vercel Production as a sensitive variable.
- Redeployed the Vercel production API after the Stripe secret and again after the webhook secret so runtime functions loaded the new production environment.
- Verified EAS production public variables included the production contact URL, Stripe payment-sheet URL, PayPal create/capture URLs, Stripe merchant identifier, and a live Stripe publishable key.
- Verified Vercel production environment contained STRIPE_SECRET_KEY, STRIPE_WEBHOOK_SECRET, PAYPAL_ENVIRONMENT, and the older Postmark production variables without exposing hidden sensitive values in the worklog.
- Used Vercel redeploy and Git-triggered deployment paths after a direct local upload failed during a large Vercel CLI upload, avoiding unnecessary local-directory transfer for a Git-backed project.
- Added .vercel and .env* to .gitignore so Vercel link state and pulled local env files stay out of source control after the project was linked locally.

Work Completed - Play Store and Release Readiness Guidance

- Clarified that the app can be a portfolio demo only if its UI and payment behavior make demo/non-purchase status explicit, and that a real end-user public release should not rely on mock card 4242 behavior.
- Explained that Google Play public release for physical food/delivery can use Stripe/Google Pay/PayPal rather than Google Play Billing, while real payment acceptance must be functional and represented honestly.

- Updated PLAY_STORE_LAUNCH_CHECKLIST.md to describe the current production candidate, production EAS environment, live backend environment requirements, PayPal create/capture URLs, Stripe webhook, and contact/Postmark variables.
- Reinforced that real card payments require the EAS app build to carry the live publishable key and production payment-sheet URL, while the Stripe secret key belongs only in Vercel.
- Clarified refund handling at a high level through Stripe dashboard/API refund paths for real payments, while keeping that operational guidance outside app source code.
- Confirmed Google Pay is part of the Stripe/PaymentSheet readiness conversation, but the app-side route still depends on the production build, Stripe account capabilities, Android device support, and live Stripe configuration.
- Tracked PayPal as implementation-ready but account-blocked: the app and backend have create/capture infrastructure, yet real PayPal payments need PayPal Business live Client ID and Secret before production completion.
- Recommended not allowing PayPal onboarding to block a Stripe-card-ready Play Store build if the release can honestly ship with Stripe card payments first and add PayPal in a later update.

Validation and Checks Performed

- Ran npm test in server; all node --check validations passed for payment-sheet, PayPal create/capture routes, stripe-webhook, contact-message, health, orders, paypal, postmark, and local-dev-server.
- Previously ran node --check on the modified mobile/server JavaScript files during the live-checkout source implementation, including mob/app/shop.js and mob/utils/paypalPayments.js.
- Previously ran npx expo install --check and npx expo-doctor for the mobile package after the Expo/package updates; both checks passed in the implementation session.
- Previously completed an Android export/build validation path during the implementation session after the checkout and dependency changes.
- Verified the live Vercel health route returned 200 OK with service alla-vostra-stripe-server on August 16.
- Verified POST /api/payment-sheet with an empty JSON payload returned 400 Cart is empty, confirming Stripe is now configured and the request reached order validation rather than failing with Stripe is not configured.
- Verified POST /api/paypal-create-order with an empty JSON payload returned 400 Cart is empty, confirming the PayPal route is deployed and reaches shared order validation.
- Verified POST /api/stripe-webhook without a Stripe signature returned 400 Missing Stripe signature, confirming both Stripe secret and webhook secret loaded far enough to reach signature enforcement.
- Verified EAS production public environment values through npx eas-cli env:list production, including production API URLs and live Stripe publishable-key presence, without placing backend secrets in the app.
- Verified Vercel production environment values through npx vercel env ls, confirming sensitive Production entries for Stripe secret, Stripe webhook secret, and PayPal environment.
- Confirmed git status was clean at main...origin/main before generating this August 16 PDF worklog.
- Did not create a real live Stripe PaymentIntent with a valid cart during this documentation pass to avoid initiating live payment objects from a worklog-generation step.

- Did not complete PayPal live payment validation because PayPal Business onboarding failed before live Client ID and Client Secret could be obtained.
- Did not run a new production EAS AAB build, Play Console upload, public rollout, or live customer order test as part of this documentation pass.

Files Touched During the August 16 Source Window

- .gitignore - added Vercel and environment-file ignore rules after local Vercel linking created local config/env state.
- PLAY_STORE_LAUNCH_CHECKLIST.md - updated the release checklist around the current production candidate, production EAS variables, live backend variables, PayPal endpoints, and Play Store payment readiness.
- alla_vostra_APP_PROJECT_SNAPSHOT.txt and alla_vostra_WEB_PROJECT_SNAPSHOT.txt - refreshed during the live-checkout source window so project snapshots captured the new mobile/server payment and launcher surface.
- launchd/com.allavostra.largeavd.plist - added the Android Large launchd helper for AllaVostra_Large_Android_API_35 on port 5554.
- start_alla_vostra_android_large.sh - added the Android Large command-line launcher that mirrors the Android Small startup helper without changing large AVD dimensions or density.
- start_alla_vostra_android_all_fullstack.sh - adjusted the broader startup helper to stay aligned with the current Android launcher scripts.
- mob/.env.example - documented the public PayPal create/capture URLs alongside the Stripe/contact app variables.
- mob/app.json - advanced the Play release identity to version 1.0.2 and versionCode 3 and kept production app configuration aligned with the final Android candidate.
- mob/app/contact.js - applied shared Android text-input keyboard props to contact input behavior.
- mob/app/shop.js - updated checkout input behavior, PayPal selection/readiness, order confirmation/payment flow, Stripe/PayPal config gating, and Android numeric-entry/bottom-row behavior.
- mob/components/StickyCartButton.js and mob/components/StickyQuestionButton.js - updated sticky control behavior around keyboard and bottom-row visibility.
- mob/data/shopOverlayProducts.js - removed the stale static PayPal payment link from product data.
- mob/index.js - added the Expo Router native shell entry bridge.
- mob/package.json and mob/package-lock.json - updated Expo/package state needed by the current Android release candidate.
- mob/utills/paypalPayments.js - added the mobile PayPal approval/capture flow using expo-linking and backend create/capture URLs.
- mob/utills/textInputKeyboardProps.js - added the global helper for phone, postal-code, and numeric TextInput keyboard props.
- server/.env.example and server/README.md - documented Stripe, PayPal, Postmark, webhook, contact, and payment route environment needs.
- server/api/payment-sheet.js - refactored Stripe PaymentIntent creation through shared trusted order building, trimmed secret handling, and corrected delivery-fee totals output.
- server/api/paypal-create-order.js and server/api/paypal-capture-order.js - added PayPal order creation and capture endpoints.
- server/api/stripe-webhook.js - trimmed Stripe secret and webhook secret values before configuration validation.

- server/lib/orders.js - added shared server-side product catalog, fee/tax calculation, metadata, shipping, validation, and formatting helpers.
- server/lib/paypal.js - added PayPal REST API helpers, live/sandbox environment selection, access-token retrieval, order payload creation, and capture support.
- server/lib/postmark.js - added PayPal order confirmation email support while preserving Stripe order and contact-message email behavior.
- server/local-dev-server.js and server/package.json - aligned local server routing and dependencies with the new payment endpoints.
- alla_vostra_worklog_august16.pdf - generated by this documentation pass as the latest root-level PDF worklog artifact.

External Configuration and Account State

- Vercel project martin-prahl/alla-vostra-api was linked locally and redeployed to the production alias <https://alla-vostra-api.vercel.app> after the Stripe secret and webhook secret updates.
- Vercel production now has sensitive STRIPE_SECRET_KEY and STRIPE_WEBHOOK_SECRET entries. The worklog intentionally records only their presence and purpose, not their values.
- A live Stripe webhook endpoint was created for payment_intent.succeeded against /api/stripe-webhook, and the Vercel production API was redeployed after the signing secret was stored.
- EAS production public app variables point at the production Vercel routes and carry the live Stripe publishable-key category needed by the mobile build.
- PayPal production remains blocked by account onboarding, not missing app code: the Developer Dashboard shows sandbox API credentials and requires upgrading to PayPal Business before live credentials are visible.
- PayPal Business onboarding failed with Something went wrong and Debug ID f3229074f3907, which should be supplied to PayPal support if the account upgrade continues failing.
- PAYPAL_ENVIRONMENT is already set to live in Vercel production, but PAYPAL_CLIENT_ID and PAYPAL_CLIENT_SECRET are still absent until PayPal live credentials are obtained.

Follow-up Context for Future Sessions

- The synced source truth for the implementation work is 947d7e4 on main/origin/main, after 0923373 and the August 14 worklog commit 9ede940.
- This August 16 PDF should be committed afterward as a documentation-only artifact if following the recent August worklog pattern.
- Before a final public Play Store upload, either obtain PayPal live credentials and add PAYPAL_CLIENT_ID/PAYPAL_CLIENT_SECRET to Vercel Production, or intentionally release with PayPal disabled/removed from the public payment-method UI until PayPal is ready.
- If PayPal remains in the UI while live credentials are missing, a valid cart can reach a backend PayPal configuration error even though the route itself is deployed; that should not be mistaken for a network/deployment failure.
- A final production AAB should be built from the EAS production environment after deciding the PayPal release posture, using ./build_alla_vostra_android_playstore.sh production from the repository root or npx eas-cli build --platform android --profile production from mob.
- After the final production AAB is built, test the Play-installed build against the production Vercel API, including contact form, card payment setup, Google Pay availability where supported, order confirmation email, invalid input handling, and Android Small/Large viewport behavior.

- Do not paste live Stripe secret keys, webhook secrets, PayPal client secrets, Postmark tokens, or Vercel auth tokens into chat or commit them into source; use clipboard/stdin or provider dashboards and rotate anything that is exposed.
- If a live Stripe test purchase is made before launch, refund and order-email behavior should be verified in the Stripe dashboard and Postmark dashboard, then documented in the next worklog or launch checklist update.
- Future Android input regressions should start from `mob/utlis/textInputKeyboardProps.js` and sticky bottom-row visibility checks before changing per-screen layout constants or AVD dimensions.

Output Artifact

- Created `alla_vostra_worklog_august16.pdf` at the repository root as the latest customary PDF worklog for the Alla Vostra project.
- Used the established root-level worklog filename pattern because this was the first August 16 worklog artifact, so no part suffix was required.
- Preserved the current letter-size PDF convention, footer format, concise opening summary, section ordering, bullet-heavy documentation style, files-touched detail, validation language, follow-up context, and output-artifact close.
- This PDF records the post-August-14 production checkout readiness work, Android Large launch helper, global Android numeric input fixes, Stripe/Vercel live configuration, PayPal route infrastructure, PayPal Business onboarding blocker, and synced source state through 947d7e4.