

Alla Vostra Mobile App Work Log - September 11, 2026

Compiled summary for Friday, September 11, 2026 - focus: verified U.S. Eastern-time date handling, full pre-existing worklog review, project-context refresh, iPhone dev-client and Android Expo Go testing setup, QR-code handoff, iOS-versus-Android change-scope clarification, live Metro reload confirmation, iOS-only header and shop typography polish, product overlay navigation/action-stack refinements, cart overlay clipping repair, triangle navigation button corner-clipping repair, question-bubble tutorial screen #5 parity with the startup tutorial, source commit capture, and current documentation artifact generation for Alla Vostra. Generated in continuity with the established Alla Vostra worklog cadence: compact opening summary, source-material review, baseline, goals, grouped work-completed sections, validation, files touched, external account/device context, follow-up context, and output-artifact close. This artifact is named `alla_vostra_worklog_september11.pdf` because the verified repository U.S. Eastern-time date used for generation was Friday, September 11, 2026, and no earlier September 11 root-level Alla Vostra worklog PDF existed before this documentation pass. The Eastern date was checked with TZ=America/New_York date, which reported Friday, September 11, 2026 at 20:51 EDT during the generation window. This PDF records the work window after `alla_vostra_worklog_september9.pdf` and documentation commit `df82320`, through synced source commit `f27332d` Updated Alla Vostra mobile shop overlays and tutorial behavior, plus the local Expo, QR, device-testing, validation, and reload operations completed around that source work.

Source Material Reviewed

- Reviewed all 63 pre-existing root-level Alla Vostra PDF worklogs from May, June, July, August, September 7 Part 1, September 8, and September 9 to preserve the project naming pattern, letter-size PDF output, title cadence, metadata, footer language, section order, validation style, files-touched inventory, device-context notes, follow-up cadence, and output-artifact close.
- Extracted the complete root-level worklog set with `pdftotext` into a temporary text set and confirmed the study pass covered 63 text artifacts, 17,441 extracted lines, and 136,867 words of prior project history.
- Used `alla_vostra_worklog_september9.pdf` as the closest style anchor because it is the immediately preceding project PDF and defines the current mobile-device testing, Expo tunnel, project-context, and documentation shape.
- Rechecked `alla_vostra_worklog_september8.pdf` and `alla_vostra_worklog_september7_part1.pdf` because the September 11 work depended on the iPhone dev-client lane, Android Expo Go SDK 54 lane, WebP asset migration, native Stripe shim, Apple-Pay-disabled local testing path, and multi-device testing posture established there.
- Reviewed the refreshed app and web project snapshots generated during the September 11 session, including the updated timestamps, current mobile source layout, current root worklog inventory, and the September 9 worklog entry added to the web snapshot tree.
- Reviewed git history after the September 9 PDF worklog commit, including `df82320` Generated the latest customary session pdf worklog for the relevant project, dated September 9, 2026, and `f27332d` Updated Alla Vostra mobile shop overlays and tutorial behavior.
- Inspected the `f27332d` commit body, diff stat, name-status output, and source-file surface so this PDF is grounded in the committed source state rather than only conversational memory.

- Reviewed the mobile files touched by the source window: mob/app/shop.js, mob/components/QuestionOverlay.js, mob/styles/headerStyles.js, and mob/styles/shopStyles.js.
- Reviewed the generated testing artifacts added by the source window: screenshots/alla_vostra_android_expo_go_qr.png and screenshots/alla_vostra_iphone_dev_qr.png.
- Rechecked current repository status before this PDF generation pass and confirmed main was aligned with origin/main at f27332d with no tracked working-tree changes before the new September 11 worklog artifact was created.

Baseline Status Before September 11

- The September 9 worklog left the project with native iPhone dev-client guidance, Android Expo Go tunnel repair notes, QR cleanup guidance, USB hub/cable diagnostics, and WebP image-load analysis, but no app runtime source changes during that September 9 support/testing window.
- The latest durable mobile source foundation already included Expo SDK 54, expo-dev-client, WebP runtime assets, Metro WebP resolution, native Stripe shimming for Expo Go, an Apple-Pay-disabled local iOS testing path, and a successful local iPhone development build lane.
- The user wanted to continue active hands-on testing with one iPhone and two Android devices, using the iPhone as the target for iOS-specific visual changes and the Android devices as controls when platform-scoped changes were intentional.
- The iPhone development build needed a dev-client Metro session rather than a plain Expo Go QR, while Android visual testing continued through Expo Go and a separate tunnel/server mode.
- Android Expo Go loading had previously appeared to hang for a long time on the phones even when Metro itself completed bundles quickly, so the support posture still distinguished Metro compilation from device/tunnel/app loading state.
- The app used custom typography, including Dream Avenue and TT Fors variants, with tight React Native font padding in many text styles; that made iOS top-edge clipping and vertical centering especially sensitive in compact buttons and overlays.
- The shop/product/cart overlays were already highly measured and platform-specific, so changes needed to preserve existing Android behavior unless the user explicitly asked for both-platform tutorial parity.
- The tutorial overlay had recently been restored after an accidental broad text-size pass, so further tutorial changes needed to be deliberate and limited to the requested screen #5 behavior.

Goals for September 11

- Reread the project context, generated snapshots, and pre-existing worklogs before continuing new work on the Alla Vostra mobile app.
- Restart practical device testing by booting the iPhone dev-client app and Android Expo Go sessions with QR/deeplink guidance that matched each runtime.
- Explain clearly why iOS-only React Native Platform.OS changes should not affect Android devices while the Android Expo Go builds remain connected to their own current bundle.
- Use the Android devices as a control surface while making iOS-only visual changes to header/shop/cart/product overlay typography and spacing.
- Increase iOS shop-related text sizes and control readability without changing the tutorial overlay after the user requested that tutorial changes be restored.

- Fix product overlay nav-name clipping, action-stack spacing, badge-label clipping, ADD-button sizing, and counter-stack scale while keeping the right-side controls aligned to the product description and away from the right margin.
- Repair iOS triangle navigation button corner clipping without changing the intended rounded button shape or making the buttons square.
- Repair top-edge text clipping in the filled-cart overlay for product names, prices, serving labels, serving counts, and related compact text assets.
- Make question-bubble tutorial screen #5 match the app-boot startup tutorial screen #5 image, held-frame behavior, animation duration, and final hold, while returning to the shop screen after the bubble tutorial closes.
- Validate the edited JavaScript with parser checks, whitespace checks, and live Metro reloads for the active iOS and Android testing sessions.

Work Completed - Project Context, Testing Setup, and QR Handoff

- Ran the project-reading workflow at the user request with `read_project.sh`, refreshing `alla_vostra_APP_PROJECT_SNAPSHOT.txt` and `alla_vostra_WEB_PROJECT_SNAPSHOT.txt` at the repository root.
- Read the refreshed snapshots and existing worklog set before continuing implementation, preserving the active project map: Expo Router mobile app under `mob`, server-backed checkout/contact surfaces, WebP assets, generated native testing state, and legacy/static web context.
- Reminded the user of the latest three project activities before this visual-polish pass: refreshed project snapshots, native iPhone testing setup, and Android Expo Go tunnel/QR testing guidance.
- Started the iPhone dev-client Metro lane from `mob` using `EXPO_PUBLIC_DISABLE_APPLE_PAY=1`, `npx expo start --dev-client`, tunnel hosting, port 8081, and the `allavostra` scheme so the already installed iPhone development build could attach to the live bundle.
- Generated a QR/deeplink testing artifact for the iPhone dev-client session at `screenshots/alla_vostra_iphone_dev_qr.png`, using the `allavostra` development-client URL rather than a plain Expo Go URL.
- Explained why the iPhone camera path may not show a dedicated QR scanner option and why opening the camera, Control Center scanner, or an already generated QR image are different practical lanes.
- Started a separate Android Expo Go tunnel on port 8082 so the Android devices could load a plain `exp://` Expo Go URL without conflicting with the iOS dev-client server on port 8081.
- Generated the Android Expo Go QR testing artifact at `screenshots/alla_vostra_android_expo_go_qr.png` for `exp://rzjbbc8-prahlin1-8082.exp.direct`.
- Confirmed that the user's reported `exp://rzjbbc8-prahlin1-8081.exp.direct` URL belonged to the iOS/dev-client-side context and should not be treated as the final Android Expo Go target when a separate Android tunnel was active.
- Explained that long Android loading after Metro reports a completed bundle can reflect Expo Go/tunnel/device loading behavior, cache state, multiple devices, or old-phone performance rather than an endless JavaScript compile.

Work Completed - Platform Scope and iOS Header Typography

- Explained that iOS-only changes guarded with `Platform.OS === "ios"` should change the iPhone live bundle without changing Android rendering, while shared source changes or unguarded styles would affect both platforms on reload.

- Confirmed the Android Expo Go devices were connected to a current development bundle and would update in real time for shared source changes, while iOS-only branches could be used to keep Android visually unchanged.
- Increased the iOS ALLA VOSTRA header logo text size by 25% in mob/styles/headerStyles.js while preserving Android sizing through the existing Android/default metric path.
- Made the iOS SHOP header button text use the TT Fors Demibold face, heavier weight, and larger line box so the button looked bolder while keeping Android on its prior body-font path.
- Added a small iOS text-size nudge and vertical translation for the logo and SHOP label after the user noted the label sat high in the white button.
- Increased the SHOP label line height and lowered its translateY to avoid clipping the top of the custom font into an invisible text wall.
- Preserved the existing button frame, shadow, and Android header control sizing while focusing the change on iOS typography and vertical centering.

Work Completed - Shop Overlay Text Scaling and Tutorial Restoration

- Added iOS shop-text scaling helpers in mob/styles/shopStyles.js and mob/app/shop.js so shop-related overlay text could be increased without broadening the change to Android.
- Increased iOS shop/cart/control text sizing across the shop overlay family, including product names, prices, cart labels, action buttons, delivery/contact/payment prompts, field text, wallet/card text, checkout summary text, and compact control labels.
- Scaled related inline/dynamic text metrics in mob/app/shop.js, including cart quantity numbers, remove-button text, receipt/grand-total text, shipping preview action button text, Stripe card input text, and cart product name/price layout line heights.
- Restored the tutorial overlay after the user reported that the broad text-size pass had affected tutorial screens, leaving mob/components/QuestionOverlay.js out of that iOS shop-text scaling change.
- Kept the larger text treatment targeted to shop-related screens/buttons/overlays rather than changing the global typography helper or tutorial guide labels.
- Preserved Android behavior for the general shop text-scale work by routing iOS-only branches through explicit Platform.OS checks and keeping Android defaults tied to the existing Android scale helpers.

Work Completed - Product Overlay Navigation, Action Stack, and Counter Sizing

- Reduced the three product-name nav labels in the product overlay by 20% on iOS so names such as Piccola, Grande, and Abbondante fit comfortably in the nav without being cut off.
- Reduced the ADD button text size by 10% after the iOS shop text enlargement made the compact ADD label too heavy inside its button.
- Halved the vertical space between prices and the green ADD button and between the ADD button and badge labels such as POPULAR, NEW, and GREAT VALUE.
- Reworked the product overlay action-stack measurements so the POPULAR/ADD/price stack stayed vertically centered against the left-side product description rather than drifting downward on the screen.
- Added dynamic iOS stack spacing and explicit price-slot positioning so the product overlay preserved its measured layout while still allowing the tighter visual stack.
- Increased the product overlay badge label line height and allowed visible overflow to stop POPULAR and related labels from clipping at the top edge.

- Increased both the ADD button and the quantity counter stack by 5% on iOS while anchoring the counter stack's right edge so the enlargement did not encroach into the right-side margin.
- Preserved Android's product overlay measurements except for the later tutorial screen #5 parity request, which the user explicitly asked to fix on both iOS and Android.

Work Completed - Triangle Navigation Button Corner Clipping

- Investigated the iOS-only corner clipping visible on the triangle navigation buttons during cart/product-style flows.
- Initially tested a radius-shape approach, then reverted away from making the buttons squarer after the user clarified that the rounded shape itself should remain unchanged.
- Repaired the actual issue by preserving the rounded black stroke/button frame and inseting only the orange gradient fill on iOS.
- Added dedicated fill-clip styles for the left and right triangle navigation button halves so the fill no longer bleeds into or gets clipped through the outer stroke corners.
- Kept other buttons untouched, matching the user's clarification that the problem was limited to the triangle nav buttons.
- Reloaded the running app after the correction so the user could compare the same rounded button shape with the corner fill/stroke clipping removed.

Work Completed - Filled-Cart Overlay Text Clipping

- Identified the filled-cart overlay clipping as the same iOS custom-font line-height problem seen earlier, with product text styles using lineHeight values equal or very close to their font sizes.
- Added an iOS-only cartOverlayProductTextLineHeightScale so compact product text boxes in the filled-cart overlay have enough top breathing room without globally changing Android layout.
- Updated cart product name, price, guests text, name-controls text, serving count, and product total styles to use taller iOS line heights and visible overflow.
- Updated the matching mob/app/shop.js layout constants for cart product name and price line heights so the measured top-row spacing still matches the actual rendered text boxes.
- Kept the filled-cart overlay geometry stable by changing the style metrics and the mirrored layout metrics together instead of relying on React Native to infer new text positions.
- Validated the change with JavaScript parser checks and git diff whitespace checks before reloading the iPhone bundle.

Work Completed - Question-Bubble Tutorial Screen #5 Parity

- Traced the startup tutorial and question-mark bubble tutorial to the shared mob/components/QuestionOverlay.js component.
- Found that screen #5 already had the startup storyboard asset available, but the shop bubble presentation intentionally swapped that step to a static Got It icon and closed immediately when tapped.
- Added an explicit isGotItGuideStep state calculation so screen #5 can share the startup tutorial's held final-frame and animation logic independent of presentation mode.
- Changed the Got It animation progress effect so both startup and shop-bubble screen #5 display the final storyboard frame while waiting for the user to tap Got It.

- Changed the Got It button behavior so both startup and shop-bubble presentations play the same linear 1000 ms storyboard animation and then hold the final state for 1500 ms before closing.
- Kept the close target different by preserving the existing closeOverlay source: startup closes the startup tutorial state, while the shop question bubble closes the shop question overlay and returns the user to the shop screen where the bubble was opened.
- Switched screen #5 to the startup guide visual chrome on both platforms so the question-bubble version matches the startup tutorial image and presentation more closely.
- Removed the now-unused static SVG Got It icon implementation from QuestionOverlay, leaving the storyboard visual as the single screen #5 path.
- Reloaded both the iOS dev-client and Android Expo Go sessions after the tutorial parity change, with Metro reporting rebuilt iOS and Android bundles.

Validation and Checks Performed

- Verified the U.S. Eastern-time date with TZ=America/New_York date, which reported Friday, September 11, 2026 at 20:51 EDT during this PDF generation window.
- Extracted all 63 existing root-level worklog PDFs with pdftotext and confirmed the review set contained 17,441 lines and 136,867 words before drafting this artifact.
- Inspected recent worklog text and pdfinfo metadata, especially September 9, September 8, and September 7 Part 1, to preserve the current eight-to-nine-page, letter-size, OpenAI Codex metadata, standard-library generator, and section-order conventions.
- Checked the existing worklog set with pdfinfo and confirmed the recent September worklogs use letter-size 612 x 792 point PDFs, OpenAI Codex authorship, Codex standard-library PDF generator metadata, and footer lines of the form Alla Vostra Mobile App Work Log - date | Page n.
- Checked git status before this PDF generation pass and confirmed main was aligned with origin/main at f27332d with no tracked changes before the new worklog file was created.
- Reviewed git show --stat, git show --name-status, and the f27332d source diff to confirm the tracked changed-file set and commit body matched the work being documented.
- Ran Babel parser checks against mob/components/QuestionOverlay.js after the tutorial change and against mob/app/shop.js and mob/styles/shopStyles.js after the filled-cart clipping fix.
- Ran git diff --check against the changed source files during the implementation pass and found no whitespace errors.
- Reloaded the iPhone dev-client Metro session on port 8081 after the filled-cart clipping and tutorial screen #5 fixes; Metro reported iOS Bundled after the reloads.
- Reloaded the Android Expo Go Metro session on port 8082 after the both-platform tutorial screen #5 change; Metro reported Android Bundled for the active Android reloads.
- Did not run a new EAS build, production Android AAB build, iOS archive, TestFlight build, Play Store upload, Stripe payment, PayPal capture, Postmark email, or full native checkout test during this September 11 documentation window.

Files Touched During the September 11 Window

- alla_vostra_APP_PROJECT_SNAPSHOT.txt - regenerated by read_project.sh and committed in f27332d with a refreshed September 11 generated timestamp and updated app/mobile project-state documentation.
- alla_vostra_WEB_PROJECT_SNAPSHOT.txt - regenerated by read_project.sh and committed in f27332d with a refreshed September 11 generated timestamp and an updated worklog listing that includes the September 9 PDF.

- mob/styles/headerStyles.js - updated with iOS-only ALLA VOSTRA logo enlargement, SHOP button demibold font usage, font-size nudge, line-height repair, and vertical centering adjustments.
- mob/styles/shopStyles.js - updated with iOS shop text scaling helpers, product nav scaling, ADD text reduction, product badge line-height/overflow repair, cart product text line-height/overflow repair, triangle nav fill clipping, and many shop/cart/delivery/payment overlay text metric updates.
- mob/app/shop.js - updated with matching iOS text-scale/layout constants, product overlay stack centering logic, price-slot positioning, 5% ADD/counter scaling, right-edge counter anchoring, cart overlay product line-height measurements, and triangle nav gradient fill wrappers.
- mob/components/QuestionOverlay.js - updated so question-bubble tutorial screen #5 uses the startup tutorial storyboard visual, final-frame setup, animation timing, final hold, and both-platform presentation path while closing back to the correct caller.
- screenshots/alla_vostra_android_expo_go_qr.png - added as the QR testing artifact for the active Android Expo Go tunnel URL used during the device testing session.
- screenshots/alla_vostra_iphone_dev_qr.png - added as the QR testing artifact for the active iPhone dev-client deep link used during the device testing session.
- No secrets, API keys, payment credentials, Apple account values, PayPal values, Stripe values, Vercel values, Postmark values, or private device credentials were added to source or written into this worklog.
- alla_vostra_worklog_september11.pdf - generated by this documentation pass as the latest root-level PDF worklog artifact for the project.

External Configuration and Device State

- The active iPhone lane used an Alla Vostra development-client build with the allavostra scheme and an EXPO_PUBLIC_DISABLE_APPLE_PAY=1 Metro session so local testing could continue without Apple Pay entitlement requirements.
- The iPhone dev-client session used port 8081 and the allavostra development-client deep link connected through the rzjbbc8-prahlin1-8081.exp.direct tunnel during the active testing window.
- The Android Expo Go lane used a separate tunnel on port 8082 with exp://rzjbbc8-prahlin1-8082.exp.direct so the Android phones could load the current Expo Go bundle independently from the iOS dev-client URL.
- The user had Alla Vostra loading on both Android devices through Expo Go while the iPhone served as the target for iOS-only visual adjustments.
- iOS-only visual changes were intentionally guarded through Platform.OS === "ios" so Android devices could remain an unchanged comparison surface for those particular header/shop/product/cart typography changes.
- The question-bubble tutorial screen #5 change was intentionally applied to both iOS and Android because the user explicitly requested parity on both device families.
- The QR PNGs added under screenshots document temporary development-session URLs and are useful for reproducing the same testing handoff pattern, but the exp.direct tunnels themselves should not be treated as durable endpoints.
- No Apple Developer paid-account, TestFlight, Play Console, Stripe live-charge, PayPal capture, Vercel environment, or Postmark production configuration change was made during this September 11 source window.

Follow-up Context for Future Sessions

- Visually recheck the iPhone header, SHOP button, product overlay action stack, filled-cart overlay text, triangle nav buttons, and question-bubble tutorial screen #5 on the physical iPhone before treating the polish pass as final.
- Recheck Android Expo Go after shared tutorial changes, especially screen #5, while remembering that the iOS-only typography and overlay refinements should not have shifted Android rendering unless a shared path was intentionally touched.
- If iOS custom-font clipping returns in another compact overlay, inspect lineHeight, includeFontPadding, overflow, and any mirrored layout constants together; several Alla Vostra overlay rows use explicit measurements that must stay synchronized with text style changes.
- If product overlay spacing is adjusted again, preserve the current relationship between the right-side action stack and the left-side product description, because the user specifically wanted that stack vertically centered against the description bounds.
- If triangle nav corner clipping is revisited, keep the repair focused on fill clipping versus stroke/frame shape; changing the border radius can make the buttons visually square without solving the underlying fill/stroke edge problem.
- If the QR artifacts are no longer useful after the session tunnels expire, consider removing them in a later cleanup commit so temporary development URLs do not remain in the repository long term.
- Continue treating Expo Go as an Android visual/layout testing lane and the iPhone dev-client build as the iOS native visual lane; production checkout and wallet validation still require development/store builds with the appropriate native payment configuration.
- Commit this September 11 PDF as a documentation-only artifact if following the recent pattern of source/config/snapshot commit first and PDF worklog commit second.

Output Artifact

- Created `alla_vostra_worklog_september11.pdf` at the repository root as the latest customary PDF worklog for the Alla Vostra project.
- Used the established root-level filename pattern because this was the first September 11 worklog artifact, so no part suffix was required.
- Preserved the current letter-size PDF convention, OpenAI Codex metadata, Codex standard-library PDF generator creator/producer values, footer format, concise opening summary, section ordering, bullet-heavy documentation style, validation language, files-touched detail, external account/device context, follow-up section, and output-artifact close.
- This PDF records the September 11 support/testing and source work: verified Eastern-time date handling, full worklog study, project snapshot refresh, iPhone dev-client and Android Expo Go QR testing, platform-scope clarification, iOS header/shop typography changes, restored tutorial overlay sizing, product overlay refinements, triangle nav corner-clipping repair, filled-cart text clipping repair, both-platform question-bubble tutorial screen #5 startup-storyboard parity, validation, reloads, and synced source commit f27332d.