

Alla Vostra Mobile App Work Log - August 12, 2026

Compiled summary for Wednesday, August 12, 2026 - focus: project-context reread, Android Large AVD startup, Alla Vostra runtime relaunches, orange-gradient splash replacement, Play Store icon-centered startup art, 3000ms readiness-gated splash timing, splash-to-tutorial routing, AV icon bounce/spin/pulse animation, Android native splash logo removal, smooth splash-to-tutorial crossfade, app/web snapshot refresh, debug and release APK build verification, and current documentation artifact generation for Alla Vostra.

Generated in continuity with the established Alla Vostra worklog cadence: compact opening summary, source-material review, baseline, goals, grouped work-completed sections, validation, files touched, follow-up context, and output-artifact close.

This artifact is named `alla_vostra_worklog_august12.pdf` because no earlier August 12 root-level worklog PDF existed before this documentation pass. It records the work window after the August 11 PDF worklog commit 68f8a35, through the current synced source state at 784b74d.

Source Material Reviewed

- Reviewed all 55 pre-existing root-level Alla Vostra PDF worklogs, spanning May, June, July, August 1, August 10 Parts 1-3, and August 11, to preserve the current root-level naming pattern, section sequence, PDF page behavior, files-touched detail, validation language, and output-artifact close.
- Extracted worklog text with `pdftotext` and used `alla_vostra_worklog_august11.pdf` as the closest style anchor because it was the immediately preceding PDF artifact and used the current long-form source-material, baseline, grouped-work, validation, and file-inventory structure.
- Rechecked the older July 31 splash-onboarding worklog because the August 12 changes intentionally replaced and refined the startup onboarding behavior first introduced there.
- Ran `git log` and `git show` over the current history and identified 68f8a35..784b74d as the source range for this worklog, with 784b74d Added animated splash-to-tutorial startup flow as the committed endpoint.
- Reviewed `git diff --stat` and `git diff --name-status` for the August 12 source range, confirming six committed files changed: two refreshed snapshots, `mob/app.json`, `mob/app/_layout.js`, the generated `splash-orange-icon.png` asset, and the new Android blank-native-splash config plugin.
- Inspected `mob/app/_layout.js` for the final startup flow, including the font readiness gate, minimum splash timer, tutorial overlay routing, icon animation constants, crossfade state, and Android status/navigation tint behavior.
- Inspected `mob/app.json` to confirm the Expo splash image now points at the orange icon splash asset with cover resize mode and the orange #f7b967 background.
- Inspected `mob/plugins/with-android-blank-native-splash.js` to confirm future Android native projects regenerate the blank orange first frame and transparent Android 12+ system splash icon rather than restoring the masked round logo.
- Reviewed the Play Store icon source and PNG samples during the session to confirm the visible rounded icon border was already the app cream #FFFCF2 and did not require a source asset change.
- Confirmed the current repository status was clean and aligned with origin/main before this August 12 PDF worklog was generated.

Baseline Status Before August 12

- The repository entered the day after the August 11 Play Store artwork worklog, with the latest source state focused on static store screenshots, device-frame tooling, feature graphic regeneration, and refreshed project snapshots.
- The app already had a splash onboarding mechanism from the July 31 work, but that startup path still presented the question overlay sequence as the splash treatment

rather than a standalone branded icon splash that later blended into tutorial overlay 1.

- The user wanted the startup screen to use the orange tutorial-gradient background and centered Alla Vostra Play Store icon instead of opening on the tutorial overlay window itself.
- The startup timing was not yet explicitly designed around both a minimum branded display duration and app readiness; earlier behavior used fixed reveal timing around the old overlay splash path.
- The debug Android first frame could show Android's system splash treatment with a masked or round-looking AV logo before JavaScript rendered, and the development build could still show the white Metro loading handoff before the React Native splash appeared.
- Expo app config still referenced the older cream-background splash-logo asset, so future native builds did not yet point at the new orange gradient + Play Store icon splash asset.
- The Android native project under mob/android is ignored by git, so persistent future native behavior needed a tracked config-plugin solution rather than only local resource edits.
- The Android Large AVD and Metro runtime needed to stay available during the iteration cycle so the splash animation, tutorial handoff, native first frame, and app launch behavior could be checked directly.
- No backend endpoint, Stripe payment flow, cart data model, shop product data, contact form, Play Store screenshot artwork, or web runtime behavior was intended to change during this August 12 source window.

Goals for August 12

- Reread the current project context, snapshots, and worklogs before continuing work so the splash change stayed aligned with the existing Alla Vostra implementation history.
- Boot the Android Large AVD, launch Alla Vostra inside it, and keep the app available for visual startup checks during the implementation passes.
- Replace the old startup question-splash presentation with a dedicated orange-gradient splash using the existing Play Store icon centered vertically and horizontally.
- Start the splash immediately when the app begins loading, then hold it for a minimum 3000ms while still allowing slow font/bootstrap readiness to extend the display duration naturally.
- Route the startup flow into tutorial overlay 1 after the splash finishes, rather than dropping directly into Home.
- Animate the AV icon so it quickly enlarges, subtly bounces into place, and then holds while the loading gate finishes.
- Add a polished rotating border-mask animation around the icon: clockwise rounded orange mask, subtle scale pulse, cream protrusion underlay for tips that extend beyond the icon border, and no damage to the existing app icon cream border or AV lettering.
- Remove the unrequested masked or round Android native splash logo from the first native frame and make future regenerated Android projects keep that blank orange first frame.
- Smooth the final splash-to-tutorial handoff so the orange background stays continuous while the splash icon fades out and tutorial overlay 1 fades in.
- Validate the work with JS transform checks, emulator launch checks, screenshot captures, debug APK rebuild/install where native resources changed, and a release APK build check for Play Store-style bundled JavaScript behavior.

Work Completed - Project Context, AVD, and Launch Preparation

- Ran the established project-reading flow, refreshed the app and web project snapshots, and reviewed the existing snapshot/worklog context before making the startup changes.
- Booted the Android Large AVD for the Alla Vostra project and relaunched the installed

- app repeatedly through adb while iterating on JavaScript startup behavior.
- Restored emulator port forwards for Metro and local service access during relaunches, including tcp:8081 for Metro and tcp:3000 for local backend-style access where relevant.
- Confirmed the Alla Vostra package/activity launch target as com.allavostra.app/.MainActivity and used force-stop/start cycles to get clean startup passes.
- Observed the native Android splash, development Metro loading frame, JavaScript splash, and tutorial overlay states as separate layers in the launch sequence, which made the source of the unwanted round logo and white debug frame clear.
- Kept the Android Large AVD running as the visual reference target while tuning timing, icon size, icon animation, native frame behavior, and tutorial transition behavior.

Work Completed - Orange Icon Splash Replacement

- Replaced the former StartupQuestionSplash path in mob/app/_layout.js with a new StartupSplashArtwork and StartupIconSplash structure centered around the app's orange gradient and Play Store icon artwork.
- Continued using mob/assets/store/playstore-orange-gradient.png through StartupOrangeBackground, including the established vertical flip treatment that matches the tutorial overlay gradient direction.
- Added startupSplashIconImage pointing to mob/assets/store/app-icon.png so the splash uses the existing Alla Vostra Play Store icon already present in the repository.
- Removed the old startup logo text treatment, unused router dependency, and stale headerStyles dependency from the root layout startup path.
- Made the centered icon responsive with a min/max size range of 132px to 184px and width-based sizing for different device widths.
- Ensured the splash artwork is also used while fonts are still loading, so users do not see a blank app surface before the branded startup treatment appears.
- Preserved the surrounding root layout providers, StripeProvider setup, header providers, cart provider, background hero provider, and existing shop overlay context while replacing only the startup overlay surface.

Work Completed - Readiness Gate and Tutorial Routing

- Added a 3000ms minimum splash duration that starts when RootLayout mounts, rather than waiting until fonts load and then adding another full delay afterward.
- Kept fonts as the current true app-readiness gate by combining fontsLoaded with minimumSplashElapsed into isStartupSplashReady.
- Designed the gate so fast launches wait at least the minimum branded interval, while extremely slow startup cases remain on the splash until the required font readiness condition is satisfied.
- Routed the ready state into StartupTutorialOverlay so the next visible state after splash is tutorial overlay 1 instead of the Home screen underneath.
- Reused the existing QuestionOverlay component with presentation="splash" and forced visibility so the startup tutorial continues to use the same bubble 1-5 guide design and behavior already present in the project.
- Added startup tutorial visibility state in RootLayoutContent so the overlay can close cleanly after the tutorial flow without permanently blocking the app.
- Preserved the normal shop question overlay path and cart overlay behavior by keeping the startup tutorial overlay separate from the ShopCartContext isQuestionOverlayVisible path.
- Kept startup readiness local to bundled app assets and font loading; no server request, Play Store network condition, Stripe request, product fetch, or user internet speed was made a splash-blocking dependency.

Work Completed - AV Icon Motion and Border Animation

- Added a startup AV icon entrance animation that begins at 0.9 scale, enlarges quickly to 1.12 over 240ms, then springs back to its settled scale.
- Added a clockwise rotating rounded orange mask over the icon border region, tuned to a 1813ms rotation duration after multiple user-directed speed reductions.
- Added a subtle looping resize pulse for the rotating mask, ending at a 0.9 minimum scale and 1.05 maximum scale with 360ms timing per pulse leg.
- Preserved rounded corners on the rotating orange mask so it remains visually consistent with the app icon's rounded-square design language.
- Split the icon into layered visual regions so the base icon, rotating border mask, and inner AV tile stack correctly without stretching or damaging the Play Store icon source asset.
- Kept the inner orange AV tile above the rotating mask, so the moving orange shape only affects the cream border region and does not obscure the central AV mark.
- Added a synchronized cream protrusion underlay behind the icon, allowing only the rotating mask tips that extend beyond the rounded icon boundary to read as cream against the orange background.
- Corrected an intermediate attempt that placed cream corner caps inside the orange mask; the final implementation removed those internal cuts and uses a separate cream layer behind the icon for the intended extra depth effect.
- Confirmed the Play Store icon's visible border was already the app cream #FFFCF2 and did not alter app-icon.svg or app-icon.png during the border-color question pass.

Work Completed - Smooth Splash-to-Tutorial Handoff

- Reworked the dismissal behavior from a simple full splash-layer fade into a shared transition progress value controlled by RootLayoutContent.
- Increased the transition duration from 280ms to 520ms to make the handoff read as a softer blend rather than a quick removal.
- Made the splash icon opacity interpolate from 1 to 0 while the tutorial overlay content opacity interpolates from 0 to 1.
- Kept the orange startup background continuously covered during the handoff, preventing the Home screen or cream app shell from peeking through while the first tutorial overlay appears.
- Preserved the tutorial overlay background and QuestionOverlay layout, so overlay 1 still lands in the expected Browse Grazingboards state after the blend completes.
- Used Easing.inOut(Easing.cubic) for the transition timing so the crossfade starts and ends gently rather than stepping abruptly.
- Kept the Android status and navigation tint layers in place during the transition, maintaining the orange system-bar feel that was already established for Android startup and overlay states.

Work Completed - Expo Splash Asset and Native Android First Frame

- Generated mob/assets/store/splash-orange-icon.png as a new full-screen splash asset built from the existing orange gradient and centered Play Store icon for future Expo/native splash configuration.
- Updated mob/app.json so the Expo splash image uses ./assets/store/splash-orange-icon.png, resizeMode cover, and #f7b967 as the background color.
- Added mob/plugins/with-android-blank-native-splash.js as a tracked config plugin so future Android native generations remove the system splash icon and keep the first native frame orange.
- Configured the plugin to rewrite the native ic_launcher_background drawable to use only the splashscreen_background bitmap layer, without a centered splash logo layer.
- Configured the plugin to add a transparent 1dp vector splash icon and point Android 12+ windowSplashScreenAnimatedIcon at that transparent icon.
- Configured the plugin to keep splashscreen_background at #f7b967 and preserve the

legacy Theme.App.SplashScreen window background linkage.

- Added the blank native splash plugin to the Expo plugin list after the material-components theme plugin and before Stripe configuration.
- Locally rebuilt and reinstalled the Android debug APK after native resource changes so the AVD reflected the blank native first frame during verification.
- Verified that the unwanted first-frame round or masked AV system splash logo was removed in the rebuilt AVD app, leaving a plain orange native frame before JavaScript starts.

Work Completed - Snapshot Refresh and Source Commit

- Refreshed alla_vostra_APP_PROJECT_SNAPSHOT.txt after the splash and startup source changes so the app-side snapshot reflected the updated assets, plugin surface, and layout file state.
- Refreshed alla_vostra_WEB_PROJECT_SNAPSHOT.txt in the same pass, preserving the project convention that the two root snapshots move together when the repository context is reread and regenerated.
- Committed the completed source work as 784b74d Added animated splash-to-tutorial startup flow.
- The commit captured the main implementation surface: mob/app/_layout.js, mob/app.json, mob/assets/store/splash-orange-icon.png, mob/plugins/with-android-blank-native-splash.js, and the two refreshed root snapshots.
- Kept the August 12 PDF generation as a separate documentation artifact after the source commit, matching the recent August 10 and August 11 worklog pattern where the worklog PDF records the already-completed source state.
- Confirmed main and origin/main both pointed at 784b74d before generating this PDF, so the source work documented here was already synced as the current branch head.

Validation and Checks Performed

- Ran a Babel transform check against mob/app/_layout.js after each major JavaScript startup change; the final transform check passed.
- Relaunched Alla Vostra repeatedly in the Android Large AVD using adb force-stop and am start against com.allavostra.app/.MainActivity.
- Captured AVD screenshots to verify the orange splash, animated icon, tutorial overlay 1 landing state, smooth handoff, and Home screen after splash/tutorial progression where applicable.
- Measured Android force-stop launch display timing during the analysis pass, observing native activity display times around 584ms to 715ms in the AVD before the JavaScript splash timing layer was considered.
- Rebuilt the Android debug APK with JDK 17 after native resource changes; the debug build completed successfully and was installed into the AVD.
- Verified the rebuilt debug app's first native frame was blank orange rather than orange plus the unrequested round/masked AV logo.
- Built the release APK successfully after the native splash/plugin changes, confirming that the Play Store-style build bundles JavaScript locally instead of depending on the white Metro loading handoff seen in development.
- Confirmed the debug-only white loading frame came from Metro/development startup behavior rather than from the final JavaScript splash or native release startup design.
- Sampled the app icon SVG/PNG border sources during the session and confirmed the icon border is #FFFCF2 cream, with only the AV lettering remaining pure white.
- Ran git show, git diff --stat, and git diff --name-status over 68f8a35..784b74d to verify the exact committed file surface before writing this worklog.
- Ran git status --short --branch before PDF generation and confirmed the branch was clean and aligned as main...origin/main.
- Did not run backend API tests, Stripe checkout tests, Firebase tests, Play Console

upload tests, web runtime tests, or product-order flow tests because the committed work changed startup presentation, native splash configuration, splash asset metadata, and snapshots rather than checkout or backend behavior.

Files Touched During August 12

- `alla_vostra_APP_PROJECT_SNAPSHOT.txt` - refreshed after rereading project context and adding the new splash asset/plugin/runtime startup changes.
- `alla_vostra_WEB_PROJECT_SNAPSHOT.txt` - refreshed alongside the app snapshot so root-level project context remained current.
- `mob/app.json` - updated Expo splash configuration to use the new orange icon splash asset, cover resize mode, `#f7b967` background, and the Android blank-native-splash config plugin.
- `mob/app/_layout.js` - replaced the old startup question-splash path with the orange icon splash, 3000ms readiness gate, tutorial overlay routing, icon bounce/spin/pulse animation, cream protrusion layer, and smooth crossfade into tutorial overlay 1.
- `mob/assets/store/splash-orange-icon.png` - added the generated orange splash asset built from the existing tutorial-gradient background and Play Store icon.
- `mob/plugins/with-android-blank-native-splash.js` - added a tracked Android config plugin that writes blank orange native splash resources and uses a transparent Android 12+ splash icon.

Follow-up Context for Future Sessions

- If the startup tutorial should appear only once per user, a persisted tutorial-seen flag still needs to be added; the current August 12 source work routes startup into tutorial overlay 1 without adding persistence.
- If future bootstrapping adds persisted cart state, tutorial state, auth/session checks, or remote config, those readiness checks can be added to the same `isStartupSplashReady` gate without blocking on general product/image/network loading.
- The current splash should continue to avoid server requests as launch blockers; Play Store install/update speed and average user internet speed are not central to the current startup path because the splash assets and fonts are bundled locally.
- The Android 12+ native system splash remains constrained by platform rules, so the tracked plugin intentionally uses a blank orange native frame and lets the richer animated icon experience begin once React Native renders.
- Future changes to the AV icon border animation should keep the inner AV tile above the moving mask and the cream protrusion layer behind the icon, avoiding the rejected version where cream caps cut into the orange spinner itself.
- Future Expo prebuild or native-regeneration passes should preserve the `with-android-blank-native-splash` plugin in `mob/app.json` so the unrequested masked native logo does not return.
- Before Play Store submission, a signed release/AAB smoke test should still be performed on a physical or representative device to confirm the native orange first frame, bundled-JS startup, splash animation, tutorial handoff, and close-to-app path outside the development Metro environment.

Output Artifact

- Created `alla_vostra_worklog_august12.pdf` at the repository root as the latest customary PDF worklog for the Alla Vostra project.
- Used the established root-level worklog filename pattern because this was the first August 12 worklog artifact, so no part suffix was required.
- Preserved the current letter-size PDF convention, footer format, concise opening summary, section ordering, bullet-heavy documentation style, files-touched detail, validation language, follow-up context, and output-artifact close.
- This PDF records the August 12 startup splash and Android launch work through commit `784b74d` and intentionally excludes unrelated checkout, backend, Play Store screenshot,

and web-runtime areas that were not changed during this source window.