

Alla Vostra Mobile App Work Log - July 2, 2026 Part 2

Compiled summary for Thursday, July 2, 2026 Part 2 - focus: filled-cart long-divider correction, main Contact screen email delivery through Postmark, Vercel environment/deployment follow-through, Contact Send button visual alignment, and Products-screen Buy this item buttons that deep-link into the matching Shop product overlay. Generated automatically after the first July 2 worklog PDF, using the root-level worklog convention and the part naming already present in older Alla Vostra worklogs. Includes tracked Git work after the previous July 2 worklog commit c341863: commits 9f90f8e, 2c282d0, and def76d4. Together these commits moved the late July 2 session from cart visual polishing into a working customer contact email path and a smoother product-to-shop purchase entry point.

Source Materials Processed

- Read the first July 2 worklog PDF with pdftotext to preserve the established title cadence, compact opening, source-material section, baseline section, goal list, bullet-heavy work sections, validation section, follow-up context, and output-artifact close.
- Reviewed Git history after commit c341863, including commit messages, changed files, and patch stats for 9f90f8e, 2c282d0, and def76d4.
- Checked current source context in mob/app/shop.js, mob/styles/shopStyles.js, mob/app/contact.js, mob/styles/contactStyles.js, mob/utils/contactMessages.js, mob/app/products.js, mob/styles/productsStyles.js, server/api/contact-message.js, server/lib/postmark.js, server/README.md, server/.env.example, mob/.env.example, and server/package.json.
- Reviewed the repo state before generating this artifact and confirmed the working tree was clean before the PDF file was created.
- Used git log, git show --stat, git status, pdftotext, pdfinfo, node --check, npm test --prefix server, git diff --check, and a small standard-library PDF writer; no external PDF package was installed.

Current Baseline to Preserve

- Primary app work remains in /Users/prahlin/alla_vostra/mob, using Expo Router, React Native, shared Shop cart context, and the existing animated Shop overlay system.
- The server remains a tiny Vercel-compatible Node backend under /Users/prahlin/alla_vostra/server, now serving Stripe payment setup, Stripe webhook handling, health checks, and customer contact-message email delivery.
- Postmark is now used for two distinct email paths: customer order confirmations after payment_intent.succeeded, and customer-submitted messages from the main Contact screen to the configured Alla Vostra inbox.
- The main Contact screen is no longer cosmetic. It owns field state, validates name/email/message before sending, shows sending and result status, and calls the backend rather than exposing Postmark secrets in the mobile app.
- The Products main screen remains a browsing page, but each product now has a direct Buy this item path into the Shop product overlay so users do not need to manually enter Shop and navigate product tabs.
- The filled-cart product-entry grid remains layout-sensitive. Long divider sets, asset-grid margins, top/bottom entry envelope spacing, and 2x2 cell internals are intentionally separate concerns.

Main Goals We Worked Toward

- Undo unsuccessful vertical-gap experiments around the doubled cart dividers while keeping the double divider sets themselves.
- Increase product-entry breathing room outside the 2x2 grid without rearranging product names, serving text, images, counters, or remove buttons inside the grid.
- Make all long horizontal filled-cart dividers use the slimmest hairline look so paired dividers read as refined separators rather than heavy stripes.
- Determine whether the main Contact screen had real functionality, then connect it to Postmark through the existing Vercel backend when it proved cosmetic.

- Add the missing Vercel/Postmark environment variable path, redeploy, test, and confirm that Contact screen messages actually arrive.
- Match the main Contact Send button appearance to the Shop action-button system for corner radius, dimensions, and thick black border treatment.
- Add Buy this item buttons below every product on the main Products screen and route each one to the correct product entry inside the Shop product overlay.

Work Completed - Filled-Cart Divider and Spacing Correction

- Kept the newly doubled long horizontal divider sets that separate product entries inside the filled-cart cream area.
- Reversed the later vertical-gap balancing math that introduced productEntryNameDividerGap, image-bottom balancing, and a replacement product-entry total-height calculation after it did not produce the intended visual result.
- Restored the earlier product-entry height calculation based on vertical margin extension, top inset, visual space, top-cell inner gap, and bottom inset.
- Added a cleaner outer-only spacing variable so additional vertical breathing room can be applied above the topmost asset and below the bottommost asset without moving anything inside the 2x2 product grid.
- Increased that outer-only top/bottom gap after review so the spacing change became more visible while preserving the internal grid proportions.
- Matched long horizontal divider thickness to the slimmest app hairline value by changing the app-side divider height constant from 0.75 to 0.375 and the top-divider style from appHairlineWidth * 2 to appHairlineWidth.
- Preserved internal cell placement for product name/price, Serves count, product image, quantity controls, and remove button while changing only the outside entry envelope and divider line weight.

Work Completed - Main Contact Screen Email Delivery

- Confirmed that the main Contact screen was cosmetic before this pass: it rendered Full Name, Email Address, Phone Number, Your Message, and Send Message, but did not store input state, submit data, call a backend, or send an email.
- Added controlled state for name, email, phone, message, sending status, and user-facing status text in mob/app/contact.js.
- Added validation so name, a valid email address, and message are required before the Contact screen attempts to send.
- Changed the Send Message surface from a passive View into a haptic Pressable with sending and dimmed states.
- Added mob/utils/contactMessages.js to call a configurable contact-message endpoint. The app can use EXPO_PUBLIC_CONTACT_MESSAGE_URL directly, or safely derive /api/contact-message from the existing Stripe payment backend URL when appropriate.
- Kept Postmark credentials off the phone by sending Contact screen submissions to Vercel instead of calling Postmark directly from the mobile app.
- Cleared the form and displayed a success message after a successful send, while preserving a user-facing error message and alert when the backend rejects or fails the request.

Work Completed - Vercel and Postmark Contact Backend

- Added server/api/contact-message.js as a Vercel POST route with CORS handling, OPTIONS support, JSON body parsing, and clear method/error responses.
- Extended server/lib/postmark.js with sendContactMessageEmail, a separate Postmark helper for contact-message delivery that validates name, email, and message before sending.
- Rendered contact emails as both HTML and plain text, including name, customer email, phone when provided, submitted timestamp, and the submitted message body.
- Set the customer email as Postmark ReplyTo so replies from the Alla Vostra inbox can go back to the person who submitted the form.
- Added POSTMARK_CONTACT_TO_EMAIL to server/.env.example and documented it in server/README.md. The route falls back to POSTMARK_REPLY_TO_EMAIL and then POSTMARK_FROM_EMAIL if a dedicated contact recipient is not configured.
- Updated the server test script so npm test --prefix server checks api/contact-message.js

along with the existing payment, webhook, health, and Postmark helper files.

- Walked through adding POSTMARK_CONTACT_TO_EMAIL in Vercel, redeploying the backend, pushing the new route code, and confirming that the Contact screen send path worked end to end.

Work Completed - Commit Message and Deployment Cleanup

- Committed and pushed the Contact/Postmark implementation so Vercel could deploy the new /api/contact-message route alongside the newly added environment variable.
- Clarified why Git reported nothing to commit after the work was pushed: the file changes had already been saved in a commit and synchronized with origin/main.
- Amended the Contact/Postmark commit message at the user's request so the Git history uses the user-authored description rather than the shorter initial commit message.
- Force-pushed safely with --force-with-lease because the amended Contact/Postmark commit was the latest commit at that moment.
- Confirmed the rewritten Contact/Postmark commit as 2c282d0 and verified the repo was clean and synchronized after the amend/push operation.
- Kept the explanation concrete: the Contact changes were separate from the earlier filled-cart divider commit, not bundled into it.

Work Completed - Contact Send Button Visual Alignment

- Compared the main Contact screen Send button to the Shop overlay action-button styling rather than assuming the existing Contact button matched.
- Found that the Contact button was close in color but different in size, corner rounding, and border treatment: 170 x 54, radius 10, and no explicit Shop-style thick border.
- Updated the Contact button to match the Shop action-button dimensions and shape: width 111, height 55.5, border radius 10.5, orange #f7b967 fill, and the shared thickBlackBorder.
- Imported thickBlackBorder from the shared borderEffects module instead of duplicating borderWidth and borderColor manually.
- Preserved the Contact screen status text and haptic Pressable behavior while aligning the visual button shell.

Work Completed - Products Screen Buy This Item Buttons

- Added a Buy this item button beneath each product on the main Products screen: Piccola, Sei Perfetto, and Buon Natale.
- Styled those buttons with the same Shop-like orange action button language: 111 x 55.5, 10.5 radius, thick black border, white bold text, and a subtle pressed border-color change.
- Used the existing HapticPressable wrapper so these new product calls to action inherit the app-wide Android haptic tap behavior.
- Added product-specific routing from Products to /shop with product and openProduct query params, using Expo Router in the same spirit as the sticky cart route handoff.
- Added Shop route parsing for the product query param and normalized product-name lookup so incoming route values select only known Shop products.
- Allowed the Shop overlay to open initially on the requested product and synchronized the overlay nav indicator with that product index.
- Added a route-effect path so later Products-screen button taps into an already-mounted Shop screen can still switch the active overlay product cleanly.
- Reused the existing Shop overlay product selection model rather than creating a separate product detail surface.

Validation and Checks Performed

- Freshly ran npm test --prefix server before generating this artifact. The script checked api/payment-sheet.js, api/stripe-webhook.js, api/contact-message.js, api/health.js, and lib/postmark.js with node --check.
- Freshly ran node --check on mob/app/shop.js, mob/styles/shopStyles.js, mob/app/contact.js, mob/utils/contactMessages.js, mob/styles/contactStyles.js, mob/app/products.js, and mob/styles/productsStyles.js before generating this artifact.

- Freshly ran `git diff --check` before generating this artifact; no whitespace or patch-format issues were reported.
- Confirmed the working tree was clean before creating this PDF artifact.
- During the implementation session, confirmed the main Contact screen email send worked after the Vercel environment variable and deployed contact-message route were both active.
- Did not run a fresh Expo export during this PDF-generation step. The recorded checks here are local syntax/whitespace checks, server syntax tests, Git history review, and the earlier live Contact/Postmark functional confirmation.

Files Touched / Added During July 2 Part 2

- Filled-cart long divider sets, outer product-entry spacing, hairline divider thickness, route-aware product overlay opening, and product deep-link handling: `mob/app/shop.js`.
- Filled-cart long-divider visual thickness: `mob/styles/shopStyles.js`.
- Main Contact screen state, validation, submit behavior, haptic Send button, success/error feedback, and Postmark-backed send call: `mob/app/contact.js`.
- Main Contact Send button dimensions, radius, border treatment, dimmed state, and status text: `mob/styles/contactStyles.js`.
- Mobile Contact API helper and contact endpoint configuration: `mob/utils/contactMessages.js` and `mob/.env.example`.
- Vercel contact-message route and Postmark contact email helper: `server/api/contact-message.js` and `server/lib/postmark.js`.
- Server environment/documentation/test-script updates: `server/.env.example`, `server/README.md`, and `server/package.json`.
- Main Products screen Buy this item buttons and product-to-Shop routing: `mob/app/products.js` and `mob/styles/productsStyles.js`.
- This final worklog generation creates `alla_vostra_worklog_july2_part2.pdf` at the repository root.

Important Follow-Up Context

- The Contact form now sends real email through Postmark, but production polish should eventually include rate limiting, spam protection, and possibly a lightweight server-side origin policy rather than only open CORS.
- `POSTMARK_CONTACT_TO_EMAIL` controls the inbox for customer messages. Changing it in Vercel requires a redeploy before the deployed backend sees the new value.
- The Contact screen sends customer messages to Alla Vostra but does not send an automatic confirmation email back to the customer. That can be added later if desired.
- The Products screen Buy this item buttons depend on product names matching the Shop overlay product names. If product titles are renamed, the route mapping should be checked.
- The Shop product deep-link route currently opens the product overlay and selects the requested product; it does not automatically add the item to the cart, which matches the requested browse-to-entry behavior.
- The filled-cart divider and spacing math remains sensitive. Future changes should keep divider set rendering, outside entry spacing, and internal 2x2 grid alignment separate.
- Git history now contains separate commits for the first July 2 worklog, the cart divider/spacer pass, the Contact/Postmark pass, and the Products-screen Buy this item pass.

Output Artifact

- Created this second July 2 worklog PDF: `alla_vostra_worklog_july2_part2.pdf`.
- The file is named as July 2 part 2 to follow the older part-style naming convention already present in the repo and to avoid overwriting `alla_vostra_worklog_july2.pdf`.
- No external PDF package was installed; this artifact was generated with a small standard-library PDF writer in the same plain-text-readable spirit as the prior daily worklogs.