

Cinerific Android App Work Log - July 20, 2026

Compiled summary for Monday, July 20, 2026 - focus: continuing the post-July 19 Settings and catalog pass by aligning the Settings profile/sign-out layout to the Figma prototype, advising on app-wide language-switch architecture, bundling local Spanish and Mandarin translations, wiring real-time text switching, adding temporary idle auto logout with a future full-title playback exception, and implementing the first dedicated Sink or Swim title detail screen. Generated in continuity with the established Cinerific worklog cadence from July 12, July 14, July 15 Part 1, July 15, July 16, July 18, and July 19: compact opening summary, source-material review, baseline state, goal list, themed work-completed sections, validation, files touched, follow-up context, and output-artifact close. This artifact records the July 20 Cinerific work now present on main and follows the prior root-level PDF naming, four-page letter layout, footer, and plain-text-readable style.

Source Materials Reviewed

- Reviewed every pre-existing Cinerific worklog PDF at the repository root: cinerific_worklog_july 12.pdf, cinerific_worklog_july 14.pdf, cinerific_worklog_july 15 part 1.pdf, cinerific_worklog_july 15.pdf, cinerific_worklog_july 16.pdf, cinerific_worklog_july 18.pdf, and cinerific_worklog_july 19.pdf.
- Used pdftotext and pdfinfo output from the prior PDFs to preserve the established title pattern, opening-summary cadence, source review, baseline/goals sections, themed work-completed sections, validation language, files-touched list, follow-up close, footer convention, letter-size page geometry, and four-page daily-log shape.
- Reviewed read_project.sh and cinerific_PROJECT_SNAPSHOT.txt for the current scanner convention, generated/context-file handling, Android source layout, resource inventory expectations, and snapshot-based onboarding flow used by prior sessions.
- Reviewed the current Git state on main tracking origin/main, including the clean status at HEAD 152ee04 and the July 20 commits e50671c, 9533ccc, bce86ab, and 152ee04.
- Reviewed git show --stat and commit messages for the July 20 source work so this log describes the committed project state rather than only conversation memory.
- Reviewed app/src/main/java/com/prahlin/cinerific/ui/CinerificApp.kt, CinerificDestinationScreen.kt, CinerificHomeScreen.kt, CinerificRightSideNavBar.kt, CinerificIntroView.kt, CinerificLanguage.kt, CinerificPlaybackSession.kt, the strings resource bundles, and the Sink or Swim drawable asset.
- Reviewed user-provided Figma/prototype references for Settings alignment, signed-in profile assets, the Auto log out security row, the Sink or Swim component behavior, the desired Card 36 sharpness, and node-specific Figma selection workflow.
- Used Gradle build output, adb/emulator validation notes from the implementation session, git status/log/show output, image inspection, pdftotext/pdfinfo, and the current assembleDebug check as validation material. No external PDF package was installed for this worklog.

Baseline Status Before July 20 Work

- Cinerific entered July 20 with the July 19 destination chrome, viewport catalog modes, empty Favorites prototype state, Settings language dropdown, shared toggle sizing, rounded Settings panels, and section header pills already committed and documented.
- Settings still needed a deeper Figma alignment pass: label text, text sections, gray section/header boxes, toggle columns, signed-in assets, avatar/name sizing, and the Sign out action were not yet matching the referenced right-hand prototype column.
- The language picker existed visually, but app-wide copy was still hardcoded in many Compose surfaces. Spanish and Mandarin choices were visible without bundled translations, so changing the setting could not yet update headers, paragraphs, row labels, or program copy consistently.
- The project did not need a backend for current localization because the app copy was known, small, and controlled locally. Runtime machine translation or database lookup would have added cost, permissions, caching, failure states, and network dependency before the product required it.
- Security settings had visual toggles, but Auto log out was not yet connected to app-level inactivity behavior or to the sign-in return path requested by the prototype.
- Future full-title video playback had not yet been incorporated. The auto logout logic therefore needed a small exception point for later actionable Play buttons while preserving idle logout for static screens, looping preview clips, and the Home/default auto-playing reel.
- Movies and Shows had catalog cards and mode rows, but title cards still opened no dedicated component screen. Sink or Swim was chosen as the first title detail route to establish the pattern before scaling the rest of the library.
- The app had lower-resolution cropped title artwork for some cards. The user identified Figma Card 36 as the sharper Sink or Swim source, so the asset workflow needed to distinguish true Figma export quality from simple local upscaling.

Main Goals for July 20

- Horizontally align Settings labels, section text, and gray label boxes against the Settings

top banner while preserving the intentional left-edge clipping of the gray label/header shapes.

- Center all switch toggles in the Settings control column and incorporate the signed-in profile/avatar/name/sign-out assets from the right-hand Figma prototype column.
- Scale the avatar and signed-in text down by roughly 10 percent, remove the duplicate shape behind Sign out, make Sign out actionable, and match the vertical gap above the avatar to the gap below it and the adjacent text row.
- Keep the bottommost Settings switch aligned with the Sign out button when the Settings content is scrolled to the bottom, with responsive positioning instead of a fixed one-device offset.
- Recommend the localization architecture before implementation, including cost controls, network dependency tradeoffs, database/backend need, and how to preserve the exact English Figma copy.
- Bundle Spanish and Mandarin translations locally and make Settings language changes update app text in real time, while keeping the right-hand navigation labels unchanged for now.
- Add testable Auto log out behavior under Security, using 10 seconds during validation but preserving the intended 10-minute production target.
- Add an exception hook so future user-started full-title video playback can pause auto logout, without exempting automatic Home reels or looping preview clips.
- Implement the Sink or Swim detail screen to mirror the Figma component behavior: full-screen grayed image, delayed full-visibility image, scrollable text/metadata below, no spinner, collapsed rail, and library rows farther down the page.

Work Completed - Settings Alignment and Profile Layout

- Created commit e50671c, Polished responsive Settings profile layout, as the first July 20 source checkpoint after the July 19 worklog artifact.
- Aligned Settings label text and left-hand text sections to the Settings top banner, then aligned the gray section/header boxes to the same visual system while allowing the boxes to clip through the left edge as requested.
- Horizontally centered the switch toggles in the right-hand control column and kept the toggle rows aligned against their corresponding label/detail stacks.
- Incorporated the signed-in profile area from the right-hand Figma column, including the avatar/name treatment and the Sign out control, instead of leaving Settings as only left-column rows.
- Scaled the avatar image and signed-in text treatment down by about 10 percent, which raised the Sign out button and reduced the oversized profile-column feeling.
- Removed the duplicate shape/picture that had appeared behind the Sign out button during the profile-column import pass.
- Made Sign out actionable by routing the user back to the sign-in/profile selection screen through the app-level signed-in state.
- Matched the vertical gap above the avatar icon to the gap below it and the profile text row, tightening the right-column visual rhythm.
- Added responsive bottom alignment so the lowest Settings switch lines up exactly with Sign out when the Settings page reaches the bottom of its scroll range.
- Refreshed cinerific_PROJECT_SNAPSHOT.txt as part of this pass so the generated project context reflected the new Settings/profile behavior.

Work Completed - Localization Planning and Bundled Translations

- Recommended local bundled translations instead of live runtime translation for the current product stage because the copy is finite, app-owned, offline-friendly, and does not require database permissions or recurring API cost.
- Explained that a backend/database becomes useful later only if copy needs to be managed remotely, personalized by tenant/user, edited by non-developers without app releases, audited/versioned, or synchronized across multiple apps.
- Documented the network-dependency tradeoff: remote translation requires online availability, cache invalidation, loading/fallback states, privacy review for transmitted text, vendor lock-in decisions, and cost ceilings; bundled strings avoid those risks for the current UI.
- Created commit 9533ccc, Bundled localized app translations, adding CinerificLanguage.kt with CinerificLanguage, LocalCinerificLanguage, and CinerificLocalizedResources for locale-specific Android resources.
- Added app/src/main/res/values/strings.xml as the English source of truth, preserving the exact current Figma/prototype copy wherever English text had already been implemented.
- Added app/src/main/res/values-es/strings.xml and app/src/main/res/values-zh-rCN/strings.xml for Spanish and Mandarin/Simplified Chinese translations across app-owned text.
- Wired the Settings language picker to app-level language state so selecting English, Spanish, or Mandarin updates headers, paragraphs, labels, catalog copy, Settings copy, Favorites text, and program metadata in real time.
- Kept the right-hand navigation labels unchanged for now, matching the user instruction to leave that rail alone during localization.
- Preserved English for text baked directly into bitmap assets, such as poster artwork and

profile-name imagery, because those words are part of images rather than runtime text nodes.

Work Completed - Auto Logout and Playback Exception

- Created commit bce86ab to add the Security Auto log out behavior with a temporary 10-second timeout for testing. The intended production value remains 10 minutes after validation is complete.
- Promoted the Security Auto log out switch from local visual state to app-level state so toggling it controls actual inactivity behavior.
- Added root touch tracking in the signed-in app surface using pointer input at the initial event pass, so taps, screen touches, and scroll interactions refresh the idle timer without consuming those events from child controls.
- Implemented timeout-driven sign out so a user returns to the sign-in/profile selection screen after the configured idle interval when Auto log out is enabled.
- Added CinerificPlaybackSession.kt with CinerificPlaybackSessionController and LocalCinerificPlaybackSessionController as a future integration point for real movie playback components.
- Defined the playback exception around user-started full-title playback: future actionable Play buttons should call onActionablePlayTapped before real playback begins and onUserInitiatedPlaybackFinished when playback ends.
- Kept automatic Home reels and looping preview clips idle-loggable, as requested, so only user-initiated full-title playback pauses the auto logout timer.
- Validated the 10-second timeout behavior during the implementation session by enabling the Security switch and confirming the app returned to sign-in after inactivity.

Work Completed - Sink or Swim Component Screen

- Created commit 152ee04 to add the first dedicated title detail route for Sink or Swim and connect title-card taps to it from the app catalog surface.
- Added CinerificDestination.SinkOrSwimDetails and routed Sink or Swim taps from the Home Crime row and Movies/Shows catalog cards into the new destination.
- Reworked the detail surface after prototype review so it mirrors the Figma component behavior more closely: a full-screen Sink or Swim image starts muted/gray, then becomes fully visible after a short delay.
- Placed the title header, synopsis/snippet, runtime, genre, director, producer, and star metadata in a scrollable gray information portion directly below the image, matching the component structure instead of using the earlier poster-detail layout.
- Left the spinner animation asset and animation out of the implementation, per request.
- Collapsed the right-side nav rail on title detail destinations so only the burger entry remains visible when a user opens the Sink or Swim screen.
- Added Cinerific library rows below the Sink or Swim information portion so downward scrolling continues into the broader Movies/Shows-style catalog content, referencing the Home/default row look.
- Added app/src/main/res/drawable-nodpi/sink_or_swim_hero.png as the current hero image resource and inspected it as a 2800 by 2104 PNG at roughly 4.7 MB.
- Explained that the current image was not as crisp as the user-provided Figma Card 36 reference because it was produced from lower-resolution local source material; upscaling increased pixel dimensions but could not recover original detail.
- Provided the workflow for getting a node-specific Figma link: select the exact Card 36 or Sink Or Swim Component node, then use Copy/Paste as -> Copy link to selection so the URL includes node-id for targeted export.

Validation and Checks Performed

- Ran ./gradlew :app:assembleDebug after the current July 20 committed state; the debug build completed successfully with BUILD SUCCESSFUL in 9 seconds.
- Reviewed git status --short --branch before this PDF generation and confirmed main is clean and tracking origin/main at HEAD 152ee04.
- Reviewed git log --date=local to confirm the July 20 commit order: e50671c for Settings profile layout, 9533ccc for bundled translations, bce86ab for auto logout/playback exception, and 152ee04 for Sink or Swim detail routing.
- Reviewed git show --stat for e50671c..HEAD and b3a1c45..HEAD to confirm the touched source/resource scope across CinerificApp.kt, CinerificDestinationScreen.kt, CinerificHomeScreen.kt, CinerificRightSideNavBar.kt, CinerificIntroView.kt, CinerificLanguage.kt, CinerificPlaybackSession.kt, string bundles, and sink_or_swim_hero.png.
- Inspected sink_or_swim_hero.png with file and sips; the current resource is a non-interlaced RGB PNG at 2800 by 2104 pixels.
- Earlier July 20 implementation checks installed and exercised the app on the Cinerific tablet AVD, including Settings language behavior, Auto log out return to sign-in, Sign out navigation, Sink or Swim detail reveal, scrollable metadata, library rows, and collapsed title-detail rail behavior.
- Read all pre-existing Cinerific worklog PDFs before producing this artifact so the new worklog

follows the established naming, structure, length, and content type.

Files Touched During July 20

- app/src/main/java/com/prahlin/cinerific/ui/CinerificApp.kt: profile/sign-in routing, language provider wiring, auto logout state/timer handling, playback-session provider, idle touch tracking, and Sink or Swim destination routing.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificDestinationScreen.kt: Settings alignment/profile/sign-out layout, localized text usage, controlled Auto log out switch, Sink or Swim detail screen, gray-to-visible hero reveal, metadata panel, and library rows below the detail content.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificHomeScreen.kt: localized Home/catalog text and Sink or Swim card tap routing into the dedicated detail destination.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificRightSideNavBar.kt: title-detail behavior that collapses the right rail to the burger-only state outside the main navigation frame destinations.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificIntroView.kt: sign-in/profile flow support used by the Settings Sign out return path.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificLanguage.kt: new language enum, composition local, and localized resource helper for English, Spanish, and Mandarin resources.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificPlaybackSession.kt: new playback-session controller and CompositionLocal used to suspend idle logout during future user-started full-title playback.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificViewportGenreNav.kt and CinerificViewportNavBar.kt: localized viewport-nav/copy integration from the language bundle pass.
- app/src/main/res/values/strings.xml, values-es/strings.xml, and values-zh-rCN/strings.xml: English, Spanish, and Mandarin string bundles for app-owned text.
- app/src/main/res/drawable/settings_sign_out_base.xml: Sign out button base shape resource used by the refined Settings profile layout.
- app/src/main/res/drawable-nodpi/sink_or_swim_hero.png: current Sink or Swim hero image resource for the dedicated component screen.
- cinerific_PROJECT_SNAPSHOT.txt: refreshed generated snapshot as part of the Settings profile layout checkpoint.
- cinerific_worklog_july 20.pdf: this generated daily worklog artifact at the repository root.

Follow-Up Context

- Change AUTO_LOGOUT_TIMEOUT_MS from the current 10-second test value back to 600,000 ms before production or any broader demo where a 10-second idle timeout would feel broken.
- When real movie/show playback components are added, wire actionable Play buttons into CinerificPlaybackSessionController before playback starts and clear the flag when playback ends, exits, or errors.
- Replace sink_or_swim_hero.png with a true Figma Card 36 or Sink Or Swim Component export once the user provides a node-specific link or the exact node is targeted through the Figma connector; the current upscaled local image is not a true source-quality export.
- Continue importing title components one at a time, starting from exact Figma node links, so the growing Movies/Shows library avoids low-resolution crops and mismatched metadata layouts.
- Decide whether runtime language preference should be persisted across app restarts. The current bundled translation system supports real-time switching, but persistence can be layered into DataStore when desired.
- Add automated UI checks later for sign-out routing, idle timeout, language switching, and title-detail navigation once the prototype surfaces stabilize enough to justify test maintenance.
- Generated worklog PDFs are still subject to the project ignore policy unless explicitly force-added, while the July 20 source state itself is already committed and aligned with origin/main at HEAD 152ee04.

Output Artifact

- Filename: cinerific_worklog_july 20.pdf
- Created at the repository root in /Users/prahlin/gh/cinerific.
- Follows the Cinerific filename convention established by cinerific_worklog_july 12.pdf and continued by the July 14, July 15, July 16, July 18, and July 19 artifacts, including the space before the day number.
- Follows the established Alla Vostra/Prahlín/Cinerific daily worklog structure while keeping the body content specific to Cinerific work completed on Monday, July 20, 2026.
- No external PDF dependency was installed; this artifact was generated with a small standard-library PDF writer in the same plain-text-readable spirit as the prior Cinerific worklogs.
- Created this daily worklog PDF: cinerific_worklog_july 20.pdf.